This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.

+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.

+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.

+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

Digitized by Google

RIJ
6418
•1

HARVARD UNIVERSITY.

LIBRARY

OF THE

MUSEUM OF COMPARATIVE ZOÖLOGY
8397

Bought

May 2, 1894 – August 24, 1908.

Digitized by Google

Digitized by Google

Digitized by Google

MUSÉUM

D'HISTOIRE NATURELLE

DES

PAYS-BAS.

Digitized by Google

Digitized by Google

MUSÉUM
D'HISTOIRE NATURELLE

DES

PAYS-BAS.

TOME XIII.

CATALOGUE SYSTÉMATIQUE

DES

MOLLUSQUES

(GASTROPODES PROSOBRANCHES ET POLYPLACOPHORES)

PAR

R. HORST et M. M. SCHEPMAN.

LIBRAIRIE ET IMPRIMERIE
CI-DEVANT
E. J. BRILL.
LEIDE — 1908.

Digitized by Google

IMPRIMERIE ci-devant E. J. BRILL — LEIDE.

Digitized by Google

AVANT-PROPOS.

Le but de la publication de ce *Catalogue systématique des Mollusques* est de faire connaître au monde scientifique les richesses dans cette branche de la Zoologie entassées dans le Musée d'Histoire Naturelle des Pays-Bas. Ce Catalogue servira à guider les savants, à leur informer quelles espèces rares ou intéressantes ils peuvent trouver dans notre Musée National, enfin à faciliter leurs études zoologiques.

C'est avec la plus grande reconnaissance que nous mentionnons ici le secours désintéressé et fort apprécié de Monsieur M. M. Schepman, expert bien connu dans cette branche si difficile de la Zoologie. La gratitude des Conchyliologistes lui sera une récompense permanente et bien méritée.

Leide, Juin 1908. F. A. JENTINK.

Digitized by Google

Digitized by Google

INTRODUCTION.

La collection conchyliologique du Musée d'Histoire Naturelle des Pays-Bas est d'origine très hétérogène. Au premier lieu elle dérive du Cabinet de Zoologie, d'Anatomie Comparée et de Minéralogie de l'Université de Leide, qui surtout sous la direction du professeur Brugmans (1786—1819) s'était énormément développé [1]). Une autre collection d'objets d'histoire naturelle, sous le nom de „'s Lands Cabinet" était conservée au Trippenhuis à Amsterdam. Ces collections, combinées avec le Cabinet du Prince Guillaume V et la riche collection d'Oiseaux de C. J. Temminck, forment le noyau du „Ryks Museum van Natuurlijke Historie", institué par décret royal du 9e Août 1820. En 1822 le Musée s'enrichissait des collections, formées par le Professeur C. G. C. Reinwardt [2]) dans les Indes Orientales, où il accompagnait le Commissaire Général lors de la restauration du Gouvernement Neerlandais dans ces régions. Quatre ans plus tard (1826) Cantraine, Professeur de Zoologie à l'Université de Gand, fut confié par Sa Majesté le Roi des Pays-Bas d'une exploration scientifique de la Méditerranée et de son littoral. Un bon nombre de coquilles furent achetées en 1827 à la vente du Cabinet d'Histoire Naturelle de Joan Raye, Seigneur de Breukelerwaert: une collection „qui faisait un des ornements scientifiques de la Capitale du Royaume et le fruit des moyens et des soins assidus d'un amateur distingué et érudit" (avertissement du catalogue); parmi ces coquilles se trouve un exemplaire du *Conus gloria-maris*, qui valait le prix de fl. 250. 'A von Siebold, qui visitait le Japon pendant les années 1823—30 et y fit l'acquisition de beaucoup d'objets d'histoire

1) Dans le Catalogue il est indiqué avec le nom d'„Ancien Cabinet".

2) *C* indique que les objets faisaient partie des collections de la personne, nommée dans le Catalogue.

P indique que les objects furent présentés au Musée.

Digitized by Google

naturelle, nous devons plusieurs espèces de coquilles de ces îles. Troost, résidant à Nashville en Tennessee, nous envoyait des Mollusques d'eau douce de l'Amérique septentrional (1835). Pendant les années 1840—53 nous reçûmes beaucoup de coquilles de la collection célèbre de H. Cuming, tant par échange que par achat; aussi une grande partie de la collection du Docteur Dalen à Rotterdam, qui contenait 900 espèces de coquilles, fut achetée pour notre Musée à la vente en 1853. Cependant la meilleure partie de notre collection conchyliologique, qui est originaire de l'Archipel Malais, fut rassemblée par les membres de la „Natuurkundige Commissie" (Kuhl, van Hasselt, Forsten, S. Müller, Macklot, Overdijk, Junghuhn) qui pendant trente années (1820—50) avec une ardeur infatigable exploraient cette région [1]). Ces recherches furent plus tard continuées par Bernstein, Hoedt, Wienecke, Zynen Wartel, von Rosenberg, Semmelink, ten Kate, Martin e.a. L'expédition scientifique de Sumatra en 1880 et celle de Bornéo en 1893 nous procuraient un bon nombre de mollusques de ces îles vastes. G. Schlegel et Buddingh, résidant quelques années à Amoy en Chine (1859—62), nous offraient le produit de leurs récoltes. Quant à l'Afrique, nous devons des coquilles aux recherches de Pel (1842—50) pour la côte de Guinée, de van Horstok et Krauss (1838—40) pour le Cap, de Pollen et van Dam (1864—70) pour le Madagascar et les îles Comores, de Ruyssenaers pour la Mer Rouge, enfin de Büttikofer et Stampfli (1881—88) pour Libéria. En 1883 Mad^e la Douairière Hoogeveen offrait au Musée une belle collection de presque 4000 coquilles, tant univalves que bivalves.

1) Pour plus de détails voyez le travail du Dr. H. J. Veth: Overzicht van hetgeen, in het bijzonder door Nederland, gedaan is voor de kennis der Fauna van Nederl. Indie, Leiden, 1879.

Leide / Rhoon Juin, 1908.

R. HORST.
M. M. SCHEPMAN.

Digitized by Google

Museum d'histoire naturelle
Leyden, Holland - Royal zoöl. mus.
8397

MUSÉUM D'HISTOIRE NATURELLE

DES

PAYS-BAS.

TOME XIII.

CATALOGUE SYSTÉMATIQUE

DES

MOLLUSQUES.

PREMIÈRE PARTIE

PAR

R. HORST ET M. M. SCHEPMAN.

LEIDE, E. J. BRILL.
1894.

Digitized by Google

Digitized by Google

1-176 pp

GASTROPODA.

PROSOBRANCHIATA.

PECTINIBRANCHIATA.

TOXOGLOSSA.

TEREBRIDAE.

TEREBRA.

SUBULA.

Terebra maculata Linné.

a. 7, Océan Indien.
b. 1, Biliton.
c. 1, Timor. M. Zijnen Wartel, 1865 (C.).
d. 2, Amboine. M. Hoedt (C.).
e. 2, Ternate. M. Freytag (P.).
f. 2, Côtes de Misool.
g. 2, Iles Obi. M. Bernstein (C.).
h. 1, Soëk. M. von Rosenberg, 1870 (C.).
i. 1, Nossi-Bé. M. M. Pollen et van Dam (C.).
j. 4, Mer Rouge. M. Ruyssenaers (P.).

Terebra strigata Sowerby.

a. 3, Panama. M. Cuming et la Collection Dalen.

Terebra chlorata Lamarck.

a. 1, Océan Indien.
b. 2, Ceylan. M. Cuming et Collection Dalen.
c. 1, Côte septentrionale de Timor. M. Zijnen Wartel, 1865 (C.).

Digitized by Google

Terebra tigrina Gmelin.

a. 4, Océan Indien.
b. 2, Côte septentrionale de Timor. M. Zijnen Wartel (C.).
c. 1, Iles Sandwich. M. H. Dohrn (P.).
d. 2, (alc.) Mer Indienne. M. M. Kuhl et van Hasselt (C.).

Terebra albida Gray.

a. 1, Panama. M. Cuming (C.).

Terebra lischkeana Dunker.

a. 3, Japon. M. von Siebold (C.).

Terebra crenulata Linné.

a. 6, Océan Indien.
b. 1, Amboine. M. Hoedt (C.).
c. 2, Iles Obi. M. Bernstein (C.).
d. 1, Mer Rouge. M. Ruyssenaers (P.).

Terebra dimidiata Linné.

a. 10, Océan Indien. M. Reinwardt (C.).
b. 1, Banka. M. van den Bossche (P.).
. 1, Céram.
d. 4, Amboine. M. Hoedt (C.).
e. 2, Moluques.
f. 2, Soëk. M. von Rosenberg, 1870 (C.).
g. 2, Nossi-Bé; M. M. Pollen et van Dam (C.).

Terebra muscaria Lamarck.

a. 6, Océan Indien. M. Reinwardt (C.).
b. 1, Flores, Larantoeka. M. Semmelink (C.).
c. 1, Amboine. M. Hoedt (C.).
d. 2, Côte septentrionale de Timor. M. Zijnen Wartel, 1865 (C.).
e. 6, Iles Céram, Kelang et Manipa.
f. 2, Iles Obi. M. Bernstein (C.).
g. 3, Nossi-Bé. M. M. Pollen et van Dam (C.).
h. 2, Singapore. M. Buddingh (P.).

Digitized by Google

Terebra larvaeformis Hinds.

a. 1, Panama. M. Cuming (C.).
b. 2, Jeunes individus. Côte occidentale de Columbie. M. Cuming (C.).

Terebra ferruginea Born.

a. 2, Océan Indien?

Terebra dillwynii Deshayes.

a. 1, Océan Indien. Collection Dalen.

Terebra hastata Gmelin.

a. 11, Patrie inconnue. M. Cuming et Collection Dalen.

Terebra duplicata Linné.

a. 8, Océan Indien. M. Reinwardt (C.).
b. 4, Nossi-Bé. M. M. Pollen et van Dam (C.).
c. 1, (alc.) Banka. M. Buddingh (C.).

Terebra lamarckii Kiener.

a. 8, Côte de Zanzibar. M. Derx (P.),
b. 5, Mer Rouge. M. Ruyssenaers (P.).
c. 3, Japon.

Terebra dussumierii Kiener.

a. 2, Côte de l'Afrique. M. Cuming et Collection Dalen.
b. 1, Océan Indien.

ABRETIA.

Terebra affinis Gray.

a. 5, Mer Rouge. M. Ruyssenaers (P.).
b. 8, Tahiti. M. Ricord et M. Cuming (C.).
c. 1, (alc.) Mer Rouge. M. Kruijt (C.).
d, 1, Iles Andaman, Port Blair, M. le Col. L. Worthington Wilmer (C.).

Terebra cerithina Lamarck.

a. 4, Côte septentrionale de Timor. M. Zijnen Wartel, 1865 (C.).
b. 2, Amboine. M. Hoedt (C.).

Digitized by Google

Terebra raphanula Lamarck.

a. 1, Océan Indien.
b. 1, Patrie inconnue. Collection Hoogeveen (P.).

HASTULA.

Terebra cinerea Born.

a. 2, Côte de l'Afrique. M. Cuming (C.).
b. 1, Patrie inconnue. Collection Hoogeveen (P.).

Terebra cinerea, var. *jamaicensis* C. B. Adanson.

a. 6, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).
b. 3, Patrie inconnue.

Terebra inconstans Hinds.

a. 4, Iles Sandwich. M. Cuming (C.).

Terebra strigilata Linné.

a. 1, Océan Indien. Collection Dalen.
b. 3, Japon. M. von Siebold (C.).

? *Terebra strigilata*, var. *concinna* Deshayes.

a. 2, Océan Indien. M. van Doorn (P.).

Terebra strigilata, var. *verreauxi* Deshayes.

a. 2, Océan Indien. M. van Doorn (P.).

Terebra confusa Smith.

a. 1, Iles Sandwich. M. H. Dohrn (P.).

Terebra spectabilis Hinds.

a. 1, Patrie inconnue. Ancien Cabinet.

Terebra lanceata Lamarck.

a. 5, Océan Indien. M. van Doorn (P.).

Terebra lanceata, var. *penicillata* Hinds.

a. 1, Localité inconnue.

Digitized by Google

Terebra pertusa Born.

a. 3, Patrie inconnue. Collection Hoogeveen (P.).

Terebra scabrella Lamarck.

a. 1, Biliton.
b. 2, Océan Indien.

EURYTA.

Terebra aciculata Lamarck.

a. 2, Mexique. M. Cuming (C.).

TEREBRA.

Terebra bathyrhaphe Smith.

a. 1, Japon. M. von Siebold (C.).

Terebra sp.

a. 1, Panama. M. Cuming (C.).

Terebra bifrons Hinds.

a. 2, Japon. M. von Siebold (C.).

Terebra mariesi E. A. Smith.

a. 1, Japon. M. von Siebold (C.).

Terebra nebulosa Sowerby.

a. 2, Océan Indien.
b. 2, Madagascar. M. Verreaux (C.).
c. 3, Patrie inconnue. Collection Hoogeveen (P.).

Terebra plicata Gray.

a. 2, Iles Galapagos. M. Cuming (C.).

Terebra straminea Gray.

a. 1, Japon. M. von Siebold (C.).
b. 1, Patrie inconnue. Collection Dalen.

? *Terebra rudis* Gray.

a. 1, Jeune individu. Curaçao. M. le Dr. Epp (P.).

Digitized by Google

? *Terebra frigata* Hinds.

a. 1, Santa Elena. M. Cuming (C.).

Terebra robusta Hinds.

a. 1, Côte de Californie. M. Cuming (C.).

MYURELLA.

Terebra argus Hinds.

a. 2, Océan Indien.

b. 1, Tahiti. M. Cuming (C.).

Terebra aspera Hinds.

a. 1, Patrie inconnue. Ancien Cabinet.

Terebra babylonia Lamarck.

a. 3, Océan Indien. Ancien Cabinet et Collection Dalen.

b. 1, Iles Obi. M. Bernstein (C.).

c. 1, Mer Rouge.

d. 2, Patrie inconnue. Collection Hoogeveen (P.).

Terebra albomarginata Deshayes.

a. 1, Banka. M. van den Bossche (P.).

Terebra cancellata Quoy.

a. 1, Patrie inconnue.

b. 1, (alc.) Amboine. M. Forsten (C.).

Terebra cingulifera Lamarck.

a. 4, Ile Anna. M. Cuming (C.).

b. 2, Patrie inconnue. Ancien Cabinet.

Terebra laevigata Gray.

a. 2, Côte septentrionale de Timor. M. Zijnen Wartel, 1865 (C.).

b. 1, Madagascar.

Terebra funiculata Hinds.

a. 1, Ile Anna. M. Cuming (C.).

Digitized by Google

Terebra monilis Quoy.

a. 2, Côte de Zanzibar. M. Derx (P.).
b. 9, Nossi-Bé. M. M. Pollen et van Dam (C.).
c. 1, Moluques.

Terebra myuros Lamarck.

a. 11, Océan Indien. Collection Dalen.
b. 1, Mer Rouge.

Terebra undulata Gray.

a. 5, Tahiti. M. Cuming (C.).
b. 1, Patrie inconnue. Ancien Cabinet.

Terebra variegata Gray.

a. 9, Californie, Baie de la Paz. M. le Dr. H. ten Kate, 1883 (C.).
b. 1, Panama. M. Cuming (C.).
c. 1, Côte occidentale de Columbie. M. Cuming (C.).

Terebra flammea Lamarck.

a. 2, Océan Indien. Haiti. M. Ricord.

Terebra oculata Lamarck.

a. 4, Océan Indien. Collection Dalen.
b. 1, Nossi-Bé. M. M. Pollen et van Dam (C.).

Terebra subulata Linné.

a. 9, Océan Indien.
b. 2, Amboine. M. Hoedt (C.).
c. 2, Céram, Kelang et Manipa.
d. 2, Flores. M. Semmelink (C.).
e. 1, Côte septentrionale de Timor. M. Zijnen Wartel (C.).
f. 4, Iles Obi. M. Bernstein (C.).
g. 1, Waigéoe. M. Bernstein (C.).
h. 1, Soëk. M. von Rosenberg, 1870 (C.).
i. 1, Singapore. M. Buddingh (P.).
j. 2, Mer Rouge.
k. 1, (alc.) Amboine. M. Forsten (C.).

Digitized by Google

Terebra subulata, var. *consobrina* Deshayes.

a. 5, Mer Rouge. M. Ruyssenaers (P.).

IMPAGES.

Terebra bacillus Deshayes.

a. 23, Côte de Java, Tjilatjap. M. Overdijk (C.).

Terebra coerulescens Lamarck.

a. 6, La Nouvelle Hollande.
b. 1, Mer de Misool.
c. 1, Amboine. M. Hoedt (C.).
d. 2, Madagascar. M. Pollen, 1878 (C.).
e. 1, (alc.) Mer des Indes. M. M. Kuhl et van Hasselt (C.).

Terebra coerulescens, var. *flammulata* von Martens.

a. 6, Mer Rouge. M. Ruyssenaers (P.).

Terebra micans Hinds.

a. 1, Océan Indien.

CONIDAE.

CONUS.

MARMOREI.

Conus marmoreus Linné.

a. 11, Océan Indien.
b. 3, Côtes de Bornéo.
c. 1, Banka. M. van den Bossche (P.).
d. 2, Biliton.
e. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
f. 2, Amboine. M. Hoedt (C.).
g. 1, Céram.
h. 2, Timor. M. Wienecke et M. Zijnen Wartel (C.).
i. 1, Waigéoe. M. Bernstein (C.).
j. 2, Singapore. M. Buddingh, Mai 1863 (P.).

Digitized by Google

k. 2, (alc.) Amboine. M. Forsten (C.).
l. 1, (alc.) Moluques.

Conus marmoreus, var. *bandanus* Bruguière.

a. 2, Océan Indien.
b. 1, Timor. M. Zijnen Wartel (C.).

Conus crosseanus Bernardi.

a. 1, La Nouvelle Calédonie. Collection Macaré.

Conus nocturnus Bruguière.

a. 8, Océan Indien.

Conus nocturnus, var. *deburghiae* Sowerby.

a. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Amboine. M. Hoedt (C.).

Conus peplum Chemnitz.

a. 4, Océan Indien.
b. 1, Patrie inconnue. Collection Hoogeveen (P.).

Conus nicobaricus Bruguière.

a. 3, Océan Indien.
b. 1, Iles Andaman. M. le Col. L. Worthington Wilmer (C.).

Conus imperialis Linné.

a. 8, Océan Indien.
b. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 4, Amboine. M. Hoedt (C.).
d. 1, Côte de Célèbes, Gorontalo. M. von Rosenberg (C.).

Conus imperialis, var. *viridulus* Lamarck.

a. 1, Océan Indien.

Conus imperialis, var. *fuscatus* Lamarck.

a. 1, Océan Indien.

Conus zonatus Bruguière.

a. 1, Océan Indien. Collection Macaré.

Digitized by Google

Conus marchionatus Hinds.

a. 1, Iles Marquises. Collection Macaré.

LITTERATI.

Conus litteratus Linné.

a. 9, Océan Indien.
b. 2, Amboine. M. Hoedt (C.).
c. 2, Céram. M. Hoedt (C.).
d. 1, Timor. M. Zijnen Wartel (C.).
e. 2, Iles Obi. M. Bernstein (C.).
f. 1, Patrie inconnue. Collection Dalen.
g. 1, Iles Andaman. M. le Col. L. Worthington Wilmer (C.).

Conus litteratus, var. *gruneri* Reeve.

a. 1, Patrie inconnue.

Conus millepunctatus Lamarck.

a. 11, Océan Indien.

Conus musicus Bruguière.

a. 9, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 2, Patrie inconnue.

Conus eburneus Bruguière.

a. 12, Océan Indien.
b. 9, Singapore. M. Buddingh, Mai 1863 (P.).
c. 5, Céram. M. Hoedt (C.).
d. 1, Amboine. M. Hoedt.
e. 1, Iles Obi. M. Bernstein, 1863 (C.).
f. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
g. 1, Iles Andaman. M. le Col. L. Worthington Wilmer (C.).

Conus tessellatus Born.

a. 7, Japon. M. von Siebold (C.).
b. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 1, Amboine. M. Hoedt (C.).

Digitized by Google

d. 3, Mer Rouge. M. Clot-Bey et M. Ruyssenaers (P.).
e. 5, Nossi-Bé. M. M. Pollen et van Dam (C.).

Conus crassus Sowerby.

a. 1, Japon. M. von Siebold (C.).
b. 1, Patrie inconnue.

Conus suturatus Reeve.

a. 1, Amboine. M. Hoedt (C.).
b. 1, Patrie inconnue.

Conus leoninus Chemnitz.

a. 6, Côte de l'Amérique.

Conus proteus Bruguière.

a. 5, Côte de l'Amérique.
b. 6, Côte de l'Amérique. Collection Dalen.

Conus flammeus Lamarck.

a. 2, Côte de l'Afrique. Collection Raye.

Conus characteristicus Chemnitz.

a. 2, Océan Indien. Collection Cuming.
b. 1, Biliton.

Conus ambiguus Reeve.

a. 2, Côte occidentale de l'Afrique. Collection Macar

Conus genuanus Bruguière.

a. 1, Océan Indien?

Conus papilionaceus Bruguière.

a. 6, Côte occidentale de l'Afrique. Collection Dalen.
b. 2, Patrie inconnue.

Conus prometheus Bruguière.

a. 2, Océan Indien.
b. 1, Patrie inconnue. Collection Raye.

Digitized by Google

Conus omaicus Bruguière.

a. 1, Océan Asiatique.

FIGULINI.

Conus glaucus Linné.

a. 2, Océan Indien. M. Reinwardt (C.).

Conus quercinus Bruguière.

a. 7, Océan Indien.
b. 4, Japon. M. von Siebold (C.).
c. 3, Amboine. M. Hoedt (C.).
d. 1, (alc.) Amboine. M. Forsten (C.).
e. 1, Iles Obi. M. Bernstein (C.).
f. 1, Côte de Java, Tjilatjap.
g. 2, Singapore. M. Buddingh, Mai 1863 (P.).
h. 1, Nossi-Bé. M. M. Pollen et van Dam (C.).
i. 1, Patrie inconnue. Collection Dalen.

Conus quercinus, var. *ponderosus* Beck.

a. 1, Biliton.
b. 1, Banka. M. van den Bossche (P.).

Conus betulinus Linné.

a. 8, Océan Indien.
b. 1, Manipa.
c. 4, Moluques.
d. 2, Céram.
e. 1, Amboine. M. Hoedt (C.).
f. 4, Sakatia. M. M. Pollen et van Dam (C.).
g. 1, Nossi-Bé. M. M. Pollen et van Dam (C.).
h. 4, Patrie inconnue. Collection Hoogeveen (P.).

Conus betulinus, var. *suratensis* Bruguière.

a. 1, Océan Indien.

Conus figulinus Linné.

a. 5, Océan Indien.

Digitized by Google

b. 3, Amboine. M. Hoedt (C.).
c. 1, Waigéoe. M. Bernstein (C.).
d. 2, Côte de Java, Tjilatjap. M. Overdijk, 1865 (P.).

Conus figulinus, var. *loroisii* Kiener.

a. 4, Côte de Java, Tjilatjap. M. Overdijk (P.).
b. 1, Moluques.

Conus pyriformis Reeve.

a. 2, Baie de Caracas. M. Cuming et M. Frank.

Conus californicus Hinds.

a. 2, Golfe de Californie. Collection Macaré.

ARENATI.

Conus arenatus Bruguière.

a. 10, Océan Indien.
b. 3, Banka. M. van den Bossche (P.).
c. 2, Amboine. M. Hoedt (C.).
d. 1, Iles Obi. M. Bernstein (C.).
e. 10, Mer Rouge. M. Ruyssenaers (P.).
f. 1, Nossi-Bé. M. M. Pollen et van Dam (C.).
g. 1, (alc.) Amboine. M. Forsten (C.).

Conus ceylonicus Chemnitz.

a. 4, Océan Indien.
b. 1, Côte de Java, Tjilatjap. M. Overdijk (P.).

Conus pulicarius Bruguière.

a. 5, Tahiti. M. Cuming (C.).
b. 3, Côte de Java, Tjilatjap. M. Overdijk (P.).
c. 3, Patrie inconnue. Collection Hoogeveen (P.).

Conus vautieri Kiener.

a. 1, La Nouvelle Hollande. Collection Dalen.

Digitized by Google

Conus stercus-muscarum Linné.

a. 4, Océan Indien. M. Reinwardt (C.).
b. 5, Côte de Java, Tjilatjap. M. Overdijk (P.).
c. 3, Amboine. M. Hoedt (C.).
d. 1, Côte de Célèbes, Gorontalo. M. von Rosenberg (C.).

MURES.

Conus mus Bruguière.

a. 7, Côtes Atlantiques de l'Amérique.
b. 6, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm.

Conus roseus Lamarck.

a. 8, Côte de Java, Tjilatjap. M. Overdijk (P.).
b. 1, Patrie inconnue. Collection Dalen.

Conus punctatus Chemnitz.

a. 3, Mer d'Afrique.
b. 1, Bombay, Karrachee. M. le Col. L. Worthington Wilmer (C.).

Conus hebraeus Linné.

a. 9, Océan Indien.
b. 8, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 7, Banka. M. Buddingh (P.).
d. 14, Amboine. M. Hoedt (C.).
e. 7, Timor. M. Wienecke, 1863 (C.).
f. 1, Singapore. M. Buddingh, Mai 1863 (P.).
g. 1, Nossi-Bé. M. M. Pollen et van Dam (C.).
h. 2, Curaçao. M. Herklots (P.).
i. 1, Ile Lord Hoods. M. Cuming (C.).
j. 9, (alc.) Côte de Java.

Conus hebraeus, var. *vermiculatus* Bruguière.

a. 8, Océan Asiatique.
b. 6, Côte de Java, Tjilatjap. M. Overdijk (P.).

Digitized by Google

c. 3, Timor. M. Wienecke (C.).
d. 1, Patrie inconnue. Collection Hoogeveen (P.).

Conus balteatus Sowerby.

a. 3, Iles Philippines. Collection Macaré.

Conus fulgetrum Sowerby.

a. 3, Japon. M. von Siebold (C.).

Conus miliaris Bruguière.

a. 1, Amboine. M. Hoedt (C.).
b. 2, Nossi-Bé. M. M. Pollen et van Dam (C.).
c. 7, Patrie inconnue.

Conus coronatus Dillwyn.

a. 2, Océan Indien.
b. 22, Côte de Java, Tjilatjap. M. Overdijk (P.).
c. 3, Timor. M. Wienecke (C.).
d. 2, Iles Galapagos. M. Cuming (C.).
e. 3, (alc.) Côte de Java.
f. 1, Aden. M. le Col. L. Worthington Wilmer (C.).

Conus coronatus, var. *aristophanes* Duclos.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (P.).
b. 4, Patrie inconnue.

Conus tiaratus Broderip.

a. 1, Golfe de Californie. M. le Dr. H. ten Kate (C.).

Conus barbadensis Bruguière.

a. 1, Curaçao.

Conus taeniatus Bruguière.

a. 1, Océan Indien.
b. 7, Mer Rouge. M. Ruyssenaers (P.).

Conus nux Broderip.

a. 1, Iles Galapagos. M. Cuming (C.).

Digitized by Google

Conus sponsalis Chemnitz.

a. 2, Ile Lord Hoods. M. Cuming (C.).

Conus nanus Broderip.

a. 2, Ile Lord Hoods. M. Cuming (C.).

Conus pontificalis Linné.

a. 1, Côte de la Terre de Diemen. Collection Macaré.

VARII.

Conus aurantius Bruguière.

a. 1, Océan Indien.
b. 2, Patrie inconnue. Collection Hoogeveen.

Conus varius Linné.

a. 6, Moluques.
b. 4, Amboine. M. Hoedt (C.).
c. 3, Côte de Java, Tjilatjap. M. Overdijk (P.).

Conus hwassi Adanson.

a. 1, Patrie inconnue. Collection Hoogeveen (P.).

Conus boëticus Reeve.

a. 1, Amboine. M. Hoedt (C.).
b. 3, Patrie inconnue.

Conus boëticus, var. *rivularis* Reeve.

a. 2, Côte de Java, Tjilatjap.
b. 1, Amboine. M. Hoedt (C.).

Conus muriculatus Sowerby.

a. 1, Philippines.

Conus moluccensis Bruguière.

a. 1, Moluques. Collection Macaré.

Digitized by Google

Conus cardinalis Bruguière.

a. 1, Porto Rico. Collection Macaré.

Conus cedonulli Bruguière.

a. 4, Océan Indien? Collection Dalen et Collection Raye.
b. 2, Curaçao. M. le Dr. Epp (P.).
c. 2, Patrie inconnue. Collection Hoogeveen (P.).

Conus nebulosus Solander.

a. 6, Côte de l'Amérique.
b. 2, Patrie inconnue. Collection Dalen.

Conus brunneus Gray.

a. 1, Panama. M. Cuming (C.).
b. 1, Iles Galapagos. M. Cuming (C.).
c. 4, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Conus gladiator Broderip.

a. 1, Panama. M. Cuming (C.).

Conus princeps Linné.

a. 2, Panama. M. Cuming (C.).

Conus princeps, var. *regius* Chemnitz.

a. 1, Panama. M. Cuming (C.).

Conus princeps, var. *lineolatus* Valenciennes.

a. 1, Panama. M. Cuming (C.).

AMMIRALES.

Conus ammiralis Linné.

a. 5, Océan Indien.
b. 1, Côte de Java, Tjilatjap.
c. 1, Céram. M. Hoedt (C.).

Conus ammiralis, var. *archithalassus* Sowerby.

a. 1, Timor. M. Zijnen Wartel (C.).
b. 2, Océan Indien.

Digitized by Google

Conus nobilis Linné.

a. 1, Patrie inconnue. Collection Raye.

Conus thalassiarchus Gray.

a. 1, Luçon. Collection Macaré.

Conus amadis Chemnitz.

a. 3, Océan Indien. Collection Raye.
b. 1, Patrie inconnue. Collection Hoogeveen (P.).

Conus acuminatus Bruguière.

a. 4, Mer Rouge. M. Ruyssenaers (P.).
b. 2, Océan Indien. Collection Dalen et Collection Raye

Conus monile Bruguière.

a. 3, Océan Indien.

Conus generalis Linné.

a. 14, Moluques.
b. 2, Côte de Java, Tjilatjap.
c. 1, Banka. M. van den Bossche (P.).
d. 1, Biliton, 1877.
e. 2, Amboine. M. Hoedt (C.).
f. 2, Saparoea. Mlle Lang (P.).
g. 2, Céram. M. Hoedt (C.).
h. 1, Singapore. M. Buddingh (P.).
i. 1, Indes Occidentales? Possessions Danoises. M. M. Kraepelin et Holm.

Conus generalis, var. *maldivus* Bruguière.

a. 1, Moluques.
b. 1, Mer Rouge. M. Ruyssenaers (P.).
c. 1, Cuba? M. Vero.

Conus virgatus Reeve.

a. 1, Patrie inconnue. Collection Macaré.

Conus regularis Broderip.

a. 1, Mazatlan. M. Verreaux (C.).

Digitized by Google

Conus regularis, var. *recurvus* Kiener.

a. 3, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Conus Sieboldii Reeve.

a. 2, Japon. M. von Siebold (C.).

CAPITANEL

Conus nemocanus Bruguière.

a. 2, Nossi-Bé. M. M. Pollen et van Dam (C.).

Conus concolor Sowerby.

a. 1, Océan Indien. M. Reinwardt (C.).

Conus mutabilis Chemnitz.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).

Conus miles Linné.

a. 3, Misool.
b. 1, Waigéoe. M. Bernstein (C.).
c. 8, Amboine. M. Hoedt (C.).
d. 2, Iles Obi. M. Bernstein (C.).
e. 1, Timor. M. Zijnen Wartel (C.).
f. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).
g. 1, (alc.) Amboine. M. Forsten (C.).

Conus sumatrensis Bruguière.

a. 2, Mer Rouge. M. Ruyssenaers (P.).

Conus mustelinus Bruguière.

a. 2, Océan Indien.
b. 1, Amboine.
c. 1, Côte de Java, Tjilatjap.
d. 1, Patrie inconnue. Collection Hoogeveen (P.).

Conus capitaneus Linné.

a. 5, Océan Indien.
b. 10, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 7, Amboine. M. Hoedt (C.).

Digitized by Google

d. 3, Céram.
e. 2, Banka. M. van den Bossche (P.).
f. 1, Timor. M. Zijnen Wartel (C.).
g. 1, Waigéoe. M. Bernstein (C.).
h. 1, Nossi-Faly. M. M. Pollen et van Dam (C.).
i. 2, Nossi-Bé. M. M. Pollen et van Dam (C.).
j. 2, (alc.) Amboine. M. Forsten (C.).

Conus ceciliae Chenu.

a. 1, Océan Indien.
b. 1, Amboine. M. Hoedt (C.).

Conus rattus Bruguière.

a. 5, Côte de Java, Tjilatjap.
b. 1, Céram. M. Hoedt (C.).
c. 2, La Nouvelle Guinée. M. Macklot (C.).
d. 2, Côte de la Mexique. M. Cuming (C.).

Conus rattus, var. *taitensis* Bruguière.

a. 1, Taïti. M. Verreaux (C.).

Conus vexillum Gmelin.

a. 7, Océan Indien.
b. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 3, Amboine. M. Hoedt (C.).
d. 3, Céram.
e. 1, Timor. M. Zijnen Wartel (C.).
f. 4, Jeunes individus, Moluques. M. van Rees (P.).

Conus classiarius Bruguière.

a. 1, Mer Rouge. M. Ruyssenaers (P.).

Conus coffea Gmelin.

a. 2, Mer Rouge. M. Ruyssenaers (P.).

Conus vittatus Bruguière.

a. 1, Panama. M. Cuming. (C.).

Digitized by Google

VIRGINES.

Conus virgo Linné.

a. 2, Océan Indien. Collection Hoogeveen (P.).
b. 2, Côte de Java, Tjilatjap.
c. 2, Banka. M. van den Bossche (P.).
d. 3, Amboine. M. Hoedt (C.).
e. 3, Moluques. M. Bernstein, Mai, 1863 (C.).
f. 5, Céram. M. Hoedt (C.).
g. 2, Timor. M. Zijnen Wartel (C.).
h. 1, Flores. M. Semmelink (C.).
i. 4, Nossi-Bé. M. M. Pollen et van Dam (C.).

Conus emaciatus Reeve.

a. 2, Moluques. Collection Macaré.
b. 3, Amboine. M. Hoedt (C.).

Conus flavidus Lamarck.

a. 9. Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 2, Moluques. M. van Rees (P.).
c. 4, Amboine. M. Hoedt (C.).
d. 3, Mer Rouge. M. Ruyssenaers (P.).

Conus maltzanianus Weinkauff.

a. 1, Moluques. M. van Rees (P.).

Conus aegrotus Reeve.

a. 1, Mer Rouge. Collection Macaré.

Conus sugillatus Reeve.

a. 4, Côte de Java, Tjilatjap.
b. 3, Moluques. M. Hoedt (C.).
c. 1, Patrie inconnue. Collection Hoogeveen (P.).

Conus lividus Bruguière.

a. 8, Océan Indien.
b. 5, Côte de Java, Tjilatjap.
c. 2, Amboine. M. Hoedt (C.).

Digitized by Google

d. 1, Timor. M. Zijnen Wartel (C.).
e. 4, Nossi-Bé. M. M. Pollen et van Dam (C.).
f. 3, Patrie inconnue. Collection Hoogeveen (P.).

Conus distans Bruguière.

a. 3, Océan Pacifique.
b. 1, Amboine. M. Hoedt (C.).
c. 1, Timor. M. Zijnen Wartel (C.).
d. 1, Iles Obi. M. Bernstein (C.).
e. 2, Waigéoe. M. Bernstein (C.).

DAUCI.

Conus daucus Bruguière.

a. 3, Côte de l'Amérique.
b. 1, Curaçao. M. le Dr. Epp (P.).

Conus daucus, var. *pastinaca* Kiener.

a. 1, Surinam.

Conus lithoglyphus Meuschen.

a. 6, Océan Indien.
b. 5, Amboine. M. Hoedt (C.).
c. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
d. 2, Moluques. M. Hoedt (C.).

Conus pulchellus, var. *cinctus* Swainson.

a. 1, Ile de France. Collection Macaré.

Conus planorbis Born.

a. 17, Amboine. M. Hoedt (C.).
b. 4, (alc.) Amboine. M. Forsten (C.).
c. 1, Côte de Java, Tjilatjap.
d. 5, Céram. M. Hoedt (C.).
e. 1, Timor. M. Wienecke (C.).
f. 2, Flores, Larentoeka.
g. 1, Singapore. M. Buddingh, Mai 1863 (P.).

Digitized by Google

Conus planorbis, var. *circumsignatus* Crosse.

a. 1, Amboine. M. Hoedt (C.).
b. 1, Patrie inconnue.

Conus lineatus Chemnitz.

a. 5, Océan Indien.
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 3, Nossi-Bé. M. M. Pollen et van Dam (C.).
d. 2, Patrie inconnue. Collection Hoogeveen (P.).
e. 1, Iles Andaman. M. le Col. Worthington Wilmer (C.).

Conus vitulinus Bruguière.

a. 5, Océan Indien.
b. 1, Côte de Java, Tjilatjap.
c. 3, Amboine. M. Hoedt (C.).

Conus augur Bruguière.

a. 3, Océan Indien. Voyage de M. Reinwardt.

Conus lignarius Reeve.

a. 1, Iles Philippines. Collection Macaré.

Conus furvus Reeve.

a. 1, Mozambique. Collection Macaré.

MAGIL

Conus consors Sowerby.

a. 3, Singapore. M. Buddingh (P.).
b. 1, Patrie inconnue. M. Pollen (C.).

Conus anceps Adams.

a. 1, Moluques. Collection Macaré.

Conus magus Linné.

a. 14, Océan Indien. M. Reinwardt (C.).
b. 3, Céram. M. Hoedt (C.).
c. 8, Côte de Java, Tjilatjap. M. Overdijk (C.).
d. 2, Timor. M. Wienecke (C.).

Digitized by Google

e. 4, Flores, Larentoeka. M. Semmelink (C.).
f. 2, (alc.) Amboine. M. Forsten (C.).

Conus magus, var. *raphanus* Bruguière.

a. 8, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 4, Biliton.
c. 3, Moluques. M. van Rees (P.).
d. 1, Waigéoe. M. Bernstein (C.).
e. 2, (alc.) Amboine. M. Forsten (C.).
f. 2, Singapore. M. Buddingh, 1863 (P.).

Conus magus, var. *frauenfeldi* Crosse.

a. 1, Moluques. M. Kramer (P.).

Conus magus, var. *circae* Chemnitz.

a. 3, Océan Indien. M. Reinwardt (C.).
b. 1, Flores, Larentoeka. M. Semmelink (C.).

Conus magus, var. *indicus* Chemnitz.

a. 2, Océan Indien. M. Reinwardt (C.).
b. 3, Flores, Larentoeka. M. Semmelink (C.).

Conus magus, var. *metcalfei* Reeve (aff.).

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).

Conus pertusus Bruguière.

a. 1, Océan Indien. Collection Raye.

Conus pertusus, var. *festivus* Chemnitz

a. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).

Conus simplex Sowerby.

a. 2, Océan Indien.

Conus mercator Linné.

a. 2, Océan Indien.

Conus infrenatus Reeve.

a. 1, Cap. Collection Macaré.

Digitized by Google

Conus rosaceus Chemnitz.

a. 4, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).

b. 2, Patrie inconnue. Cabinet Dalen et Collection Macaré.

Conus spectrum Linné.

a. 4, Océan Indien. M. Reinwardt (C.).

b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).

c. 2, Amboine. M. Hoedt (C.).

d. 5, Patrie inconnue.

Conus lacteus Lamarck.

a. 2, Océan Indien. M. van Doorn (P.).

b. 3, Patrie inconnue. Collection Hoogeveen (P.).

Conus conspersus Reeve.

a. 1, Océan Indien. M. Reinwardt (C.).

b. 2, Patrie inconnue. Cabinet Dalen.

Conus conspersus, var. *stillatus* Reeve.

a. 1, Océan Indien. Reinwardt (C.).

b. 1, Patrie inconnue. Collection Macaré.

Conus daphne Boivin.

a. 2, Moluques. Collection Macaré.

Conus collisus Reeve.

a. 1, Océan Indien.

Conus cinereus Bruguière.

a. 9, Océan Indien.

b. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).

c. 1, Côte de Célèbes, Badjoa. M. Moens (P.).

d. 1, Amboine. M. Hoedt (C.).

e. 1, Céram. M. Hoedt (C.).

f. 5, Patrie inconnue. Collection Hoogeveen (P.).

Conus zebra Sowerby.

a. 7, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

Conus alveolus Sowerby.

a. 1, Côte de Java, Tjilatjap. M. Overdijk, 1865 (C.).

Conus stramineus Lamarck.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).

Conus parius Reeve.

a. 4, Banka. M. van den Bossche (P.).
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 1, Amboine. M. Hoedt (C.).
d. 2, Céram. M. Hoedt (C.).

Conus bernardii Kiener.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
b, 2, Patrie inconnue. Cabinet Raye et Collection Macaré.

Conus radiatus Gmelin.

a. 5, Océan Indien. M. Boie (C.).
b. 5, Côte de Java, Bezoeki. M. Semmelink; Tjilatjap. M. Overdijk (C.).
c. 2, Côte de Célèbes, Badjoa. M. Moens (C.).

Conus ochroleucus Gmelin.

a. 1, Céram. M. Hoedt (C.).
b. 1, Mexique.

Conus timorensis Bruguière.

a. 1, Timor. Collection Macaré.

Conus janus Bruguière.

a. 2, Océan Indien. Cabinet Dalen et Collection Raye.

Conus erythraeensis Beck.

a. 12, Mer Rouge. M. Ruyssenaers (P.).
b. 3, Mer Rouge.

Conus puncticulatus Bruguière.

a. 2, Mexique. M. Cuming (C.).
b. 1, Australie. M. van Doorn (P.).

Digitized by Google

Conus puncticulatus, var. *pustulatus* Kiener.

a. 1, Patrie inconnue. Collection Hoogeveen (P.).

Conus puncticulatus, var. *papillosus* Kiener.

a. 1, Côte de l'Afrique.

Conus columba Bruguière.

a. 9, Surinam. Collection Dalen.

Conus pygmaeus Reeve.

a. 2, Golfe de Mexique. M. Cuming (C.).

b. 1, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).

Conus interruptus Broderip.

a. 3, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Conus mahogani Reeve.

a. 2, Columbie occidentale, Tacuma. M. Cuming (C.).

ACHATINI.

Conus catus Bruguière.

a. 18, Côte de Java, Tjilatjap. M. Overdijk, 1865 (C.).

b. 4, Mer Rouge. M. Ruyssenaers (P.).

Conus nigropunctatus Sowerby.

a. 7, Côte de Java, Tjilatjap. M. Overdijk, 1865 (C.).

b. 1, Océan Indien.

c. 1, (alc.) Côte de Java.

d. 1, (alc.) Sumatra, Padang.

Conus achatinus Chemnitz.

a. 4, Océan Indien. Collection Raye.

b. 12, Côte de Java, Tjilatjap. M. Overdijk, 1865 (C.).

c. 1, Singapore. M. Buddingh, 1863 (P.).

Conus achatinus, var. *ranunculus* Lamarck.

a. 1, Côte de l'Amérique.

Conus monachus Linné.

a. 5, Océan Indien.

Digitized by Google

b. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 1, Célèbes, Gorontalo. M. von Rosenberg (C.).
d. 1, Amboine. M. Hoedt (C.).
e. 3, Moluques. M. van Rees (P.).
f. 4, Patrie inconnue. Cabinet Raye et Collection Hoogeveen (P.).

Conus purpurascens Broderip.

a. 1, Iles Galapagos. M. Cuming (C.).
b. 2, Panama. M. Cuming (C.).

Conus testudinarius Gmelin.

a. 6, Côte de l'Amérique.
b. 2, Patrie inconnue. Collection Raye.

Conus testudinarius, var. *portoricanus* Bruguière.

a. 1, Porto Rico. M. Drieling (P.).
b. 1, Patrie inconnue.

Conus fulmen Reeve.

a. 3, Japon. M. von Siebold (C.).

Conus guinaicus Bruguière.

a. 1, Côte de Guinée. Collection Raye.
b. 2, Côte de l'Amérique ?

Conus mediterraneus Bruguière.

a. 13, Méditerranée. M. Cantraine (C.).
b. 7, Côte de l'Afrique, Tripoli.

Conus mediterraneus, var. *franciscanus* Bruguière.

a. 4, Méditerranée. M. Cantraine (C.).

Conus pauperculus Sowerby.

a. 10, Japon. M. von Siebold (C.).

Conus elongatus Chemnitz.

a. 1, Cap.

Conus anemone Lamarck.

a. 1, Côte de Java. Voyage de M. Péron.

Digitized by Google

Conus jukesi Reeve.

a. 1, Australie. Collection Macaré.

ASPERI.

Conus subulatus Kiener.

a. 1, Iles Philippines, Mindanao. Collection Macaré.

Conus australis Chemnitz.

a. 2, La Nouvelle Hollande. Collection Raye.

Conus sulcatus Bruguière.

a. 1, Océan Indien. Collection Raye.

Conus cancellatus Lamarck.

a. 1, Taïti. Collection Macaré.

Conus d'orbignyi Audouin.

a. 1, Mer de Chine.

Conus longurionis Kiener.

a. 1, Mer de Chine. Collection Macaré.

Conus acutangulus Chemnitz.

a. 1, Japon.
b. 2, Mer des Indes. Collection Macaré et M. van Rees (P.).
c. 3, Banka. M. van den Bossche (P.).
d. 1, (alc.) Amboine. M. Forsten (C.).

Conus tornatus Broderip.

a. 1, Panama. Collection Macaré.

Conus verrucosus Bruguière.

a. 11, Côte de l'Amérique.
b. 8, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).
c. 1, Patrie inconnue. Collection Dalen.

Conus mindanus Bruguière.

a. 2, Patrie inconnue. Cabinet Dalen et Collection Macaré.

Digitized by Google

Conus mindanus, var. *elventinus* Duclos.

a. 1, Patrie inconnue. Collection Macaré.

TEREBRI.

Conus glans Bruguière.

a. 5, Océan Indien.
b. 7, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 5, Amboine. M. Hoedt (C.).
d. 1, Timor. M. Wienecke (C.).

Conus tenuistriatus Sowerby.

a. 1, Patrie inconnue. Collection Macaré.

Conus scabriusculus Chemnitz.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 2, Amboine. M. Hoedt (C.).
c. 1, Japon.

Conus tendineus Bruguière.

a. 1, Moluques. Collection Macaré.

Conus terebra Born.

a. 3, Océan Indien. M. Reinwardt (C.).
b. 6, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 4, Amboine. M. Hoedt (C.).

Conus nussatella Linné.

a. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Banka. M. van den Bossche (P.).
c. 6, Amboine. M. Hoedt (C.).

Conus clavus Linné.

a. 1, Océan Indien.
b. 1, Patrie inconnue. Collection Hoogeveen (P.).

Conus circumcisus Born.

a. 2, Océan Indien.
b. 1, Côte de Java, Tjilatjap.
c. 1, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

? *Conus verulosus* Bruguière.

a. 1, Surinam.

Conus granulatus Gmelin.

a. 2, Curaçao. M. le Dr. Epp (P.).
b. 2, Patrie inconnue. Ancien Cabinet.

Conus coccineus Gmelin.

a. 1, Iles Philippines. Collection Macaré.

Conus aurisiacus Gmelin.

a. 4, Moluques. M. van Rees (P.).
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).

Conus cylindraceus Broderip.

a. 1, Patrie inconnue. Collection Macaré.

Conus mitratus Bruguière.

a. 1, Océan Indien. Collection Macaré.

BULBI.

Conus hieroglyphicus Duclos.

a. 4, Côte de l'Amérique.

TULIPAE.

Conus striatus Linné.

a. 10, Océan Indien. M. Reinwardt (C.).
b. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 3, Amboine. M. Hoedt (C.).
d. 2, Céram.
e. 1, Timor. M. Wienecke (C.).
f. 1, Flores. M. Semmelink, 1862 (C.).
g. 1, Misool.
h. 2, Waigéoe. M. Bernstein (C.).
i. 2, Mer Rouge. M. Ruyssenaers (P.).
j. 1, Nossi-Bé. M. M. Pollen et van Dam (C.).

Conus gubernator Bruguière.

a. 2, Océan Indien. M. M. Boie et Macklot (C.).

Digitized by Google

b. 12, Nossi-Bé. M. M. Pollen et van Dam (C.).
c. 1, Nossi-Faly. M. M. Pollen et van Dam (C.).
d. 3, Patrie inconnue. Cabinet Dalen et Collection Macaré.

Conus bullatus Linné.

a. 4, Océan Indien.
b. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 1, Misool.
d. 1, Patrie inconnue. Collection Hoogeveen (P.).

Conus cervus Lamarck.

a. 1, Océan Indien. Collection Raye.

Conus tulipa Linné.

a. 8, Côte de Java. M. Reinwardt (C.).
b. 7, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 1, Amboine. M. Hoedt (C.).
d. 1, Céram.

Conus obscurus Reeve.

a. 6, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 3, Amboine. M. Hoedt (C.).

Conus intermedius Reeve.

a. 1, Japon. Société Zoologique „Natura Artis magistra" à Amsterdam (P.).

Conus geographus Linné.

a. 6, Océan Indien. Collection Dalen.
b. 4, Côte de Java, Tjilatjap. M. Overdijk, Décembre 1865 (C.).
c. 1, Banka. M. Buddingh (P.).
d. 3, Amboine. M. Hoedt (C.).
e. 1, Ile Sakatia. M. M. Pollen et van Dam (C.).
f. 1, Haiti? M. Ricord (P.).

TEXTI.

Conus aureus Bruguière.

a. 3, Océan Indien.
b. 1. Côte de Java, Tjilatjap. M. Overdijk (C.).

Digitized by Google

Conus convolutus Sowerby.

a. 13, Nossi-Bé. M. M. Pollen et van Dam (C.).
b. 8, Nossi-Faly. M. M. Pollen et van Dam (C.).

Conus legatus Lamarck.

a. 2, Océan Indien.
b. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).

Conus gloria-maris Bruguière.

a. 1, Océan Indien. Collection Raye.

Conus textile Linné.

a. 7, Océan Indien. M. Reinwardt (C.).
b. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 5, Amboine. M. Hoedt (C.).
d. 2, (alc.) Amboine. M. Forsten (C.).
e. 2, Céram.
f. 6, Flores. M. Semmelink, 1863 (C.).
g. 2, Timor. M. Wienecke (C.).
h. 1, Waigéoe. M. Bernstein (C.).
i. 1, Batjan. M. Bernstein (C.).
j. 1, Côte de Zanzibar.
k. 2, Nossi-Faly. M. M. Pollen et van Dam (C.).
l. 1, Mayotte. M. M. Pollen et van Dam (C.).
m. 3, Patrie inconnue.

Conus textile, var. *vicarius* Reeve.

a. 3, Mer Rouge. M. Ruyssenaers (P.).
b. 1, Nossi-Faly. M. M. Pollen et van Dam (C.).

Conus textile, var. *verriculum* Reeve.

a. 3, Océan Indien. M. Forsten (C.).

Conus dalli Stearns.

a. 1, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Conus lucidus Mawe.

a. 1, Columbie occidentale, Ile de la Plata. M. Cuming (C.).

Digitized by Google

Conus abbas Bruguière.

a. 1, Océan Indien.
b. 2, Côte de Java. M. Junghuhn (C.).
c. 1, Amboine. M. Hoedt (C.).
d. 1, Patrie inconnue. Collection Hoogeveen (P.).

Conus archiepiscopus Bruguière.

a. 2, Océan Indien. Collection Raye.

Conus panniculus Lamarck.

a. 1, Océan Indien.
b. 1, Patrie inconnue. Collection Macaré.

Conus canonicus Bruguière.

a. 4, Océan Indien. Cabinet Raye et Collection Hoogeveen (P.).
b. 4, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 1, Banka. M. van den Bossche (P.).
d. 2, Amboine. M. Hoedt (C.).
e. 1, Céram. M. Hoedt (C.).
f. 1, Batjan. M. Bernstein (C.).
g. 5, Moluques.
h. 1, Côte de Zanzibar.

Conus victoriae Reeve.

a. 1, Australie. Collection Macaré.

Conus pennaceus Born.

a. 1, Océan Indien.
b. 2, Mer Rouge. M. Ruyssenaers (P.).
c. 1, (alc.) Djeddah.

Conus praelatus Bruguière.

a. 1, Patrie inconnue. Collection Raye.

Conus omaria Bruguière.

a. 9, Océan Indien. M. Reinwardt (C.).
b. 2, Célèbes, Gorontalo. M. von Rosenberg (C.).
c. 3, Amboine. M. Hoedt (C.).
d. 1, Céram.

Digitized by Google

e. 2, Flores, Larantoeka. M. Semmelink, 1862 (C.).
f. 3, Moluques.
g. 2, Japon. M. von Siebold (C.).

Conus episcopus Bruguière.

a. 6, Océan Indien. M. Reinwardt (C.).
b. 1, Banka. M. Buddingh (C.).
c. 2, Amboine. M. Hoedt (C.).
d. 1, Céram.
e. 1, Flores. M. Semmelink, 1862 (C.).

Conus aulicus Linné.

a. 6, Océan Indien. M. Reinwardt (C.).
b. 2, Côte de Java. M. Overdijk (C.).
c. 1, Banka. M. Buddingh (C.).
d. 1, Moluques.
e. 1, Patrie inconnue.

Conus aulicus, var. *auratus* Lamarck.

a. 1, Amboine. M. Hoedt (C.).
b. 1, Ile Anna. M. Cuming (C.).
c. 3, Patrie inconnue. M. Frank et Collection Hoogeveen (P.).

Conus sp.

a. 1, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Conus sp.

a. 1, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

GENOTIA.

Genotia mitraeformis Kiener.

a. 1, Sénégal. M. Verreaux (C.).

Genotia lühdorfi Lischke.

a. 1, Japon. M. von Siebold (C.).

PUSIONELLA.

Pusionella nifat Bruguière.

a. 1, Sénégal.

Digitized by Google

Pusionella buccinata Lamarck.

a. 1, Patrie inconnue. Ancien Cabinet.

COLUMBARIUM.

Columbarium pagodus Lesson.

a. 1, Japon. M. von Siebold (C.).

CLAVATULA.

CLAVATULA.

Clavatula bimarginata Lamarck.

a. 1, Sénégal. M. Verreaux (C.).

Clavatula muricata Lamarck.

a. 2, Patrie inconnue. Cabinet Raye et Collection Dalen.

Clavatula imperialis Lamarck.

a. 1, Patrie inconnue. Ancien Cabinet.

Clavatula sacerdos Reeve.

a. 1, Patrie inconnue. Collection Dalen.

PERRONA.

Clavatula taxus Chemnitz.

a. 1, Patrie inconnue. M. C. Voigt.

Clavatula spirata Lamarck.

a. 2, Chine.

CLIONELLA.

Clionella sinuata Born.

a. 2, Océan Indien?

Clionella semicostata Kiener.

a. 2, Cap. M. Verreaux (C.).

SURCULA.

Surcula maculosa Sowerby.

a. 1, Mazatlan. M. Verreaux (C.).

Digitized by Google

Surcula australis Roissy.

a. 4, Patrie inconnue. Collection Dalen.

Surcula tornata Dillwyn.

a. 1, Patrie inconnue.

Surcula javana Linné.

a. 6, Océan Indien. M. Reinwardt (C.).
b. 1, Singapore. M. Buddingh (P.).
c. 4, Patrie inconnue.

Surcula funiculata Valenciennes.

a. 1, St. Hélène. Collection Dalen.

Surcula coerulea Weinkauff.

a. 1, Sénégal. M. Verreaux (C.).
b. 2, Patrie inconnue. Collection Dalen.

PLEUROTOMA.

PLEUROTOMA.

a. pictae.

Pleurotoma babylonia Linné.

a. 8, Océan Indien. Collection Dalen.
b. 6, Timor. M. Zijnen Wartel et M. Wienecke (C.).
c. 1, Détroit de Larantoeka. M. Semmelink (C.).
d. 2, Amboine. M. Hoedt (C.).
e. 3, (alc.) Amboine. M. Forsten (C.).

Pleurotoma garnonsi Reeve.

a. 2, Côte de Zanzibar. M. Derx (P.).
b. 1, Amboine. M. Hoedt (C.).

Pleurotoma crispa Lamarck.

a. 1, Océan Indien.
b. 2, Variété. Japon. M. von Siebold (C.).

Pleurotoma grandis Gray.

a. 2, Patrie inconnue. Collection Dalen.

Digitized by Google

Pleurotoma tigrina Lamarck.

a. 5, Océan Indien. M. Reinwardt (C.).
b. 1, Banka. M. van den Bossche (P.).
c. 1, Amboine. M. Hoedt. (C.).
d. 1, Iles Andaman, Port Blair. M. le Col. L. Worthington Wilmer (C.).

Pleurotoma variegata Kiener.

a. 1, Océan Indien.

Pleurotoma albina Lamarck.

a. 2, (alc.) Amboine. M. Forsten (C.).
b. 2, Patrie inconnue. Collection Raye.

Pleurotoma marmorata Lamarck.

a. 2, Océan Indien. M. Reinwardt (C.).
b. 3, Amboine. M. Hoedt (C.).
c. 1, Côte de Célèbes, Badjoa. M. Moens (P.).
d. 1, Banka. M. van den Bossche (P.).

Pleurotoma spectabilis Reeve.

a. 1, Amboine. M. Hoedt (C.).
b. 1, Patrie inconnue. Collection Raye.

Pleurotoma picta Reeve.

a. 1, Patrie inconnue. Collection Dalen.

Pleurotoma unedo Valenciennes.

a. 2, Japon. M. von Siebold (C.).

Pleurotoma undosa Lamarck.

a. 1, Amboine. M. Hoedt (C.).
b. 1, Patrie inconnue. Collection Dalen.

Pleurotoma cingulifera Lamarck.

a. 2, Timor. M. Zijnen Wartel (C.).
b. 6, Patrie inconnue. Cabinet Raye et Collection Dalen.

Digitized by Google

Pleurotoma abbreviata Reeve.

a. 1, Côte septentrionale de Java, Bezoekie. M. Semmelink (C.).
b. 3, Timor. M. Wienecke (C.).

b. cingulatae.

Pleurotoma cryptoraphe Sowerby.

a. 3, Amboine. M. Hoedt (C.).
b. 1, Patrie inconnue. M. Goedhuijs.

Pleurotoma virgo Lamarck.

a. 3, Océan Indien? Cabinet Raye et Collection Dalen.

Pleurotoma leucotropis Adams et Reeve.

a. 4, Japon. M. von Siebold (C.).

Pleurotoma oxytropis Sowerby.

a. 1, Patrie inconnue. Collection Dalen.

Pleurotoma fascialis Lamarck.

a. 5, Moluques. Collection Dalen.
b. 2, Amboine. M. Hoedt (C.).

Pleurotoma violacea Hinds, var. *vertebralis* Smith.

a. 2, Japon. M. von Siebold (C.).

GEMMULA.

Pleurotoma carinata Gray.

a. 1, Océan Indien. M. Reinwardt (C.).

DRILLIA.

DRILLIA.

Drillia flavidula Lamarck.

a. 3, Japon. M. von Siebold (C.).
b. 2, Mer Rouge. M. Ruyssenaers (P.).
c. 2, Patrie inconnue. Collection Dalen.

Drillia nodilirata Smith.

a. 1, Moluques. M. van Rees. (P.).

Digitized by Google

Drillia lanceolata Reeve.

a. 1, Japon. M. von Siebold (C.).
b. 2, Jeunes individus. Patrie inconnue. Collection Hoogeveen (P.).

Drillia gibbosa Born.

a. 2, Patrie inconnue. Collection Dalen.

Drillia duplicata Sowerby.

a. 2, St. Hélène.

Drillia japonica Lischke.

a. 1, Japon. M. von Siebold (C.).
b. 1, Chine.

Drillia crenularis Lamarck.

a. 2, Singapore. M. Buddingh (P.).

Drillia suturalis Gray.

a. 1, Patrie inconnue. Collection Dalen.

Drillia varicosa Reeve.

a. 1, Japon. M. von Siebold (C.).

Drillia pyramidata Kiener.

a. 1, Sénégal. M. Verreaux (C.).

Drillia hottentota Smith.

a. 1, Cap. M. Smuts.

CLAVUS.

Drillia auriculifera Lamarck.

a. 5, Océan Indien. M. van Doorn (P.).
b. 2, Amboine. M. Hoedt (C.).
c. 2, Patrie inconnue. M. Voigt.

Drillia echinata Lamarck.

a. 2, Patrie inconnue. Collection Dalen.

Drillia albotuberculata Schepman.

a. 1, Patrie inconnue. M. Voigt. Type de l'espèce

Digitized by Google

CRASSISPIRA.

Drillia luctuosa Hinds.

a. 1, Californie. M. Verreaux (C.).

Drillia fuscescens Gray.

a. 2, Patrie inconnue. Collection Raye.

BELA.

Bela turricula Montagu.

a. 1, Angleterre.
b. 1, Patrie inconnue. Collection Hoogeveen (P.).

Bela exarata Möller.

a. 5, Groenlande. M. Israël.

Bela pingelii Beck.

a. 2, Groenlande. M. Israël.

Bela pyramidalis Ström.

a. 2, Groenlande. Musée de Copenhague.

Bela violacea Mighels.

a. 5, Groenlande. M. Israël et Musée de Copenhague.

MANGELIA.

Mangelia coerulans Philippi.

a. 6, Méditerranée. M. Cantraine (C.).

Mangelia sicula Reeve.

a. 1, Méditerranée. M. Cantraine (C.).

Mangelia rugulosa Philippi.

a. 5, Méditerranée. M. Cantraine (C.).

Mangelia bertrandi Payraudeau.

a. 2, Variété. Méditerranée. M. Cantraine (C.).

Mangelia costata Donovan.

a. 2, Méditerranée. M. Cantraine (C.).

Digitized by Google

Mangelia sandriana Brusina.

a. 2, Méditerranée. M. Cantraine (C.).

Mangelia vauquelini Payraudeau.

a. 3, Méditerranée. M. Cantraine (C.).

Mangelia taeniata Deshayes.

a. 2, Méditerranée. M. Cantraine (C.).

Mangelia septangularis Montagu.

a. 6, Méditerranée. M. Cantraine (C.).

Mangelia ginnaniana Scacchi.

a. 4, Méditerranée. M. Cantraine (C.).

Mangelia costulata Blainville.

a. 2, Méditerranée. M. Cantraine (C.).

Mangelia striolata Scacchi.

a. 1, Méditerranée. M. Cantraine (C.).

DEFRANCIA.

Defrancia reticulata Renieri.

a. 19, Méditerranée. M. Cantraine (C.).

Defrancia gracilis Montagu.

a. 9, Méditerranée. M. Cantraine (C.).

Defrancia purpurea Montagu.

a. 1, Méditerranée.

Defrancia linearis Montagu.

a. 1, Méditerranée.

Defrancia leufroyi Michaud.

a. 6, Méditerranée.

Defrancia philberti Michaud.

a. 2, Méditerranée.

Digitized by Google

CYTHARA.

Cythara citharella Lamarck.

a. 1, Patrie inconnue. Collection Dalen.

Cythara marginelloides Reeve.

a. 4, Philippines. M. Cuming et Collection Dalen.

Cythara columbelloides Reeve.

a. 3, Philippines. M. Cuming et Collection Dalen.

Cythara funiculata Reeve.

a. 1, Côte septentrionale de Timor. M. Zijnen Wartel (C.).

HALIA.

Halia priamus Meuschen.

a. 1, Mer d'Espagne. Musée de Paris (P.).

CANCELLARIIDAE.

CANCELLARIA.

CANCELLARIA.

Cancellaria cancellata Linné.

a. 1, Sénégal.
b. 1, Patrie inconnue.

Cancellaria similis Sowerby.

a. 1, Antilles? M. Verreaux (C.).

Cancellaria rugosa Lamarck.

a. 3, Patrie inconnue. M. Drieling.

Cancellaria candida Sowerby.

a. 1, Jeune individu. Patrie inconnue.

Cancellaria urceolata Hinds.

a. 1, Mazatlan. M. Verreaux (C.).

Cancellaria ovata Sowerby.

a. 1, Columbie occidentale, St. Elena. M. Cuming (C.).

Digitized by Google

Cancellaria reticulata Linné.

a. 5, Australie? Collection Dalen.

Cancellaria sp.

a. 2, Jeunes individus. Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Cancellaria buccinoides Sowerby.

a. 2, Patrie inconnue. Collection Dalen.

Cancellaria asperella Lamarck.

a. 1, Patrie inconnue.

Cancellaria nodulifera Sowerby.

a. 1, Japon. M. von Siebold (C.).

TRIGONOSTOMA.

Cancellaria trigonostoma Lamarck.

a. 1, Patrie inconnue.

Cancellaria goniostoma Sowerby.

a. 2, Mazatlan. M. Verreaux (C.).

Cancellaria rigida Sowerby.

a. 2, Gambie? M. Cuming et Collection Dalen.

Cancellaria crispata Sowerby.

a. 1, Patrie inconnue. Collection Dalen.

Cancellaria bocageana Crosse et Debeaux.

a. 2, Chine, Peiho. M. H. Dohrn (P.).

b. 1, Patrie inconnue.

Cancellaria piscatoria Gmelin.

a. 2, Gambie. M. Verreaux (C.).

APHERA.

Cancellaria tessellata Sowerby.

a. 1, Variété. Golfe de Californie. M. le Dr. H. ten Kate (C.).

Digitized by Google

EUCLIA.

Cancellaria cassidiformis Sowerby.

a. 1, Mazatlan. M. Verreaux (C.).

Cancellaria spengleriana Deshayes

a. 4, Japon. M. von Siebold (C.).

b. 1, Japon, Kanagawa. M. Noordhoek Hegt (P.).

MERICA.

Cancellaria reeveana Crosse.

a. 1, Japon. M. von Siebold (C.).

NARONA.

Cancellaria clavatula Sowerby.

a. 1, Panama. Collection Dalen.

ADMETE.

Admete contabulata Friele.

a. 1, Groenlande. Musée de Copenhague.

RHACHIGLOSSA.

OLIVIDAE.

OLIVA.

Oliva porphyria Linné.

a. 8, Côte de l'Amérique, Panama. M. Cuming, Ancien Cabinet et Collection Dalen.

b. 3, Golfe de Californie. M. Newcomb et M. le Dr. H. ten Kate, 1883 (C.).

Oliva peruviana Lamarck.

a. 5, Chile. M. Cuming (C.).

b. 3, Variété. Chile. M. Cuming (C.).

Oliva peruviana, var. *coniformis* Philippi.

a. 2, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

Oliva episcopalis Lamarck.

a. 15, Amboine. M. Hoedt (C.).
b. 1, Timor. M. Zijnen Wartel (C.).

Oliva episcopalis, var. *lugubris* Lamarck.

a. 3, Océan Indien. Ancien Cabinet et Collection Dalen.
b. 2, Amboine. M. Hoedt (C.).
c. 1, Céram. M. Hoedt (C.).
d. 1, Flores, Larantoeka. M. Semmelink (C.).
e. 1, Timor. M. Wienecke (C.).

Oliva guttata Lamarck.

a. 17, Océan Indien. Cabinet Dalen.
b. 11, Amboine. M. Hoedt (C.).
c. 1, Céram.
d. 1, Banka. M. van den Bossche (P.).
e. 1, La Nouvelle Hollande.
f. 1, (alc.) Amboine. M. Forsten.

Oliva guttata, var. *leucophaea* Lamarck.

a. 6, Océan Indien.

Oliva guttata, var. *mantichora* Duclos.

a. 1, Océan Indien.
b. 1, Amboine. M. Hoedt (C.).
c. 3, La Nouvelle Hollande.

Oliva rufula Duclos.

a. 1, Patrie inconnue.

Oliva inflata Lamarck.

a. 5, Patrie inconnue. Ancien Cabinet et Collection Dalen.
b. 9, Mer Rouge. M. Ruyssenaers et M. Forskål.

Oliva inflata, var. *undata* Lamarck.

a. 21, Mer Rouge. M. Ruyssenaers (P.).
b. 7, Côte de Zanzibar. M. Derx.

Digitized by Google

Oliva inflata, var. *bicincta* Lamarck.

a. 7, Patrie inconnue. Ancien Cabinet et Collection Dalen.
b. 7, Patrie inconnue.

Oliva inflata, var. *fabagina* Lamarck.

a. 2, Patrie inconnue. Collection Dalen.

Oliva tigrina Lamarck.

a. 1, Océan Indien. M. Reinwardt (C.).
b. 11, Mayotte. M. M. Pollen et van Dam (C.).
c. 4, Nossi-Bé. M. M. Pollen et van Dam (C.).
d. 1, Sakatia. M. M. Pollen et van Dam (C.).
e. 3, Patrie inconnue. Ancien Cabinet.

Oliva bulbiformis Duclos.

a. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 6, Moluques. M. van Rees (P.).
c. 3, Banka. M. van den Bossche (P.).
d. 1, Waigéoe. M. Bernstein (C.).

Oliva elegans Lamarck.

a. 15, Océan Indien. Ancien Cabinet et Collection Dalen.
b. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 3, Banka. M. van den Bossche (P.).
d. 6, Timor. M. Zijnen Wartel et M. Wienecke (C.).
e. 8, Amboine. M. Hoedt (C.).
f. 1, Céram.
g. 1, Iles Obi. M. Bernstein (C.).
h. 1, Misool. M. Hoedt (C.).
i. 1, Singapore. M. Buddingh (P.).
j. 1, Mer Rouge. M. Ruyssenaers (P.).
k. 2, (alc.) Océan Indien. M. Macklot.

Oliva dactyliola Duclos.

a. 7, Océan Indien.
b. 1, Banka. M. van den Bossche (P.)
c. 1, Amboine. M. Hoedt (C.).

Digitized by Google

d. 1, Timor. M. Zijnen Wartel (C.).
e. 1, Iles Obi. M. Bernstein (C.).
f. 8, Patrie inconnue. Collection Hoogeveen (P.).
g. 1, (alc.) Amboine. M. Forsten.

Oliva funebralis Lamarck.

a. 21, Océan Indien. Ancien Cabinet et Collection Dalen.
b. 13, Jeunes individus. Côte méridionale de Java, Tjilatjap. M. Overdijk (C.).
c. 3, Côte septentrionale de Java, Bezoekie. M. Semmelink (C.).
d. 6, Jeunes individus. Côte de Célèbes, Badjoa. M. Moens (P.).
e. 9, Amboine. M. Hoedt (C.).
f. 1, Céram.
g. 8, Misool. M. Hoedt (C.).
h. 3, Banka. M. van den Bossche (P.).
i. 1, Jeune individu. Singapore. M. Buddingh (P.).
j. 5, (alc.) Amboine. Forsten.
k. 2, (alc.) Mer Indien. M. Macklot.

Oliva mustelina Lamarck.

a. 5, Japon. Ancien Cabinet.
b. 2, Amoy. M. Buddingh (C.).

Oliva maura Lamarck.

a. 25, Océan Indien. M. Reinwardt et Collection Dalen.
b. 10, Amboine. M. Hoedt (C.).
c. 6, Variété. Côte de Java, Tjilatjap. M. Overdijk (C.).
d. 16, Variété. Amboine. M. Hoedt (C.).
e. 5, Misool. M. Hoedt (C.).
f. 1, Céram.
g. 2, Variété. Banka. M. van den Bossche et M. Buddingh (P.).
h. 6, Jeunes individus. Moluques. M. van Rees (P.).
i. 3, Variété. Océan Indien. Ancien Cabinet.

Oliva maura, var. *sepulturalis* Lamarck.

a. 7, Océan Indien. M. Reinwardt (C.).
b. 6, Amboine. M. Hoedt (C.).

Digitized by Google

c. 1, Misool. M. Hoedt (C.).
d. 3, Patrie inconnue. Collection Hoogeveen (P.).

Oliva maura, var. *fulminans* Lamarck.

a. 4, Océan Indien. M. Reinwardt (C.).
b. 1, Timor. M. Zijnen Wartel (C.).

Oliva macleaya Duclos.

a. 12, Océan Indien. M. Reinwardt et Collection Dalen.

Oliva sanguinolenta Lamarck.

a. 14, Océan Indien.
b. 19, Amboine. M. Hoedt (C.).
c. 3, Iles Obi. M. Bernstein (C.).
d. 2, Misool. M. Hoedt (C.).
e. 2, Flores, Larantoeka. M. Semmelink (C.).
f. 1, Timor. M. Wienecke (C.).
g. 1, Java, Tjilatjap. M. Overdijk (C.).
h. 1, Banka. M. van den Bossche (P.).
i. 7, Singapore. M. Buddingh (P.).

Oliva sanguinolenta, var. *zebra* Küster.

a. 6, Océan Indien.

Oliva tricolor Lamarck.

a. 16, Océan Indien.
b. 16, Amboine. M. Hoedt (C.).
c. 3, Banka. M. Buddingh et M. van den Bossche (P.).
d. 1, Céram.
e. 2, Iles Obi. M. Bernstein (C.).
f. 6, Misool. M. Hoedt (C.).
g. 4, Flores, Larantoeka. M. Semmelink (C.).
h. 7, Timor. M. Zijnen Wartel et M. Wienecke (C.).
i. 1, Moluques.
j. 1, (alc.) Côte de Java.

Oliva zeylanica Lamarck.

a. 6, Cap. Ancien Cabinet.
b. 4, Patrie inconnue. Collection Hoogeveen

Digitized by Google

Oliva irisans Lamarck.

a. 4, Cap. Ancien Cabinet et Collection Dalen.
b. 3, Patrie inconnue. Cabinet Dalen.

Oliva pica Lamarck.

a. 2, La Nouvelle Hollande. Ancien Cabinet et Collection Dalen.
b. 1, Indes Occidentales, Possessions Danoises? M. M. Kraepelin et Holm (C.).

Oliva textilina Lamarck.

a. 11, Océan Indien. Ancien Cabinet et Collection Dalen.
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 3, Amboine. M. Hoedt (C.).
d. 1, Timor. M. Zijnen Wartel (C.).

Oliva erythrostoma Lamarck.

a. 14, Océan Indien. Ancien Cabinet et Collection Dalen.
b. 5, Amboine. M. Hoedt (C.).
c. 1, Biliton. Mad. Vosmaer.

Oliva erythrostoma, var. *masaris* Duclos.

a. 6, Moluques. M. van Rees (P.).
b. 2, Amboine. M. Hoedt (C.).
c. 1, Banka. M. van den Bossche (P.).
d. 1, Patrie inconnue.

Oliva tremulina Lamarck.

a. 2, Cap. Ancien Cabinet.
b. 1, Nossi-Bé. M. M. Pollen et van Dam (C.).
c. 2, Jeunes individus. Patrie inconnue.

Oliva tremulina, var. *nobilis* Reeve.

a. 6, Océan Indien.

Oliva splendidula Sowerby.

a. 2, Panama. M. Cuming et Cabinet Dalen.

Oliva araneosa Lamarck.

a. 18, Californie, Baie de la Paz. M. le Dr. H. ten Kate (C.).

Digitized by Google

b. 2, Mazatlan. M. Verreaux (C.).
c. 4, Variété. Ile Espiritu Santo. M. le Dr. H. ten Kate (C.).
d. 2, Patrie inconnue. Ancien Cabinet.

Oliva araneosa, var. *fuscata* Marrat.

a. 8, Patrie inconnue. Collection Hoogeveen (P.).
b. 2, Golfe de Californie. M. le Dr. H. ten Kate (C.).

Oliva araneosa, var. *subangulata* Philippi.

a. 2, Golfe de Californie. M. Newcomb (C.).

Oliva venulata Lamarck.

a. 14, Côte de l'Amérique. Ancien Cabinet et Collection Dalen.
b. 4, Golfe de Californie. M. Cuming et M. le Dr. H. ten Kate (C.).

Oliva timoria Duclos.

a. 1, Patrie inconnue. Cabinet Dalen.

Oliva julieta Duclos.

a. 1, Chile. M. Cuming (C.).

Oliva angulata Lamarck.

a. 1, Golfe de Nicoya. M. Cuming (C.).
b. 2, Golfe de Californie. M. Newcomb et M. le Dr. H. ten Kate (C.).

Oliva polpasta Duclos.

a. 3, Côte occidentale de Columbie. M. Cuming (C.).

Oliva fusiformis Lamarck.

a. 19, Côte de l'Amérique. Ancien Cabinet.
b. 10, Golfe de Mexique. Ancien Cabinet.
c. 4, Curaçao. M. F. F. Steenberghe, 1864 (P.).

Oliva scripta Lamarck.

a. 2, Patrie inconnue.

Oliva litterata Lamarck.

a. 4, Patrie inconnue. Cabinet Dalen.
b. 13, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

Oliva reticularis Lamarck.

a. 46, Côte de l'Amérique. Ancien Cabinet.
b. 21, Patrie inconnue. Collection Hoogeveen (P.).
c. 12, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).
d. 5, Curaçao. M. Steenberghe et M. le Dr. Epp, 1888 (P.).
e. 3, Saint Thomas.
f. 4, Ile Rocas.
g. 3, Variété. Patrie inconnue.

Oliva reticularis, var. *memnonia* Duclos.

a. 7, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).

Oliva flammulata Lamarck.

a. 5, Côte de l'Amérique. Ancien Cabinet.

Oliva duclosi Reeve.

a. 2, Taïti. M. Cuming (C.).

Oliva australis Duclos.

a. 2, Patrie inconnue.

Oliva semmelinki Schepman.

a. 1, Détroit de Larantoeka. M. Semmelink (C.). Type de l'espèce.

Oliva kaleontina Duclos.

a. 1, Guayaquil. M. Cuming (C.).

Oliva ispidula Linné.

a. 51, Océan Indien. Ancien Cabinet et Collection Dalen.
b. 19, Côte de l'Amérique? Ancien Cabinet.
c. 54, Côte de Java, Tjilatjap. M. Overdijk (C.).
d. 47, Iles Obi. M. Bernstein (C.).
e. 7, Amboine. M. Hoedt (C.).
f. 4, Côte de Célèbes, Badjoa. M. Moens (P.).
g. 6, Misool. M. Hoedt (C.).
h. 1, Japon. Ancien Cabinet.

Digitized by Google

i. 2, Singapore. M. Buddingh (P.).
j. 1, Mer Rouge. M. Ruyssenaers (P.).
k. 1, Indes Occidentales, Possessions Danoises? M. M. Kraepelin et Holm (C.).
l. 28, (alc.) Côte de Java.

Oliva ispidula, var. *flaveola* Duclos.

a. 8, Patrie inconnue. Ancien Cabinet et Collection Dalen.

Oliva ispidula, var. *candida* Marrat.

a. 1, Océan Indien. M. van Doorn (P.).
b. 2, Patrie inconnue.

Oliva egira Duclos.

a. 1, Patrie inconnue. Collection Raye.

Oliva lepida Duclos.

a. 3, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).

Oliva tessellata Lamarck.

a. 16, Océan Indien.
b. 1, Amboine. M. Hoedt (C.).
c. 8, Patrie inconnue.

Oliva carneola Gmelin.

a. 73, La Nouvelle Guinée. M. van Doorn (P.).
b. 12, Océan Indien.
c. 5, Amboine. M. Hoedt (C.).
d. 2, Céram. M. Hoedt (C.).
e. 2, Variété. Patrie inconnue. Collection Raye.
f. 6, (alc.) Amboine. M. Forsten (C.).
g. 1, Variété. Moluques. M. van Rees (P.).
h. 1, Variété. Flores, Larantoeka. M. Semmelink (C.).

OLIVANCILLARIA.

Olivancillaria brasiliensis Chemnitz.

a. 3, Brésil. Ancien Cabinet et Collection Dalen.

Digitized by Google

Olivancillaria auricularia Lamarck.

a. 2, Brésil. Ancien Cabinet.

Olivancillaria gibbosa Born.

a. 10, Cap. Ancien Cabinet et Collection Dalen.
b. 8, Océan Indien. Ancien Cabinet et Collection Dalen.
c. 2, Patrie inconnue. Collection Dalen.

Olivancillaria nebulosa Lamarck.

a. 5, Océan Indien. Ancien Cabinet.
b. 1, Patrie inconnue. Collection Hoogeveen (P.).

Olivancillaria acuminata Lamarck.

a. 6, Océan Indien. Ancien Cabinet et Collection Dalen.
b. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 1, Haïti? M. Ricord (P.).
d. 4, Patrie inconnue. Ancien Cabinet.

Olivancillaria subulata Lamarck.

a. 20, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Banka. M. van den Bossche (P.).

AGARONIA.

Agaronia hiatula Gmelin.

a. 2, Côte de Guinée. M. Pel (C.).
b. 4, Golfe de Mexique?
c. 1, Patrie inconnue. Collection Hoogeveen (P.).
d. 1, (alc.) Côte de Guinée. M. Pel (C.).
e. 1, (alc.) Java?

Agaronia testacea Lamarck.

a. 1, Golfe de Mexique.

OLIVELLA.

CALLIANAX.

Olivella biplicata Swainson.

a. 6, Californie. Cabinet Dalen, M. Cuming et M. Newcomb (C.).

Digitized by Google

LAMPRODOMA.

Olivella volutella Lamarck.

a. 7, Panama. Cabinet Dalen et M. Cuming (C.).
b 1, Iles Sandwich. M. Hoeningh (P.).
c. 1, Patrie inconnue. M. Newcomb (C.).

Olivella undatella Lamarck.

a. 4, Panama. M. Damon.

Olivella undatella, var. *nedulina* Duclos.

a. 1, Côte occidentale de Columbie. M. Cuming (C.).

Olivella pulchella Duclos.

a. 1, Golfe de Californie? M. Newcomb (C.).

Olivella dama Mawe.

a. 23, Golfe de Californie. M. le Dr. H. ten Kate (C.).
b. 4, Panama. M. Damon.

Olivella tergina Duclos.

a. 2, Mexique. Cabinet Dalen.

DACTYLIDIA.

Olivella nana Lamarck.

a. 1, Côte de l'Amérique.

Olivella zenopira Duclos.

a. 1, Variété. Japon. M. von Siebold (C.).

Olivella nitidula Dillwijn.

a. 7, Surinam.
b. 6, Golfe de Mexique.
c. 54, Patrie inconnue. Collection Hoogeveen (P.).
d. 7, Curaçao. M. le Dr. Epp (P.).
e. 11, Patrie inconnue.

Olivella zonalis Lamarck.

a. 2, Golfe de Mexique. M. Cuming (C.).

Digitized by Google

Olivella semistriata Gray.

a. 2, Côte occidentale de Columbie, Salanga. M. Cuming (C.).
b. 1, Golfe de Californie. M. Newcomb (C.).

Olivella columellaris Sowerby.

a. 2, Golfe de Californie. M. Newcomb (C.).

OLIVELLA.

Olivella nivea Gmelin.

a. 25, Surinam.
b. 4, Variété. Panama. M. Damon.
c. 14, Côte occidentale de Curaçao. M. A. J. van Koolwijk, 1879 (P.)

Olivella nivea, var. *monilifera* Reeve.

a. 9, Curaçao. M. le Dr. Epp (P.).

Olivella tenuis Marrat.

a. 6, Curaçao. M. A. J. van Koolwijk (P.).

Olivella floralia Duclos.

a. 1, Patrie inconnue.

Olivella dealbata Reeve.

a. 24, Curaçao. M. A. J. van Koolwijk, 1879 et M. le Dr. Epp (P.).

Olivella anazora Duclos.

a. 14, Japon. M. von Siebold (C.).

Olivella pellucida Reeve.

a. 2, Patrie inconnue.

Olivella gracilis Broderip et Sowerby.

a. 15, Golfe de Californie. M. Newcomb et M. le Dr. H. ten Kate (C.).
b. 1, Mexique. M. Cuming (C.).

Olivella jaspidea Gmelin.

a. 31, Surinam.
b. 8, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

Olivella fulgurata Adams et Reeve.

a. 1, Patrie inconnue.

Olivella consobrina Lischke.

a. 6, Japon. M. von Siebold (C.).

OLIVINA.

Olivella puelchana d'Orbigny.

a. 1, Patrie inconnue. M. Newcomb (C.).

Olivella rosalina Duclos.

a. 1, Patrie inconnue.

ANCILLA.

ANCILLA.

Ancilla ventricosa Lamarck.

a. 9, Mer Rouge. M. Ruyssenaers, 1849 (P.).

Ancilla fulva Swainson.

a. 5, Côte de Zanzibar. M. Derx (P.).
b. 1, Mer Rouge. M. Ruyssenaers (P.).

Ancilla fulva, var. *variegata* Swainson.

a. 1, Côte de Zanzibar. M. Derx (P.).

Ancilla cinnamomea Lamarck.

a. 2, Côte de Java. M. Reinwardt (C.).

Ancilla albisulcata Sowerby.

a. 6, Mer Rouge. M. Forskål et M. Ruyssenaers (P.).

Ancilla acuminata Sowerby.

a. 20, Mer Rouge. M. Ruyssenaers (P.).

Ancilla crassa Sowerby.

a. 2, Mer Rouge. M. Ruyssenaers (P.).
b. 3, Patrie inconnue.

Digitized by Google

ANCILLARINA.

Ancilla ampla Gmelin.

a. 2, Curaçao? Ancien Cabinet.
b. 2, Patrie inconnue.

ANAULACIA.

Ancilla mauritiana Sowerby.

a. 13, Côte de Zanzibar. M. Marguier et M. Derx (P.).

ANAULAX.

Ancilla albo-callosa Lischke.

a. 1, Japon. M. von Siebold (C.).

Ancilla australis Sowerby.

a. 2, Patrie inconnue. M. Frank.

DIPSACCUS.

Ancilla glabrata Linné.

a. 9, Surinam.
b. 2, Curaçao. M. le Dr. Epp (P.).

Ancilla balteata Swainson.

a. 6, Surinam?

HARPIDAE.

HARPA.

Harpa costata Linné.

a. 1, Patrie inconnue. Collection Raye.

Harpa ventricosa Lamarck.

a. 1, Moluques. M. Reinwardt (C.).
b. 1, Mer Rouge. M. Ruyssenaers, 1849 (P.).
c. 1, Nossi-Faly. M. M. Pollen et van Dam (C.).
d. 1, Patrie inconnue.

Harpa conoidalis Lamarck.

a. 1, Moluques, M. Reinwardt (C.).

Digitized by Google

b. 3, Amboine. M. Hoedt (C.).
c. 1, Sakatia. M. M. Pollen et van Dam (C.).
d. 1, Haïti? M. Ricord (C.).
e. 7, Variété. Moluques. M. Reinwardt (C.).
f. 5, Variété. Amboine. M. Hoedt (C.).
g. 2, Variété. Céram. M. Hoedt (C.).
h. 1, Variété. Timor. M. Zijnen Wartel (C.).
i. 2, Jeunes individus. Banka. M. van den Bossche (P.).
j. 2, Variété. Iles des Amis.
k. 1, (alc.) Variété. Côte de Manipa. M. Hoedt, 1863 (C.).

Harpa conoidalis, var. *legata* Menke.

a. 4, Moluques. M. Reinwardt (C.).
b. 5, Amboine. M. Hoedt (C.).
c. 4, Céram. M. Hoedt (C.).
d. 1, Waigéoe. M. Bernstein (C.).
e. 3, (alc.) Amboine. M. Forsten et M. Hoedt (C.).

Harpa conoidalis, var. *nablium* (Martini) Sutor.

a. 1, Moluques. M. Reinwardt (C.).
b. 1, Patrie inconnue. Collection Hoogeveen (P.).

Harpa articularis Lamarck.

a. 1, Océan Indien. M. Reinwardt (C.).
b. 1, Amboine. M. Hoedt (C.).
c. 1, Céram.
d. 1, Variété. Biliton. Mad. Vosmaer.
e. 1, (alc.) Sumatra, Padang.

Harpa striata Lamarck.

a. 3, Océan Indien. Voyage de M. Blume.

Harpa nobilis Lamarck.

a. 9, Océan Indien.
b. 8, Amboine. M. Hoedt (C.).
c. 2, Céram. M. Hoedt (C.).
d. 1, Flores, Larantoeka. M. Semmelink (C.).

Digitized by Google

Harpa minor Lamarck.

a. 9, Océan Indien. M. Reinwardt (C.).
b. 7, Amboine. M. Hoedt (C.).
c. 5, Céram. M. Hoedt (C.).
d. 1, Banka. M. van den Bossche (P.).
e. 1, Nossi-Bé. M. M. Pollen et van Dam (C.).
f. 2, Iles des Amis.

Harpa minor, var. *crassa* Philippi.

a. 2, Mer Rouge. M. Ruyssenaers (P.).
b. 1, Nossi-Bé. M. M. Pollen et van Dam (C.).
c. 2, Patrie inconnue. Collection Dalen.

Harpa crenata Swainson.

a. 1, Panama. M. Cuming (C.).
b. 1, Côte de Mexique. Collection Dalen.

Harpa rosea Lamarck.

a. 1, Patrie inconnue.

MARGINELLIDAE.

MARGINELLA.

MARGINELLA.

a. faba.

Marginella glabella Linné.

a. 7, Patrie inconnue. Collection Dalen.
b. 11, Surinam?

Marginella aurantia Lamarck.

a. 3, Patrie inconnue. Collection Tobias.

Marginella pyrum Gronovius.

a. 3, Patrie inconnue. Ancien Cabinet.

Marginella rosea Lamarck.

a. 9, Golfe de Mexique. Ancien Cabinet.
b. 2, Cap.

Digitized by Google

c. 1, Baie d'Algoa. M. Krauss (C.).
d. 4, Patrie inconnue. Cabinet Dalen et Collection Tobias.

Marginella faba Linné.

a. 9, Patrie inconnue. Ancien Cabinet, Collection Dalen et Collection Tobias.

Marginella adansoni Kiener.

a. 3, Côte de l'Afrique, Gambie. M. Cuming (C.).
b. 2, Côte de l'Afriqne. Collection Dalen.

Marginella limbata Duval.

a. 3, Patrie inconnue. Cabinet Dalen et Collection Hoogeveen.

Marginella muscaria Lamarck.

a. 2, Ile Marie.

Marginella formicula Lamarck.

a. 2, Ile Marie. Voyage de M. Péron.

b. serrata.

Marginella serrata Gaskoin.

a. 3, Patrie inconnue. Collection Tobias.

Marginella lienardi Jousseaume.

a. 1, Patrie inconnue. Collection Tobias.

c. glabella.

Marginella curta Sowerby.

a. 2, Côte de Pérou. M. Cuming (C.).

? Marginella olivaeformis Kiener.

a. 6, Patrie inconnue.

Marginella guttata Dillwyn.

a. 13, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).
b. 2, Golfe de Mexique. M. Cuming et Collection Dalen.

Digitized by Google

Marginella pruinosa Hinds.

a. 4, Forma minor. Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).

Marginella apicina Menke.

a. 2, Patrie inconnue. Cabinet Dalen et Collection Tobias.

Marginella marginata Born.

a. 15, Golfe de Mexique. Ancien Cabinet.
b. 2, Sénégal.

Marginella amygdala Kiener.

a. 1, Patrie inconnue.

Marginella prunum Gmelin

a. 17, Océan Indien?
b. 7, Antilles. Collection Tobias.

Marginella sapotilla Hinds.

a. 1, Côte de l'Amérique, Panama. M. Cuming (C.).

VOLUTELLA.

Marginella cornea Lamarck.

a. 2, Côte de l'Afrique, Gambie. M. Cuming (C.).
b. 2, Patrie inconnue.

Marginella bullata Born.

a. 4, Patrie inconnue. M. Marguier et Collection Dalen.

Marginella dactylus Lamarck.

a. 1, Patrie inconnue. Collection Tobias.

Marginella verreauxi Jousseaume.

a. 3, Océan Indien. M. Kuhl (C.).

VOLVARINA.

Marginella zonata Kiener.

a. 6, Cap. M. Krauss (C.).

Digitized by Google

Marginella zonata, var. *bilineata* Krauss.

a. 10, Cap. M. Horstok (C.).

Marginella dunkeri Krauss.

a. 9, Cap.

Marginella lactea Kiener.

a. 2, Patrie inconnue.

Marginella avena Kiener.

a. 2, Patrie inconnue.

Marginella secalina Philippi.

a. 18, Méditerranée. M. Cantraine (C.).

Marginella obscura Reeve.

a. 4, Curaçao. M. A. J. van Koolwijk, 1879 (C.).

NEOVOLVARIA.

Marginella pallida Linné.

a. 2, Patrie inconnue.

CRYPTOSPIRA.

Marginella quinqueplicata Lamarck.

a. 4, Océan Indien. M. Forsten, Ancien Cabinet et Collection Dalen.

b. 2, Singapore. M. Buddingh (P.).

PERSICULA.

PERSICULA.

Persicula persicula Linné.

a. 1, Océan Atlantique. Collection Dalen.

Persicula persicula, var. *avellana* Lamarck.

a. 1, Patrie inconnue. Collection Dalen.

Digitized by Google

Persicula cingulata Dillwyn.

a. 9, Sénégal. Ancien Cabinet et Collection Dalen.
b. 9, Variété. Océan Atlantique.
c. 5, Patrie inconnue. Collection Hoogeveen (P.).

Persicula calculus Redfield.

a. 7, Patrie inconnue. Ancien Cabinet et Collection Dalen.

Persicula obesa Redfield.

a. 1, Océan Indien? M. Kramer.

Persicula interrupta Lamarck.

a. 13, Patrie inconnue. Cabinet Dalen et Collection Hoogeveen.

Persicula maculosa Kiener.

a. 20, Côte occidentale de Curaçao. M. A. J. van Koolwijk, 1879 (P.).
b. 11, Patrie inconnue. Collection Dalen.

Persicula catenata Montagu.

a. 3, Curaçao. M. A. J. van Koolwijk et M. le Dr. Epp, 1888 (P.).
b. 3, Patrie inconnue.

Persicula chrysomelina Redfield.

a. 25, Curaçao. M. A. J. van Koolwijk, 1879 et M. le Dr. Epp, 1888 (P.).
b. 8, Patrie inconnue.

GIBBERULA.

Persicula miliaria Linné.

a. 8, Méditerranée. Collection Tobias.
b. 7, Patrie inconnue. Collection Dalen.

Persicula monilis Linné.

a. 7, Mer Rouge. M. Ruyssenaers, 1849 (P.).
b. 10, Sénégal. Collection Tobias.

Digitized by Google

VOLUTIDAE.

ZIDONA.

Zidona angulata Swainson.

a. 1, Patrie inconnue. Cabinet Voigt.

YETUS.

CYMBA.

Yetus olla Linné.

a. 5, Océan Indien?

Yetus cisius Menke.

a. 1, Patrie inconnue. Ancien Cabinet.

Yetus cisius, var. *gracilis* Broderip et Sowerby.

a. 3, Patrie inconnue.

Yetus porcinus Lamarck.

a. 2, Côte de l'Afrique.
b. 1, Patrie inconnue. Collection Hoogeveen (P.).

Yetus proboscidalis Lamarck.

a. 1, Côte de Guinée. M. Pel (C.).
b. 2, Iles Philippines?
c. 3, Patrie inconnue. Collection Hoogeveen (P.).

Yetus neptuni Gmelin.

a. 2, Jeunes individus. Côte de l'Afrique. Ancien Cabinet.
b. 1, Patrie inconnue. Collection Hoogeveen (P.).

MELO.

Yetus melo Solander.

a. 3, Moluques. M. Reinwardt (C.).
b. 4, Biliton. Mad. Vosmaer.
c. 1, Côte de Bornéo. Exposition internationale d'Amsterdam, 1883.
d. 1, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

Yetus tessellatus Lamarck.

a. 2, Océan Indien.

Yetus nauticus Lamarck.

a. 1, Patrie inconnue. Collection Hoogeveen (P.).

Yetus aethiopicus Linné.

a. 6, Océan Indien. Collection Dalen et M. Reinwardt (C.).
b. 2, Céram, Kelang et Manipa.
c. 1, Batjan. M. Bernstein (C.).
d. 3, Misool et les îles environnantes.
e. 1, Biliton.
f. 2, Patrie inconnue. Collection Hoogeveen (P.).

? *Yetus regius* Broderip.

a. 2, Océan Indien.
b. 2, Timor. M. Wienecke et M. Zijnen Wartel (C.).
c. 4, Patrie inconnue. Ancien Cabinet et Collection Hoogeveen (P.).

Yetus diadema Lamarck.

a. 2, Océan Indien. M. von Rosenberg (C.).
b. 1, Timor. M. Zijnen Wartel (C.).
c. 5, Cap. Collection Raye.
d. 5, Patrie inconnue. Cabinet Dalen et Collection Hoogeveen (P.).

Yetus miltonis Gray.

a. 1, Patrie inconnue. Cabinet Dalen.

VOLUTA.

AUSOBA.

Voluta cymbiola Chemnitz.

a. 1, Iles Philippines. M. van Doorn.

VESPERTILIO.

Voluta vespertilio Linné.

a. 21, Moluques. M. Reinwardt (C.).
b. 1, Moluques.
c. 1, Timor. M. Zijnen Wartel (C.).

Digitized by Google

d. 1, Banka. M. van den Bossche (P.).
e. 2, (alc.) Amboine. M. Forsten (C.).
f. 1, Variété intermédiaire de la forme type et de la variété *pellis-serpentis*. Timor. M. Wienecke (C.).
g. 2, Variété. Patrie inconnue.

Voluta vespertilio, var. *pellis serpentis* Lamarck.

a. 29, Moluques. Cabinet Dalen et M. Reinwardt (C.).
b. 8, Timor. M. Zijnen Wartel (C.).
c. 7, Flores, Larantoeka. M. Semmelink (C.).
d. 3, Banka. M. van den Bossche (P.).
e. 3, Iles Obi. M. Bernstein (C.).
f. 2, Halmaheira. M. Bernstein (C.).
g. 4, Waigéoe. M. Bernstein (C.).
h. 18, Misool et les îles environnantes.
i. 5, Singapore. M. Buddingh, 1863 (P.).
j. 1, Madagascar. M. Pollen (C.).
k. 1, Patrie inconnue. Collection Hoogeveen (P.).
l. 1, (alc.) Banda. M. Semmelink, 1881 (C.).

Voluta vespertilio, var. intermédiaire des variétés *pellis serpentis* Lamarck et *mitis* Lamarck.

a. 2, Moluques. Collection Hoogeveen (P.).
b. 6, Timor. M. Zijnen Wartel et M. Wienecke (C.).
c. 3, Misool et les îles environnantes.
d. 4, Waigéoe. M. Bernstein (C.).
e. 2, La Nouvelle Guinée. M. Blume et M. Macklot (C.).

Voluta vespertilio, var. *mitis* Lamarck.

a. 1, Océan Indien. M. Blume (P.).
b. 1, Timor. M. Zijnen Wartel (C.).
c. 2, Misool et les îles environnantes.

Voluta vespertilio, var. *serpentina* Lamarck.

a. 2, Océan Indien. M. van der Bruggen (P.).
b. 2, Moluques. M. Reinwardt (C.).
c. 3, (alc.) Amboine. M. Forsten (C.).

Digitized by Google

d. 1, Côte septentrionale de Halmaheira. M. Bernstein (C.).
e. 1, Waigéoe. M. Bernstein (C.).
f. 1, Misool et les îles environnantes.
g. 3, Singapore. M. Buddingh, 1863 (P.).

Voluta nivosa Lamarck.

a. 1, Patrie inconnue. Collection Dalen.

Voluta rutila Broderip.

a. 1, Océan Pacifique. M. Turner.

AULICA.

Voluta imperialis Lamarck.

a. 2, Océan Indien. Collection Raye.
b. 1, Patrie inconnue. Collection Dalen.

Voluta scapha Gmelin.

a. 5, Moluques. M. Reinwardt (C.).
b. 5, Biliton. Mad. Vosmaer.
c. 1, Riouw.
d. 1, Célèbes, Badjoa. M. Moens (C.).
e. 4, Patrie inconnue. Collection Hoogeveen (P.).

Voluta magnifica Chemnitz.

a. 1, La Nouvelle Galles du Sud. M. Turner.

Voluta flavicans Gmelin.

a. 1, Patrie inconnue.

Voluta marmorata Swainson.

a. 1, Patrie inconnue. M. Marguier.

ALCITHOË.

Voluta pacifica Solander.

a. 1, La Nouvelle Zélande. M. Marguier.
b. 1, Mer du Sud. M. Marguier.
c. 1, Patrie inconnue. M. Frank.

Voluta megaspira Sowerby.

a. 1, Forma elatior (Schrenck). Japon. M. von Siebold (C.).

Digitized by Google

b. 1, Forma depressior (Schrenck). Japon. M. von Siebold (C.).

Voluta fulgetrum Broderip.

a. 1, Patrie inconnue. Collection Dalen.

Voluta fusiformis Swainson.

a. 1, Patrie inconnue. Collection Zürcher.

ANCILLA.

Voluta ancilla Solander.

a. 2, Détroit de Magellan. M. Freyssinet (C.).

? *Voluta magellanica* Chemnitz.

a. 1, Détroit de Magellan.

Voluta brasiliana Solander.

a. 1, Côte de Brésil.

PSEPHAEA.

Voluta concinna Broderip.

a. 1, Japon. M. von Siebold (C.).

FULGORARIA.

Voluta rupestris Gmelin.

a. 6, Patrie inconnue. Cabinet Dalen et Collection Hoogeveen (P.).

HARPULA.

Voluta lapponica Linné.

a. 1, Océan Indien. M. Reinwardt (C.).

Voluta vexillum Chemnitz.

a. 1, La Nouvelle Hollande. M. Marguier.

b. 2, Patrie inconnue. Collection Raye.

AMORIA.

Voluta undulata Lamarck.

a. 1, La Nouvelle Hollande. M. Marguier.

Voluta zebra Leach.

a. 2, Patrie inconnue.

Digitized by Google

VOLUTOLYRIA.

Volutolyria musica Linné.

a. 14, Surinam.
b 1, Patrie inconnue. Collection Hoogeveen (P.).
c. 3, Variété. Patrie inconnue.

Volutolyria musica, var. *thiarella* Lamarck.

a. 2, Haïti.
b. 8, Surinam.
c. 1, Patrie inconnue.

Volutolyria musica, var. *guinaica* Lamarck.

a. 3, Surinam.

Volutolyria musica, var. *carneolata* Lamarck.

a. 1, Surinam.

? *Volutolyria musica*, var. *sulcata* Lamarck.

a. 2, Surinam. Collection Raye.

Volutolyria virescens Solander.

a. 2, Océan Indien? Collection Raye et M. Reinwardt (C.).

Volutolyria hebraea Linné.

a. 2, Océan Indien? M. Reinwardt (C.).
b. 1, Patrie inconnue. Collection Hoogeveen (P.).
c. 1, Jeune individu. Patrie inconnue.

LYRIA.

Lyria cassidula Reeve.

a. 3, Japon. M. von Siebold (C.).

Lyria delessertiana Petit.

a. 1, Madagascar. M. Frank.

Lyria costata Swainson.

a. 1, Patrie inconnue. M. Marguier.

Digitized by Google

Lyria mitraeformis Lamarck.

a. 1, Patrie inconnue.

ENAETA.

Enaeta harpa Barnes.

a. 1, Ile St. Elena. M. Cuming (C.).

VOLUTOMITRA.

Volutomitra groenlandica Beck.

a. 1, Groenlande. Musée de Copenhague.
b. 1, Groenlande. M. Israël.

MITRIDAE.

MITRA.

MITRA.

Mitra episcopalis Linné.

a. 15, Océan Indien. M. Reinwardt (C.).
b. 3, Amboine. M. Hoedt (C.).
c. 2, Céram. M. Hoedt (C.).
d. 2, Banka. M. van den Bossche (P.).
e. 1, Flores, Larantoeka. M. Semmelink (C.).
f. 5, Timor. M. Wienecke et M. Zijnen Wartel (C.).
g. 3, Misool. M. Hoedt (C.).
h. 1, Waigéoe. M. Bernstein (C.).
i. 3, Singapore. M. Buddingh (P.).
j. 2, Patrie inconnue. Collection Hoogeveen (P.).

Mitra cardinalis Gmelin.

a. 4, Océan Indien.
b. 1, Moluques.
c. 1, Amboine. M. Hoedt (C.).
d. 3, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

Mitra erronea Dohrn.

a. 1, Patrie inconnue. Collection Raye.

Mitra variegata Gmelin.

a. 1, Iles Philippines.

Mitra mariae Adams.

a. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).

Mitra latruncularia Reeve.

a. 1, Indes Occidentales, Possessions Danoises? M. M. Kraepelin et Holm (C.).

Mitra barbadensis Gmelin.

a. 5, Surinam.
b. 2, Curaçao. M. le Dr. Epp, 1888 (P.).
c. 4, Patrie inconnue.

Mitra hanleyana Dunker.

a. 1, (alc.) Japon. M. von Siebold (C.).

Mitra filum Wood.

a. 1, Variété. Timor. M. Zijnen Wartel (C.).

Mitra casta Solander.

a. 7, Patrie inconnue. Collection Dalen.

Mitra papalis Linné.

a. 5, Moluques. M. Reinwardt (C.).
b. 3, Amboine. M. Hoedt (C.).
c. 3, Timor. M. Wienecke et M. Zijnen Wartel (C.).
d. 2, Misool. M. Hoedt (C.).
e. 1, Patrie inconnue. Collection Hoogeveen (P.).

Mitra pontificalis Lamarck.

a. 9, Océan Indien. M. Reinwardt (C.).
b. 2, Amboine. M. Hoedt (C.).

Digitized by Google

c. 1, Misool. M. Hoedt (C.).
d. 1, Timor. M. Zijnen Wartel (C.).
e. 1, Banka. M. Buddingh (P.).
f. 2, Patrie inconnue. Collection Hoogeveen (P.).

Mitra bovei Kiener.

a. 1, Mer Rouge. M. Clot Bey (P.).

Mitra puncticulata Lamarck.

a. 5, Amboine. M. Hoedt (C.).
b. 6, Patrie inconnue. Cabinet Raye et Collection Dalen.
c. 1, (alc.) Amboine. M. Forsten (C.).

Mitra digitalis Chemnitz.

a. 6, Patrie inconnue. Cabinet Raye et Collection Hoogeveen (P.).

Mitra texturata Lamarck.

a. 3, Patrie inconnue. Cabinet Voigt et Collection Hoogeveen (P.).

Mitra lens Wood.

a. 1, Ile St. Elena. M. Cuming (C.).

Mitra chinensis Gray.

a. 1, Amoy. M. G. Schlegel (C.).

Mitra orientalis Gray.

a. 1, Pérou, Cobica. M. Cuming (C.).

Mitra simplex Dunker.

a. 1, Cap. M. Krauss (C.).
b. 2, Cap. Collection Dalen.

Mitra digna Adams.

a. 2, Patrie inconnue. Ancien Cabinet.

Mitra maesta Reeve.

a. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).

Digitized by Google

Mitra cornea Lamarck.

a. 1, Côte de Guinée. M. Pel (C.).

Mitra cornicula Linné.

a. 5, Méditerranée. M. Cantraine (C.).

Mitra capensis Dunker.

a. 1, Cap.

NEBULARIA.

Mitra terebralis Lamarck.

a. 2, Patrie inconnue. Collection Raye.

Mitra ambigua Swainson.

a. 1, Nossi-Faly. M. M. Pollen et van Dam (C.).
b. 2, Nossi-Bé. M. M. Pollen et van Dam (C.).

Mitra fulva Swainson.

a. 2, Patrie inconnue. Collection Hoogeveen (P.).

Mitra ferruginea Lamarck.

a. 1, Moluques. M. Reinwardt (C.).
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 2, Amboine. M. Hoedt (C.).
d. 7, Patrie inconnue. Ancien Cabinet et Collection Hoogeveen (P.).

Mitra adusta Lamarck.

a. 14, Moluques. M. Reinwardt (C.).
b. 8, Timor. M. Wienecke et M. Zijnen Wartel (C.).
c. 2, Jeunes individus. Amboine. M. Hoedt (C.).
d. 2, Waigéoe. M. Bernstein (C.).
e. 1, Jeune individu. Batjan. M. Bernstein (C.).
f. 1, (alc.) Océan Indien. M. M. Kuhl et van Hasselt (C.).

Mitra chrysostoma Swainson.

a. 1, Amboine. M. Hoedt (C.).
b. 2, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

Mitra pellis serpentis Reeve.

a. 4, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Timor. M. Zijnen Wartel (C.).

Mitra abbatis Chemnitz.

a. 1, Patrie inconnue. Cabinet Raye.

Mitra coarctata Reeve.

a. 1, Banka. M. Buddingh (P.).

CHRYSAME.

Mitra coronata Lamarck.

a. 1, Timor. M. Zijnen Wartel (C.).
b. 2, Jeunes individus. Flores, Larantoeka. M. Semmelink (C.).
c. 2, Patrie inconnue.

Mitra aurantia Gmelin.

a. 10, Timor. M. Zijnen Wartel (C.).
b. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).
c. 3, Variété. Amboine. M. Hoedt (C.).
d. 7, Patrie inconnue. Cabinet Raye, Collection Dalen et Collection Hoogeveen (P.).
e. 1, (alc.) Océan Indien. M. Macklot (C.).

Mitra vexillum Reeve.

a. 1, Iles Philippines. Cabinet Raye.

Mitra cucumerina Lamarck.

a. 1, Ile Anna. M. Cuming (C.).
b. 1, Moluques.

Mitra chrysalis Reeve.

a. 2, Timor. M. Wienecke (C.).
b. 1, Moluques.
c. 1, Ile Anna. M. Cuming (C.).
d. 3, Patrie inconnue.

Digitized by Google

Mitra rotundilirata Reeve.

a. 1, Timor. M. Wienecke (C.).

Mitra pediculus Lamarck.

a. 1, Flores, Larantoeka. M. Semmelink (C.).
b. 3, Timor. M. Zijnen Wartel (C.).
c. 4, Indes Occidentales?

Mitra tabanula Lamarck.

a. 2, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).
b. 1, Patrie inconnue.
c. 1, (alc.) Côte de Sumatra. M. S. Müller (C.).

SCABRICULA.

Mitra sphaerulata Martyn.

a. 4, Océan Indien.
b. 1, Timor. M. Zijnen Wartel (C.).

Mitra crenifera Lamarck.

a. 3, Océan Indien.

Mitra gracilis Reeve.

a. 1, Patrie inconnue.

Mitra granatina Lamarck.

a. 6, Amboine. M. Hoedt (C.).
b. 1, Timor. M. Wienecke (C.).
c. 1, Ile Anna.
d. 6, Patrie inconnue. Ancien Cabinet et Collection Dalen.

Mitra herklotsiana Dohrn.

a. 1, Japon. M. von Siebold (C.).

Mitra granulosa Lamarck.

a. 10, Haïti. M. Ricord.
b. 4, Curaçao. M. le Dr. Epp, 1880 (P.).

Digitized by Google

Mitra nucleola Lamarck.

a. 2, Curaçao. M. Steenbergen.
b. 2, Patrie inconnue.

CANCILLA.

Mitra carnicolor Reeve.

a. 1, Iles Andaman. M. le Col. Worthington Wilmer (C.).

Mitra filaris Linné.

a. 6, Océan Indien. M. van Doorn (P.).
b. 2, Timor. M. Zijnen Wartel (C.).
c. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).

Mitra funiculata Reeve.

a. 1, Mazatlan. M. Verreaux (C.).

Mitra interlirata Reeve.

a. 1, Moluques.
b. 1, Banka. M. van den Bossche (P.).
c. 2, Patrie inconnue. Collection Dalen.

Mitra candida Reeve.

a. 1, Patrie inconnue.

Mitra indentata Sowerby.

a. 3, Timor. M. Zijnen Wartel (C.).

Mitra rufilirata Adams et Reeve.

a. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).

Mitra annulata Reeve.

a. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).

Mitra philippinarum Adams.

a. 3, Timor. M. Zijnen Wartel (C.).

Digitized by Google

b. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).

Mitra astyages Dohrn.

a. 1, La Nouvelle Guinée. M. Macklot (C.).

SWAINSONIA.

Mitra fissurata Lamarck.

a. 1, Patrie inconnue.

MITREOLA.

Mitra fulvescens Reeve.

a. 2, Variété. Patrie inconnue.

THALA.

Mitra recurva Reeve.

a. 1, Japon. M. von Siebold (C.).

TURRICULA.

VULPECULA.

Turricula vulpecula Linné.

a. 9, Océan Indien.
b. 17, Amboine. M. Hoedt (C.).
c. 4, Célèbes, Gorontalo. M. von Rosenberg (C.).
d. 1, Côte de Célèbes, Badjoa. M. Moens (P.).
e. 6, Flores, Larantoeka. M. Semmelink (C.).
f. 7, Timor. M. Wienecke et M. Zijnen Wartel (C.).
g. 4, Moluques.
h. 1, Ile de France. Collection Raye.
i. 1, (alc.) Océan Indien. M. M. Kuhl et van Hasselt (C.).
j. 3, (alc.) Amboine. M. Forsten (C.).

Turricula intermedia Kiener.

a. 3, Nossi-Faly. M. M. Pollen et van Dam (C.).
b. 1, Nossi-Bé. M. M. Pollen et van Dam (C.).

Digitized by Google

Turricula caffra Linné.

a. 7, Moluques. M. Reinwardt (C.).
b. 2, Côte de Célèbes, Badjoa. M. Moens (P.).
c. 6, Amboine. M. Hoedt (C.).
d. 1, Singapore. M. Buddingh (P.).
e. 5, Patrie inconnue. Collection Hoogeveen (P.).
f. 1, (alc.) Amboine. M. Forsten (C.).

Turricula vittata Swainson.

a. 1, Amboine. M. Hoedt (C).
b. 2, Patrie inconnue. Collection Raye.

Turricula regina Swainson.

a. 1, Madagascar. M. Verreaux (C.).

Turricula taeniata Lamarck.

a. 2, Océan Indien. Collection Voigt.
b. 1, (alc.) Océan Indien. M. Reinwardt (C.).

Turricula coccinea Reeve.

a. 1, Iles Philippines. Collection Voigt.

Turricula sp.

a. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).

Turricula lyrata Lamarck.

a. 1, Patrie inconnue. Collection Hoogeveen (P.).

Turricula cinctella Lamarck.

a. 3, Océan Indien.

Turricula balteolata Reeve.

a. 2, Amboine. M. Hoedt (C.).
b. 3, Iles Philippines.

Turricula pullata Reeve.

a. 1, Patrie inconnue.

Digitized by Google

Turricula corrugata Lamarck.

a. 10, Océan Indien.
b. 3, Amboine. M. Hoedt (C.).
c. 6, Moluques. M. van Rees (P.).
d. 5, Côte de Célèbes, Badjoa. M. Moens (P.).
e. 2, Flores, Larantoeka. M. Semmelink (C.).
f. 7, Timor. M. Zijnen Wartel (C.).
g. 1, Waigéoe. M. Bernstein (C.).
h. 2. Biliton.
i. 1, Banka. M. van den Bossche (P.).
j. 1, (alc.) Océan Indien. M. M. Kuhl et van Hasselt (C.).
k. 4, (alc.) Amboine. M. Forsten (C.).

Turricula plicaria Linné.

a. 7, Océan Indien.
b. 4, Amboine. M. Hoedt (C.).
c. 4, Moluques.
d. 1, Jeune individu. Flores, Larantoeka. M. Semmelink (C.).
e. 9, Timor. M. Wienecke et M. Zijnen Wartel (C.).
f. 1, (alc.) Amboine. M. Forsten (C.).

Turricula gruneri Reeve.

a. 2, Patrie inconnue.

Turricula costellaris Lamarck.

a. 7, Océan Indien.
b. 2, Amboine. M. Hoedt (C.).
c. 3, Flores, Larantoeka. M. Semmelink (C.).
d. 1, Timor. M. Wienecke (C.).
e. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).
f. 3, Patrie inconnue. Collection Dalen.

Turricula crebrilirata Reeve.

a. 1, Ceylon.
b. 1, Patrie inconnue. Collection Raye.

Digitized by Google

Turricula obeliscus Reeve.

a. 1, Patrie inconnue.

Turricula rectilateralis Sowerby.

a. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).

Turricula antonellii Dohrn.

a. 2, Timor. M. Wienecke et M. Zijnen Wartel (C.).

Turricula deshayesii Reeve.

a. 2, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).

Turricula ebenus Lamarck.

a. 37, Méditerranée. M. Cantraine (C.).
b. 17, Côte de l'Afrique, Tripoli. M. Cantraine (C.).

Turricula polita Reeve.

a. 1, Banka. M. van den Bossche (P.).
b. 2, Moluques. M. van Rees (P.).

? *Turricula senegalensis* Reeve.

a. 1, Patrie inconnue. M. Goedhuijs.

CALLITHEA.

Turricula acupicta Reeve.

a. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).

Turricula stigmataria Lamarck.

a. 5, Océan Indien.
b. 6, Moluques.
c. 2, Iles Aroe. M. von Rosenberg (C.).
d. 1, Iles Obi. M. Bernstein (C.).

Turricula stigmataria, var. *granosa* Chemnitz.

a. 3, Patrie inconnue. M. Drieling et Collection Hoogeveen (P.).

Digitized by Google

Turricula sanguisuga Linné.

a. 3, Océan Indien.

COSTELLARIA.

Turricula exasperata Chemnitz.

a. 9, Océan Indien.
b. 1, Timor. M. Zijnen Wartel (C.).
c. 1, Iles Obi. M. Bernstein (C.).
d. 2, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).

Turricula arenosa Lamarck.

a. 6, Océan Indien.
b. 4, Timor. M. Zijnen Wartel (C.).

Turricula lucida Reeve.

a. 2, Flores, Larantoeka. M. Semmelink (C.).

Turricula cruentata Chemnitz.

a. 8, Ile Saparoea. M. Macklot (C.).
b. 9, Timor. M. Wienecke et M Zijnen Wartel (C.).

? *Turricula sculptilis* Reeve.

a. 1, Timor. M. Zijnen Wartel (C.).

Turricula mucronata Swainson.

a. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).

Turricula fusiformis Kiener.

a. 1, Patrie inconnue. Collection Raye.

Turricula bella Pease.

a. 1, Iles Sandwich. M. H. Dohrn (P.).

Turricula subulata Lamarck.

a. 3, Ile Anna. Collection Raye.
b. 2, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

Turricula clathrata Reeve.

a. 1, Japon. M. von Siebold (C.).

Turricula semifasciata Lamarck.

a. 1, Iles Philippines.

Turricula inermis Reeve.

a. 5, Japon. M. von Siebold (C.).

Turricula discoloria Reeve.

a. 4, Timor. M. Zijnen Wartel (C.).
b. 3, Patrie inconnue.

Turricula rigida Swainson.

a. 1, La Nouvelle Calédonie. Collection Dalen.

Turricula sp.

a. 1, Patrie inconnue.

PUSIA.

Turricula patriarchalis Lamarck.

a. 1, Timor. M. Wienecke (C.).
b. 3, Patrie inconnue. Ancien Cabinet et Collection Dalen.

Turricula patriarchalis, var. *tuberosa* Reeve.

a. 4, Timor. M. Zijnen Wartel (C.).

Turricula nodosa Swainson.

a. 1, Iles Sandwich. M. H. Dohrn (P.).

Turricula venustula Reeve.

a. 1, Flores, Larantoeka. M. Semmelink (C.).

Turricula affinis Reeve.

a. 1, Iles Philippines. Collection Raye.

Turricula microzonias Lamarck.

a. 3, Timor. M. Zijnen Wartel (C.).
b. 7, Indes Occidentales.

Digitized by Google

Turricula leucodesma Reeve.

a. 7, Timor. M. Wienecke et M. Zijnen Wartel (C.).

Turricula dermestina Lamarck.

a. 1, Curaçao. M. le Dr. Epp, 1888 (P.).

Turricula timorensis Dohrn.

a. 10, Timor. M. Wienecke et M. Zijnen Wartel (C.).

Turricula ficulina Lamarck.

a. 3, Timor. M. Wienecke et M. Zijnen Wartel (C.).

Turricula tricolor Gmelin.

a. 1, Méditerranée. M. Cantraine (C.).

Turricula sp.

a. 1, Patrie inconnue.

ZIERVOGELIA.

Turricula ziervogeliana Chemnitz.

a. 1, Patrie inconnue. Collection Raye.

Turricula woldemarii Kiener.

a. 3, Océan Indien. Collection Dalen et M. Macklot.
b. 1, Variété. Côte de Java. M. Junghuhn (C.).
c. 2, Flores, Larantoeka. M. Semmelink (C.).
d. 1, Iles Philippines.

Turricula anthracina Reeve.

a. 1, Flores, Larantoeka. M. Semmelink (C.).

STRIGATELLA.

Strigatella acuminata Swainson.

a. 1, Iles Carolines? M. H. Dohrn (P.).

Strigatella samuelis Dohrn.

a. 1, Iles Sandwich. M. H. Dohrn (P.).

Digitized by Google

Strigatella columbellaeformis Kiener.

a. 2, Ile Anna. M. Cuming (C.).

Strigatella litterata Lamarck.

a. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 5, Patrie inconnue. Collection Dalen.

Strigatella decurtata Reeve.

a. 1, Océan Indien. M. Reinwardt (C.).

Strigatella amphorella Lamarck.

a. 2, Timor. M. Wienecke (C.).
b. 1, Japon. M. von Siebold (C.).
c. 2, Iles Philippines. Collection Raye.

Strigatella scutulata Chemnitz.

a. 1, Timor. M. Zijnen Wartel (C.).
b. 3, Océan Indien. M. Reinwardt (C.).
c. 1, (alc.) Océan Indien. M. M. Kuhl et van Hasselt (C.).

Strigatella tristis Swainson.

a. 1, Ile St. Elena. M. Cuming (C.).

Strigatella paupercula Linné.

a. 7, Océan Indien. M. Reinwardt (C.).
b. 1, Flores, Larantoeka. M. Semmelink (C.).
c. 2, Timor. M. Wienecke et M. Zijnen Wartel (C.).

Strigatella virgata Reeve.

a. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 4, Timor. M. Wienecke (C.).
c. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).

Strigatella retusa Lamarck.

a. 15, Timor. M. Wienecke et M. Zijnen Wartel (C.).
b. 2, Variété? Océan Indien. M. Reinwardt (C.).
c. 1, Flores, Larantoeka. M. Semmelink (C.).

Digitized by Google

d. 6, Côte de Java, Tjilatjap. M. Overdijk (C.).
e. 1, Variété? Timor. M. Zijnen Wartel (C.).
f. 12, Variété? Côte de Java, Tjilatjap. M. Overdijk (C.).

CYLINDROMITRA.

Cylindromitra nucea Gronovius.

a. 31, Amboine M. Hoedt (C.).
b. 2, Ile de France. M. Cuming (C.).

Cylindromitra obesa Reeve.

a. 4, Amboine. M. Hoedt (C.).

Cylindromitra dactylus Linné.

a. 5, Bengale. Ancien Cabinet et Collection Dalen.
b. 1, Flores, Larantoeka. M. Semmelink (C.).

Cylindromitra undulosa Reeve.

a. 2, Océan Indien.
b. 2, Amboine. M. Hoedt (C.).
c. 1, Jeune individu. Flores, Larantoeka. M. Semmelink (C.).
d. 3, Japon. M. von Siebold (C.).
e. 1, Bengale. Ancien Cabinet.

Cylindromitra fenestrata Lamarck.

a. 2, Tahiti. M. Verreaux (C.).

Cylindromitra glans Reeve.

a. 1, Patrie inconnue. M. Herklots (P.).

Cylindromitra crenulata Chemnitz.

a. 2, Patrie inconnue. Collection Hoogeveen (P.).

IMBRICARIA.

Imbricaria conus Chemnitz.

a. 7, Amboine. M. Forsten et M. Hoedt (C.).
b. 5, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

Imbricaria conica Schumacher.

a. 10, Tahiti. Collection Dalen, M. van Doorn et M. Verreaux.
b. 1, La Nouvelle Zélande. M. M. Quoy et Gaimard (C.).
c. 3, Timor. M. Zijnen Wartel (C.).

Imbricaria vanikorensis Quoy et Gaimard.

a. 1, La Nouvelle Zélande. M. M. Quoy et Gaimard (C.).

DIBAPHUS.

Dibaphus edentulus Swainson.

a. 1, Patrie inconnue. Collection Dalen.

FASCIOLARIIDAE.

FUSUS.

FUSUS.

Fusus colus Linné.

a. 13, Océan Indien.
b. 5, Amboine. M. Hoedt (C.).
c. 1, (alc.) Amboine. M. Forsten (C.).

Fusus longicauda Bory.

a. 3, Patrie inconnue.

Fusus longissimus Gmelin.

a. 3, Océan Indien.

Fusus undatus Gmelin.

a. 2, Océan Indien. Collection Voigt.

Fusus dupetit-thouarsi Kiener.

a. 2, Patrie inconnue. Cabinet Raye et Collection Dalen.
b. 1, Iles Galapagos. M. Cuming (C.).

Fusus novae-hollandiae Reeve.

a. 2, Japon. M. von Siebold (C.).
b. 1, La Nouvelle Hollande.

Digitized by Google

Fusus nobilis Reeve.

a. 1, Patrie inconnue. Collection Raye.
b. 1, Amboine. M. Hoedt (C.).

Fusus turricula Kiener.

a. 4, Patrie inconnue. Collection Dalen.

Fusus nodoso-plicatus Dunker.

a. 1, Patrie inconnue.

Fusus distans Lamark.

a. 5, Surinam.
b. 1, Côte de l'Amérique.
c. 2, Patrie inconnue. Ancien Cabinet et Collection Dalen.

Fusus perplexus Adams.

a. 7, Japon. M. von Siebold (C.).
b. 1, Japon, Kanagarra. M. Noordhoek Hegt (P.).

Fusus perplexus, var. *minor* Lischke.

a. 2, Japon. M. von Siebold (C.).
b. 3, (alc.) Japon. M. von Siebold (C.).

Fusus tuberculatus Lamarck.

a. 1, Côte de Zanzibar. M. Derx (P.).

Fusus rostratus Olivi.

a. 18, Méditerranée, Gênes. M. Cantraine (C.).
b. 1, (alc.) Méditerranée. M. Cantraine (C.).

Fusus verrucosus Wood.

a. 3, Mer Rouge. M. Ruyssenaers (P.).

Fusus toreuma Martyn.

a. 1, Variété. Nossi-Bé. M. M. Pollen et van Dam (C.).

Fusus variegatus Perry.

a. 1, Océan Indien. Collection Voigt.

Digitized by Google

Fusus nicobaricus Chemnitz.

a. 1, Océan Indien. Collection Voigt.
b. 1, Jeune individu. Japon. M. von Siebold (C.).

Fusus oblitus Reeve.

a. 1, Océan Indien.

Fusus polygonoides Lamarck.

a. 3, Mer Rouge. M. Ruyssenaers (P.).
b. 1, La Nouvelle Hollande.

Fusus syracusanus Linné.

a. 8, Méditerranée. M. Cantraine (C.).
b. 8, Tripoli.

Fusus gradatus Reeve.

a. 1, Mer Rouge.

Fusus ambustus Gould.

a. 3, Baie de Guyamas. M. le Dr. H. ten Kate, 1883 (C.).

Fusus pulchellus Philippi.

a. 4, Méditerranée, Gênes. M. Cantraine (C.).

Fusus ocelliferus Bory.

a. 2, Patrie inconnue. Collection Voigt.

Fusus cinnamomeus Reeve.

a. 2, Cap. Collection Raye.

Fusus rudolphi Dunker.

a. 1, Océan Indien.

Fusus tuberosus Reeve.

a. 1, La Nouvelle Hollande.
b. 1, Variété. Japon. M. von Siebold (C.).
c. 1, Variété. La Nouvelle Hollande.

Digitized by Google

Fusus sieboldi Schepman.

a. 1, Japon. M. von Siebold (C.). Type de l'espèce.

SINISTRALIA.

Fusus maroccanus Chemnitz.

a. 4, Antilles. Collection Raye.

CLAVELLA.

Clavella serotina Hinds.

a. 1, Iles Marquises. M. Frank.

FASCIOLARIA.

Fasciolaria tulipa Linné.

a. 7, Surinam.
b. 6, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).
c. 1, St. Thomas. M. le Dr. F. van Calker, 1866 (P.).
d. 1, Haiti. M. Ricord.
e. 1, Capsulae ovorum. Aruba. M. A. J. van Koolwijk (C.).

Fasciolaria tulipa, var. *concolor* Chemnitz.

a. 7, Surinam.

Fasciolaria distans Lamarck.

a. 2, Côte de l'Amérique.

Fasciolaria trapezium Linné.

a. 10, Océan Indien.
b. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 5, Amboine. M. Hoedt (C.).
d. 1, Kelang.
e. 1, Waigéoe. M. Bernstein (C.).
f. 1, Mer Rouge. M. Ruyssenaers (P.).
g. 4, Côte de Zanzibar. M. Derx (P.).
h. 6, Nossi-Bé. M. M. Pollen et van Dam (C.).

Digitized by Google

i. 1, Patrie inconnue.
j. 1, Variété. Biliton.
k. 1, Variété. Morotai. M. Bernstein (C.).
l. 1, Variété. Patrie inconnue.
m. 1, (alc.) Variété. Amboine. M. Forsten, 1844 (C.).
n. 2, (alc.) Océan Indien. M. S. Müller (C.).
o. 1, (alc.) Mer Rouge. M. J. A. Kruyt (C.).
p. 2, Iles Philippines. M. A. van der Valk, 1890 (C.).

Fasciolaria filamentosa Lamarck.

a. 7, Océan Indien. M. Reinwardt (C.).
b. 8, Amboine. M Hoedt (C.).
c. 1, Misool.
d. 1, Moluques. M. van Doorn (P.).
e. 1, Sakatia. M. M. Pollen et van Dam (C.).
f. 2, (alc.) Océan Indien. M. S. Müller (C.).

Fasciolaria filamentosa, var. *ferruginea* Lamarck.

a. 2, Océan Indien. M. Reinwardt (C.).
b. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).

Fasciolaria princeps Sowerby.

a. 1, Ile St. Elena. M. Cuming (C.).
b. 1, Côte occidentale de Columbie. Collection Dalen.

Fasciolaria fusiformis Valenciennes.

a. 1, Océan Indien. M. Reinwardt (C.).

Fasciolaria granosa Broderip.

a. 1, Panama. M. Cuming (C.).

Fasciolaria coronata Lamarck.

a. 1, Patrie inconnue.

Fasciolaria lignaria Linné.

a. 9, Méditerranée. M. Cantraine (C.).
b. 1, Golfe de Tarente.
c. 1, (alc.) Méditerranée. M. Cantraine (C.).

Digitized by Google

LATIRUS.

LATIRUS.

Latirus polygonus Gmelin.

a. 6, Amboine. M. Hoedt (C.).
b. 1, Mer Rouge. M. Ruyssenaers (P.).
c. 7, Patrie inconnue.

Latirus candelabrum Reeve.

a. 3, Patrie inconnue. Collection Dalen.

Latirus ceratus Gray.

a. 2, Panama. M. Cuming (C.).

Latirus cariniferus Lamarck.

a. 1, Côte de l'Amérique?

Latirus distinctus A. Adams.

a. 1, Côte de l'Amérique.
b. 2, Curaçao. M. le Dr. Epp (P.).

Latirus constrictus Koch.

a. 1, Amboine. M. Hoedt (C.).

Latirus lanceolatus Reeve.

a. 2, Patrie inconnue. Collection Raye et Cabinet Dalen.

Latirus lanceus Gmelin.

a. 3, Patrie inconnue. Collection Hoogeveen (P.).

Latirus castaneus Reeve.

a. 1, Panama. M. Cuming (C.).

Latirus eppi Schepman et Melvill.

a. 1, Curaçao. M. le Dr. Epp (P.). Type de l'espèce.

Latirus nodatus Martyn.

a. 1, Jeune individu. Golfe de Californie. M. le Dr. H. ten Kate (C.).
b. 1, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

Latirus varicosus Reeve.

a. 1, Iles Galapagos. M. Cuming (C.).

Latirus craticulatus Gmelin.

a. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 6, Amboine. M. Hoedt (C.).
c. 2, Timor. M. Wienecke et M. Zijnen Wartel (C.).

Latirus nagasakiensis E. A. Smith.

a. 1, Japon. M. von Siebold (C.).

Latirus turritus Gmelin.

a. 7, Patrie inconnue. Collection Dalen.
b. 1, Timor. M. Wienecke (C.).
c. 1, Java.

POLYGONA.

Latirus gibbulus Gmelin.

a. 2, Amboine. M. Hoedt (C.).
b. 1, La Nouvelle Hollande.
c. 2, Patrie inconnue.

Latirus infundibulum Gmelin.

a. 2, Surinam.

LEUCOZONIA.

Latirus nassa Gmelin.

a. 7, Côte de l'Amérique.
b. 18, Curaçao. M. le Dr. Epp, 1888 (P.).

Latirus ocellatus Gmelin.

a. 2, Curaçao. M. le Dr. Epp, 1888 (P.).
b. 1, Patrie inconnue.

Latirus brevicaudatus Reeve.

a. 1, Côte de l'Amérique?
b. 1, Ile St. Thomas. M. Van Calker (P.).

Latirus cingulatus Lamarck.

a. 3, Océan Pacifique. M. Marguier et M. Cuming (C.).

Digitized by Google

Latirus leucozonalis Lamarck.

a. 2, Patrie inconnue.

LAGENA.

Latirus smaragdulus Linné.

a. 5, Océan Indien. Collection Raye.
b. 2, Patrie inconnue. Collection Hoogeveen (P.).

PERISTERNIA.

Latirus nassatulus Lamarck.

a. 1, Timor. M. Zijnen Wartel (C.).
b. 1, Amboine.
c. 9, Patrie inconnue. Cabinet Raye et Collection Hoogeveen (P.).

Latirus forskâlii Tapparone Canefri.

a. 3, Mer Rouge. M. Forskål (C.).

Latirus incarnatus Deshayes.

a. 2, Océan Indien.
b. 3, Amboine. M. Hoedt (C.).
c. 2, Japon. Collection Dalen et M. von Siebold (C.).

Latirus wagneri Anton.

a. 2, Océan Indien. Collection Dalen et M. van Doorn (P.).
b. 1, Timor. M. Wienecke (C.).

Latirus crenulatus Kiener.

a. 1, Patrie inconnue.

Latirus newcombii A. Adams.

a. 1, Iles Sandwich. M. Newcomb (C.).

Latirus infracinctus Kobelt.

a. 1, Patrie inconnue.
b. 1, Variété. Timor. M. Wienecke (C.).
c. 1, Variété. Patrie inconnue.

Digitized by Google

TURBINELLIDAE.

TURBINELLA.

Turbinella scolymus Lamarck.

a. 2, Océan Indien.

Turbinella rapa Lamarck.

a. 3, Océan Indien.
b. 1, Patrie inconnue.

Turbinella gravis Dillwijn.

a. 3, Cap. Collection Raye.
b. 1, Patrie inconnue. Collection Hoogeveen (P.).

Turbinella pyrum Linné.

a. 4, Cap. Collection Raye.

Turbinella ovoidea Kiener.

a. 1, Bahia. M. Marguier.

CYNODONTA.

Cynodonta muricata Born.

a. 4, Côte de l'Amérique.

Cynodonta rhinoceros Chemnitz.

a. 1, Patrie inconnue. M. Frank.

Cynodonta cornigera Lamarck.

a. 6, Océan Indien.
b. 1, Biliton. M^{e}. Vosmaer.
c. 2, Morotai. M. Bernstein (C.).
d. 1, Halmaheira. M. Bernstein (C.).
e. 4, Mer Rouge. M. Ruyssenaers (P.).
f. 3, Nossi-Faly. M. M. Pollen et van Dam (C.).
g. 3, Iles de la Société.
h. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).

Digitized by Google

i. 11, Amboine. M. Hoedt (C.).
j. 6, Timor. M. Wienecke et M. Zijnen Wartel (C.).
k. 4, Iles Obi. M. Bernstein (C.).
l. 4, (alc.) Amboine. M. Forsten (C.).
m. 3, (alc.) Djeddah. M. J. A. Kruyt (C.).

Cynodonta ceramica Linné.

a. 4, Océan Indien.
b. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 3, Amboine. M. Hoedt (C.).
d. 2, Waigéoe. M. Bernstein (C.).
e. 1, Timor. M. Wienecke (C.).

Cynodonta armata Broderip.

a. 1, Ile Elisabeth. M. Cuming (C.).

Cynodonta tuberculata Broderip.

a. 2, Iles Galapagos. M. Cuming (C.).

Cynodonta cassidiformis Kiener.

a. 1, Côte de Chile. M. Marguier.

Cynodonta capitellum Linné.

a. 2, Océan Indien.
b. 1, Amboine.
c. 6, Curaçao. M. le Dr. Epp, 1888 (P.).

Cynodonta capitellum, var. *mitis* Lamarck.

a. 3, Curaçao. M. le Dr. Epp, 1888 (P.).
b. 2, Patrie inconnue.

TUDICLA.

Tudicla spirillus Linné.

a. 6, Océan Indien.

Digitized by Google

FULGUR.

FULGUR.

Fulgur caricum Gmelin.

a. 2, Patrie inconnue.

Fulgur perversum Linné.

a. 1, Golfe de Mexique. M. Drieling.
b. 4, Golfe de Mexique. Cabinet Dalen et Collection Tobias.

SYCOTYPUS.

Fulgur canaliculatum Linné.

a. 1, Canada. Collection Raye.
b. 2, Jeunes individus. Patrie inconnue. Collection Raye.

Fulgur pyrum Dillwyn.

a. 1, Patrie inconnue. Collection Raye.

MELONGENA.

MELONGENA.

Melongena melongena Linné.

a. 10, Surinam. Ancien Cabinet et Collection Dalen.
b. 3, Curaçao. M. A. J. van Koolwijk, 1879 (P.).
c. 4, Patrie inconnue. Collection Tobias.

Melongena patula Broderip et Sowerby.

a. 2, Patrie inconnue.

Melongena corona Gmelin.

a. 3, Golfe de Mexique. Collection Dalen.

PUGILINA.

Melongena pugilina Born.

a. 7, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Côte septentrionale de Java, Bezoekie. M. Semmelink (C.).
c. 1, Sumatra. M. S. Müller (C.).

Digitized by Google

d. 5, Cap. Ancien Cabinet.
e. 1, (alc.) Padang.
f. 3, (alc.) Océan Indien. M. Müller et M. Landauer.
g. 2, Philippines. M. A. van der Valk, 1890 (C.).

Melongena pugilina, var. *fulva* Deshayes.

a. 1, Patrie inconnue. Ancien Cabinet.

Melongena bucephala Lamarck.

a. 1, Océan Indien.

Melongena morio Linné.

a. 3, Côte de l'Afrique. Collection Voigt.
b. 7, Côte de Guinée. M. Pel, 1850 (C.).
c. 1, Libéria, Grand Cape Mount. M. J. Büttikofer, 1881 (C.).
d. 1, Libéria, Junk River. M. F. X. Stampfli, 1884 (C.).
e. 5, (alc.) Côte de Guinée. M. Pel (C.).

Melongena morio, var. *coronata* Lamarck.

a. 4, Côte de l'Amérique.

Melongena cochlidium Linné.

a. 1, Océan Indien. Collection Raye.
b. 1, Amboine. M. Hoedt (C.).
c. 1, Patrie inconnue. Collection Hoogeveen (P.).

Melongena paradisiaca Martini.

a. 3, Océan Indien. Collection Dalen.
b. 8, Nossi-Faly. M. M. Pollen et van Dam (C.).
c. 4, Nossi-Bé. M. M. Pollen et van Dam (C.).
d. 2. Côte de Natal. M. Krauss (C.).

Melongena paradisiaca, var. *nodosa* Lamarck.

a. 8, Mer Rouge. M. Ruyssenaers (P.).
b. 3, Mer Rouge. M. Marguier et M. Forskål (C.).
c. 3, Patrie inconnue.
d. 8, (alc.) Djeddah. M. J. A. Kruijt (C.).

Melongena paradisiaca, var. *laevis-fasciata* Tapparone Canefri.

a. 1, Mer Rouge. Collection Raye.

Digitized by Google

MYRISTICA.

Melongena galeodes Lamarck.

a. 5, Moluques. M. Reinwardt (C.).
b. 7, Amboine. M. Hoedt (C.).
c. 4, Patrie inconnue. Collection Dalen.
d. 1, (alc.) Océan Indien. M. Reinwardt (C.).

Melongena galeodes, var. *squamosa* Lamarck.

a. 2, Biliton.
b. 3, Patrie inconnue. Collection Dalen.

Melongena galeodes, var. *angulata* Lamarck.

a. 3, Mer Rouge. M. Drieling et M. Frank.

Melongena anomala Reeve.

a. 1, Jeune individu. Ile Espiritu Santo. M. le Dr. H. ten Kate, 1883 (C.).
b. 1, Jeune individu. La Basse-Californie, La Paz. M. le Dr. H. ten Kate, 1883 (C.).

SEMIFUSUS.

SEMIFUSUS.

Semifusus colosseus Lamarck.

a. 9, Océan Indien. M. Reinwardt et Collection Hoogeveen (P.).

Semifusus tuba Gmelin.

a. 1, Océan Indien. M. Reinwardt (C.).

Semifusus tuba, var. *crassicauda* Philippi.

a. 1, Océan Indien. Collection Dalen.

Semifusus ternatanus Gmelin.

a. 5, Ternate. M. Drieling.

Semifusus elongatus Lamarck.

a. 5, Côte de Célèbes, Badjoa. M. Moens (C.).
b. 2, Patrie inconnue. Collection Dalen et M. Frank.

Digitized by Google

MEGALATRACTUS.

Semifusus proboscidiferus Lamarck.

a. 2, Océan Indien.
b. 3, Amboine. M. Hoedt (C.).

BUCCINIDAE.

CHRYSODOMUS.

NEPTUNEA.

Chrysodomus antiqua Linné.

a. 4, Mer glaciale.
b. 2, Côte de la Hollande. M. A. A. van Bemmelen (C.).
c. 1, Patrie inconnue.
d. 1, (alc.) Côte de la Hollande. M. A. A. van Bemmelen (C.).
e. 1, (alc.) Capsulae ovorum. Côte de la Hollande.

Chrysodomus despecta Linné.

a. 2, Mer boréale. Collection Dalen.
b. 1, Côte de Groenland.
c. 17, Norvège, Porsanger fjord. M. T. A. Verkrüzen, 1874 (C.).
d. 1, Jeune individu. Mer de Barents. Expédition du „Willem Barents", 1879.

Chrysodomus despecta, var. *tornata* Gould.

a. 2, Côte septentrionale d'Islande.

Chrysodomus fornicata Gray.

a. 2, Mer de Barents? M. le Dr. J. F. van Bemmelen (P.).

Chrysodomus decemcostata Say.

a. 3, Amérique, Fundy bay. M. T. A. Verkrüzen, 1877 (C.).
b. 1, Amérique, Eastport. Smithsonian Institution (P.).

Chrysodomus sp.

a. 1, Mer de Barents. Expédition du „Willem Barents", 1879.

Digitized by Google

PYRULOFUSUS.

Chrysodomus deformis Reeve.

a. 1, Mer de Barents? M. le Dr. J. F. van Bemmelen (P.).

JUNALA.

Chrysodomus turtoni Bean.

a. 1, (alc.) Mer de Barents. Expédition du „Willem Barents", 1879.

SIPHO.

Chrysodomus islandica Chemnitz.

a. 1, Côte d'Islande.
b. 2, Mer de Barents. Expédition du „Willem Barents", 1879.

Chrysodomus curta Jeffreys.

a. 1, Amérique, Fundy bay. M. T. A. Verkrüzen, 1877 (C.).

? *Chrysodomus togata* Mörch.

a. 1, Mer de Barents. Expédition du „Willem Barents", 1879.

? *Chrysodomus undulata* Friele.

a. 1, Mer de Barents. Expédition du „Willem Barents", 1879.

Chrysodomus gracilis Da Costa.

a. 1, Mer du Nord, Doggersbank. M. M. M. Schepman (P.).
? *b.* 1, (alc.) Mer de Barents. Expédition du „Willem Barents", 1879.

SIPHONALIA.

SIPHONALIA.

Siphonalia cassidariaeformis Reeve.

a. 2, Japon. M. von Siebold (C.).
b. 2, Variété. Japon. M. von Siebold (C.).

Siphonalia ornata Adams.

a. 1, Japon. M. von Siebold (C.).

Digitized by Google

Siphonalia trochulus Reeve.

a. 1, Japon. M. von Siebold (C.).

Siphonalia fusoides Reeve.

a. 2, Japon. M. von Siebold (C.).

Siphonalia spadicea Reeve.

a. 2, Japon. M. von Siebold (C.).

KELLETIA.

Siphonalia kelletti Forbes.

a. 1, Japon. M. von Siebold (C.).

AUSTROFUSUS.

Siphonalia nodosa Martijn.

a. 1, Océan Pacifique. Collection Voigt.

PSEUDONEPTUNEA.

Siphonalia varicosa Chemnitz.

a. 1, Patrie inconnue. Collection Raye.

BUCCINUM.

Buccinum undatum Linné.

a. 4, Pays-Bas, Katwijk.
b. 3, Côte d'Angleterre.
c. 2, Variété. Terre-neuve, St. Mary's bay. M. T. A. Verkrüzen, 1876 (C.).
d. 1, Variété. Patrie inconnue.
e. 5, (alc.) Pays-Bas, Noordwijk. M. le Dr. Herklots (C.).
f. 1, (alc.) Jeune individu. Côte orientale d'Islande.
g. 1, (alc.) Capsulae ovorum. Côte de la Hollande.

Buccinum undatum, var. *americanum* Verkrüzen.

a. 4, Amérique, Fundy bay. M. T. A. Verkrüzen et Smithsonian Institution (P.).

Digitized by Google

Buccinum undatum, var. *planum* Verkrüzen.

a. 1, Pays-Bas, Scheveningue.

Buccinum undatum, var. *flexuosum* Jeffreys.

a. 13, Norvège, Vadsø. M. T. A. Verkrüzen, 1874 (C.).

Buccinum undatum, var. *zetlandicum* Forbes.

a. 2, Iles Shetland.

Buccinum undatum, var. *acuminatum* Broderip.

a. 2, Côte méridionale de l'Angleterre.

Buccinum fragile Verkrüzen.

a. 8, Côte de Finmarken. M. T. A. Verkrüzen, 1875 (C.).
b. 2, Mer de Barents. Expédition du „Willem Barents", 1879.
?*e.* 2, Mer de Barents. Expédition du „Willem Barents", 1879.

Buccinum groenlandicum Chemnitz.

a. 9, Groenland. M. Mörch (C.).
b. 2, Groenland. M. Israël.
c. 15, Norvège, Hammerfest. M. T. A. Verkrüzen, 1874 (C.).

Buccinum groenlandicum, var. *patulum* Sars.

a. 1, Groenland.

Buccinum groenlandicum, var. *tenebrosum* Hancock.

a. 3, (alc.) Côte orientale d'Islande.
b. 1, Spitzberg, Smeerenburg. Expédition du „Willem Barents", 1879.
c, 2, (alc.) Spitzberg, Smeerenburg. Expédition du „Willem Barents", 1879.

Buccinum finmarkianum Verkrüzen.

a. 13, Norvège, Porsanger fjord. M. T. A. Verkrüzen, 1875 (C.).

Buccinum finmarkianum, var. *scalare* G. O. Sars.

a. 2, Mer de Barents. Expédition du „Willem Barents", 1879.

Digitized by Google

b. 3, (alc.) Mer de Barents. Expédition du „Willem Barents", 1879.

Buccinum totteni Stimpson.

a. 4, Banque de Terre-neuve. M. T. A. Verkrüzen, 1878 (C.).

Buccinum tenue Gray.

a. 3, Mer de Barents? M. le Dr. J. F. van Bemmelen (P.).

b. 1, (alc.) Mer de Barents. Expédition du „Willem Barents", 1879.

Buccinum glaciale Linné.

a. 2, Mer boréale.

Buccinum angulosum Gray.

a. 1, Mer de Barents? M. le Dr. J. F. van Bemmelen (P.).

LACHESIS.

Lachesis minima Montagu.

a. 2, Angleterre. M. Damon.

Lachesis japonica A. Adams.

a. 1, Japon. M. Dohrn (P.).

Lachesis sp.

a. 1, Jeune individu. Méditerranée. M. Cantraine (C.).

COMINELLA.

COMINELLA.

Cominella porcata Gmelin.

a. 5, Patrie inconnue. Collection Dalen.

Cominella anglicana Martini.

a. 1, Mer boréale? M. Hoeninghaus.

Cominella tigrina Kiener.

a. 1, Patrie inconnue.

Digitized by Google

Cominella lagenaria Lamarck.

a. 1, Côte de Natal. M. Krauss (C.).
b. 4, Jeunes individus. Patrie inconnue. Cabinet Dalen et Collection Tobias.

Cominella limbosa Lamarck.

a. 1, Côte de Natal. M. Krauss (C.).

Cominella testudinea, var. *lineolata* Lamarck.

a. 1, La Nouvelle Hollande.

Cominella costata Quoy et Gaimard.

a. 2, Patrie inconnue. Collection Tobias.

TRIUMPHIS.

Cominella distorta Gray.

a. 3, Columbie. M. Cuming et Collection Dalen.

CYLLENE.

Cyllene lyrata Lamarck.

a. 1, Côte de l'Afrique, Sénégal.

TRITONIDEA.

TRITONIDEA.

Tritonidea undosa Linné.

a. 14, Océan Indien.
b. 4, Côte de Java. M. Junghuhn (C.).
c. 4, Timor. M. Wienecke (C.).
d. 1, Moluques.
e. 3, Nossi-Bé. M. M. Pollen et van Dam (C.).
f. 1, (alc.) Océan Indien. M. S. Müller (C.).
g. 1, (alc.) Amoy. M. G. Schlegel (C.).
h. 1, Iles Sangi. M. Hoedt, 1867 (C.).
i. 1, Bornéo. M. Semmelink (C.).

Digitized by Google

Tritonidea fumosa Dillwyn.

a. 7, Timor. M. Zijnen Wartel et M. Wienecke, 1863 (C.).
b. 8, Patrie inconnue.

Tritonidea rubiginosa Reeve.

a. 2, Djeddah. M. J. A. Kruijt (C.).
b. 2, Variété. Mer Rouge. M. Forskål (C.).

Tritonidea undulata Schepman.

a. 7, Japon. M. von Siebold (C.). Types de l'espèce.

Tritonidea balteata Reeve.

a. 2, Japon. M. von Siebold (C.).

Tritonidea orbignyi Payraudeau.

a. 9, Golfe de Gênes. M. Cantraine (C.).
b. 25, Côte de Sardaigne. M. Cantraine (C.).

Tritonidea leucozona Philippi.

a. 3, Méditerranée. M. Cantraine (C.).

Tritonidea sp.

a. 1, Patrie inconnue. M. Goedhuijs.

Tritonidea sanguinolenta Duclos.

a. 1, Mazatlan. M. Verreaux (C.).
b. 2, Golfe de Californie, La Paz. M. le Dr. H. ten Kate (C.).

Tritonidea ringens Reeve.

a. 1, Patrie inconnue. Collection Dalen.

Tritonidea coromandeliana Lamarck.

a. 2, Curaçao. M. le Dr. Epp, 1888 (P.).
b. 1, Patrie inconnue.

Tritonidea variegata Gray.

a. 1, Patrie inconnue. Ancien Cabinet.

Digitized by Google

Tritonidea elegans Gray.

a. 1, Panama. M. M. M. Schepman (P.).

CANTHARUS.

Tritonidea tranquebarica Gmelin.

a. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Céram. M. Hoedt (C.).
c. 1, Patrie inconnue. Collection Dalen.

Tritonidea melanostoma Sowerby.

a. 3, Patrie inconnue. Collection Dalen et M. Marguier.

PISANIA.

Pisania pusio Linné.

a. 24, Curaçao. M. le Dr. Epp, 1888 (P.).
b. 2, Surinam.
c. 6, Patrie inconnue.

Pisania guttata Busch.

a. 2, Banka. M. van den Bossche (P.).

Pisania maculosa Lamarck.

a. 27, Méditerranée. M. Cantraine (C.).
b. 1, Malta. M. le Col. Worthington Wilmer (C.).

Pisania gracilis Koch.

a. 1, Cap, Table bay. M. Krauss (C.).

EUTHRIA.

Euthria cornea Linné.

a. 16, Méditerranée. M. Cantraine (C.).
b. 11, Tripoli. M. Cantraine (C.).
c. 1, (alc.) Méditerranée. M. Cantraine (C.).

Euthria lineata Chemnitz.

a. 1, Patrie inconnue. Collection Raye.

Digitized by Google

ENGINA.

Engina mendicaria Linné.

a. 24, Java. M. Junghuhn (C.).
b. 8, Flores, Larantoeka. M. Semmelink (C.).
c. 13, Côte de Timor. M. Wienecke et M. le Dr. H. ten Kate, 1891 (C.).
d. 19, Mer Rouge. M. Ruyssenaers (P.).
e. 1, Japon, Kanagawa. M. Noordhoek Hegt (C.).
f. 2, Patrie inconnue. Ancien Cabinet.

Engina lineata Reeve.

a. 4, Timor. M. Wienecke (C.).
b. 7, Patrie inconnue.

Engina histrio Reeve.

a. 4, Côte septentrionale de Timor. M. Zijnen Wartel (C.).

Engina alveolata Kiener.

a. 1, Mer Rouge.
b. 5, Patrie inconnue. Collection Dalen.

Engina concinna Reeve.

a. 9, Côte septentrionale de Timor. M. Zijnen Wartel (C.).
b. 2, Patrie inconnue.

Engina trifasciata Reeve.

a. 1, Flores, Larantoeka. M. Semmelink (C.).
b. 4, Côte septentrionale de Timor. M. Zijnen Wartel (C.).
c. 4, Patrie inconnue.

Engina zonata Reeve.

a. 1, Côte de Java. M. Junghuhn (C.).
b. 1, Flores, Larantoeka. M. Semmelink (C.).
c. 7, Timor. M. Wienecke, M. Zijnen Wartel et M. le Dr. H. ten Kate (C.).
d. 18, Patrie inconnue.

Digitized by Google

Engina lauta Reeve.

a. 1, Côte septentrionale de Timor. M. Zijnen Wartel (C.).

PHOS.

PHOS.

Phos senticosus Linné.

a. 14, Océan Indien. Collection Dalen.
b. 6, Banka. M. van den Bossche (P.).
c. 6, Amboine. M. Hoedt (C.).
d. 5, Côte septentrionale de Timor. M. Zijnen Wartel (C.).
e. 1, Iles Obi. M. Bernstein (C.).
f. 2, (alc.) Amboine. M. Forsten (C.).

Phos roseatus Hinds.

a. 3, Banka. M. van den Bossche (P.).
b. 3, Océan Indien. M. van Rees (P.).
c. 3, Patrie inconnue. M. Goedhuijs.

Phos fasciatus A. Adams.

a. 1, Patrie inconnue. Ancien Cabinet.

STRONGYLOCERA.

Phos textus Wood.

a. 2, Océan Indien. M. Reinwardt et M. van Rees (P.).
b. 3, Timor. M. Wienecke et M. Zijnen Wartel (C.).
c. 2, Détroit de Larantoeka. M. Semmelink (C.).
d. 4, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).
e. 2, Moluques.

Phos pallidus Powis.

a. 4, Océan Indien? M. Reinwardt (C.).
b. 1, Curaçao. M. le Dr. Epp (P.).

Phos nodicostatus A. Adams.

a. 1, Variété. Patrie inconnue. M. Goedhuijs.

Digitized by Google

HINDSIA.

Hindsia nivea Gmelin.

a. 2, Patrie inconnue. M. Goedhuijs.

Hindsia pagodus Reeve.

a. 1, Panama. M. Cuming (C.).

DIPSACCUS.

Dipsaccus canaliculatus Schumacher.

a. 10, Ceylan. Collection Dalen.
b. 1, Patrie inconnue.
c. 2, (alc.) Océan Indien. M.M. Kuhl et van Hasselt et M. Macklot (C.).

Dipsaccus spiratus Linné.

a. 3, Océan Indien. Collection Dalen.

Dipsaccus lutosus Lamarck.

a. 1, Chine. M. Cuming (C.).

Dipsaccus zeylanicus Bruguière.

a. 5, Océan Indien. Collection Dalen.

Dipsaccus japonicus Reeve.

a. 10, Japon. M. von Siebold (C.).
b. 1, Japon, Kanagawa. M. Noordhoek Hegt (C.).
c. 1, Bornéo. M. Semmelink (C.).

PSEUDOLIVA.

Pseudoliva plumbea Chemnitz.

a. 3, Côte de l'Afrique. M. Frank et M. Verreaux (C.).

Digitized by Google

NASSIDAE.

NASSA.

NASSA.

Nassa arcularia Linné.

a. 6, Océan Indien.
b. 2, Banka. M. van den Bossche (P.).
c. 1, Flores, Larantoeka. M. Semmelink (C.).
d. 12, Timor. M. Wienecke et M. Zijnen Wartel (C.).
e. 2, Amboine. M. Hoedt (C.).
f. 5, Iles Obi. M. Bernstein (C.).
g. 4, Misool. M. Hoedt (C.).
h. 1, Jeune individu. Waigéoe. M. Bernstein (C.).
i. 3, Soemba, Bendar. M. le Dr. H. ten Kate, 1891 (C.).
j. 2, (alc.) Océan Indien. M.M. Kuhl et van Hasselt (C.).
k. 1, Bornéo. M. Semmelink (C.).

Nassa arcularia, var. *rumphii* Deshayes.

a. 13, Océan Indien. Collection Dalen et M. Reinwardt (C.).
b. 1, Amboine. M. Hoedt (C.).
c. 2, Célèbes, Badjoa. M. Moens (C.).
d. 1, Mer Rouge.
e. 1, Zanzibar. M. Derx (P.).
f. 1, Cap, Natal bay. M. Krauss (C.).

Nassa arcularia, var. *pullus* Lamarck.

a. 12, Mer Rouge. M. Forskål et M. Ruyssenaers (P.).

Nassa coronata Bruguière.

a. 15, Océan Indien. Ancien Cabinet et Collection Dalen.
b. 9, Amboine. M. Hoedt (C.).
c. 2, Iles Obi. M. Bernstein (C.).
d. 4, Détroit de Larantoeka. M. Semmelink (C.).
e. 1, Timor. M. Wienecke (C.).
f. 6, Zanzibar. M. Derx (P.).

Digitized by Google

g. 1, (alc.) Djeddah. M. J. A. Kruijt (C.).

Nassa mutabilis Linné.

a. 22, Côte de Sardaigne. M. Cantraine (C.).
b. 5, Méditerranée, Cette.
c. 4, Adriatique, Bari. M. W. Kobelt (P.).
d. 1, (alc.) Méditerranée. M. Cantraine (C.).

Nassa mutabilis, var. *inflata* Lamarck.

a. 1, Méditerranée. M. Cantraine (C.).

Nassa mutabilis, var. *minor* Bucquoy et Dautzenberg.

a. 11, Côte de Sardaigne. M. Cantraine (C.).

Nassa granum Linné.

a. 8, Méditerranée.
b. 2, Alger.

Nassa callospira A. Adams.

a. 1, Patrie inconnue. M. Goedhuijs.

ALECTRYON.

Nassa glans Linné.

a. 6, Océan Indien. Ancien Cabinet et Collection Dalen.
b. 1, Détroit de Larantoeka. M. Semmelink (C.).
c. 2, Amboine. M. Hoedt (C.).
d. 1, Golfe de Gorontalo. M. von Rosenberg (C.).
e. 1, (alc.) Océan Indien.

Nassa elegans Kiener.

a. 1, Patrie inconnue.

Nassa suturalis Lamarck.

a. 1, Australie. M. Cuming (C.).
b. 1, Patrie inconnue. M. Goedhuijs.

Nassa spirata A. Adams.

a. 2. Australie. M. Cuming (C.).

Digitized by Google

Nassa monilis Quoy.

a. 1, Côte septentrionale de Java, Bezoekie. M. Semmelink (C.).
b. 1, Flores, Larantoeka. M. Semmelink (C.).
c. 7, Côte septentrionale de Timor. M. Wienecke et M. Zijnen Wartel (C.).
d. 1, Halmaheira. M. Bernstein (C.).
e. 2, Gambie? M. Cuming (C.).
f. 1, Ile Groot Bastaard. M, le Dr. H. ten Kate, 1891 (C.).

Nassa jacksoniana Quoy et Gaimard.

a. 2, Gambie. M. Cuming (C.).

Nassa papillosa Linné.

a. 8, Océan Indien. Collection Dalen.
b. 1, Flores, Larantoeka. M. Semmelink (C.).
c. 2, Côte septentrionale de Timor. M. Zijnen Wartel (C.).
d. 4, Amboine. M. Hoedt (C.).

Nassa scalaris Adams.

a. 1, Amboine. M. Hoedt (C.).

NIOTHA.

Nassa albescens Dunker.

a. 1, Océan Indien. M. Boie (C.).
b. 3, Détroit de Larantoeka. M. Semmelink (C.).
c. 8, Côte septentrionale de Timor. M. Zijnen Wartel (C.).
d. 6, Patrie inconnue.

Nassa fenestrata Marrat.

a. 3, Haïti. M. Ricord.

Nassa australis Adams.

a. 1, Patrie inconnue.

Nassa marginulata Lamarck.

a. 1, Banka. M. van den Bossche (P.).

Digitized by Google

Nassa margaritifera Dunker.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Côte septentrionale de Timor. M. Zijnen Wartel (C.).
c. 2, Patrie inconnue. Collection Dalen.

Nassa venusta Dunker.

a. 1, Timor. M. Wienecke, 1863 (C.).
b. 1, Patrie inconnue. Collection Dalen.
c. 3, Soemba, Melolo. M. le Dr. H. ten Kate, 1891 (C.).

Nassa gemmulata Lamarck.

a. 3, Japon. M. von Siebold (C.).

Nassa kieneri Deshayes.

a. 5, Japon. M. von Siebold (C.).

Nassa livescens Philippi.

a. 3, Variété. Banka. M. van den Bossche (P.).
b. 2, Variété. Côte septentrionale de Timor. M. Zijnen Wartel (C.).
c. 2, Variété. Amboine. M. Hoedt (C.).

Nassa semigranosa Dunker.

a. 2, Variété. Patrie inconnue. Ancien Cabinet.

Nassa bicolor Marrat.

a. 1, Timor. M. Zijnen Wartel (C.).

Nassa retecosa A. Adams.

a. 1, Variété. Amboine. M. Hoedt (C.).

HINIA.

Nassa reticulata Linné.

a. 8, Côte d'Angleterre, Falmouth. M. T. A. Verkrüzen, 1872 (C.).
b. 2, Channel Isles.
c. 4, Côte de France, Trouville.
d. 11, Côte de Zélande, Domburg. M. le Dr. Herklots (C.).

Digitized by Google

e. 13, Variété. Méditerranée. M. Cantraine (C.).
f. 4, Côte de Sicile, Syracuse.
g. 4, Variété. Mer Noire.

Nassa reticulata, var. *elongata* Brusina.

a. 18, Méditerranée. M. Cantraine (C.).

Nassa reticulata, var. *nitida* Jeffreys.

a. 3, Côte d'Angleterre, Harwich.
b. 4, Adriatique. M. Cantraine (C.).

Nassa reticulata, var. *cancellata* Chemnitz.

a. 1, Cattegat. M. Mörch (P.).
b. 2, Christiania fjord, Dröbak. M. T. A. Verkrüzen (C.).

Nassa limata Chemnitz.

a. 4, Méditerranée. M. Cantraine (C.).
b. 4, Golfe de Marseille.
c. 3, Côte de Sicile, Palermo.

Nassa clathrata Born.

a. 2, Italie.

Nassa gayi Kiener.

a. 1, Chile. M. Cuming (C.).

Nassa siquijorensis Adams.

a. 7, Patrie inconnue.
b. 2, Variété. Japon. M. von Siebold (C.).

Nassa trivittata Say.

a. 13, Fundy bay. M. T. A. Verkrüzen, 1877 (C.).
b. 6, Massachusetts, Vineyard sound. Smithsonian Institution (P.).
c. 3, New-York.
d. 2, Variété. Fundy bay. M. T. A. Verkrüzen, 1877 (C.).

CAESIA.

Nassa japonica A. Adams.

a. 3, Japon. M. von Siebold (C.).

Digitized by Google

TELASCO.

Nassa costulata Renieri.

a. 21, Méditerranée. M. Cantraine (C.).
b. 14, Adriatique. M. Cantraine (C.).
c. 9, Côte de Toscan.
d. 26, Tripoli. M. Cantraine (C.).
e. 12, Cannes.
f. 19, Variété. Tripoli.

Nassa costulata, var. *castanea* Brusina.

a. 3, Méditerranée. M. Cantraine (C.).

Nassa costulata, var. *major* Philippi.

a. 8, Méditerranée. M. Cantraine (C.).

Nassa filosa Gray.

a. 1, Monstruosité. Patrie inconnue. M. Goedhuijs.

Nassa dispar Adams.

a. 2, Côte septentrionale de Java, Bezoekie. M. Semmelink (C.).
b. 1, Côte méridionale de Java, Tjilatjap. M. Overdijk (C.).
c. 16, Timor. M. Wienecke et M. Zijnen Wartel (C.).
d. 1, Banka. M. van den Bossche (P.).
e. 2, Détroit de Larantoeka. M. Semmelink (C.).
f. 1, Ile Groot Bastaard. M. le Dr. H. ten Kate, 1891 (C.).

Nassa picta Dunker.

a. 2, Océan Indien. M. Boie et M. Müller (C.).
b. 1, Détroit de Larantoeka. M. Semmelink (C.).
c. 7, Timor. M. Zijnen Wartel (C.).

Nassa marratii Smith.

a. 1, Timor. M. Zijnen Wartel (C.).

Nassa lentiginosa Adams.

a. 1, Bornéo. M. Semmelink (C.).

Digitized by Google

Nassa punctata A. Adams.

a. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Détroit de Larantoeka. M. Semmelink (C.).
c. 1, Ile de France. M. Frank.
d. 1, Patrie inconnue.

Nassa semistriata Brocchi.

a. 7, Gascogne, Cap Breton.

EIONE.

Nassa gibbosula Linné.

a. 4, Golfe de Gènes. M. Cuming (C.).
b. 4, Algérie.

Nassa gibbosula, var. *circumcincta* A. Adams.

a. 5, Algérie. M. Cuming (C.).
b. 3, Côte d'Egypte, Alexandrie.

Nassa globosa Quoy et Gaimard.

a. 4, Détroit de Larantoeka. M. Semmelink (C.).
b. 4, Côte septentrionale de Timor. M. Zijnen Wartel (C.).
c. 2, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).
d. 4, Patrie inconnue.

Nassa leptospira A. Adams.

a. 2, Patrie inconnue.

Nassa granifera Kiener.

a. 4, Tahiti. M. Cuming (C.).

Nassa kraussiana Dunker.

a. 2, Cap, Natal bay. M. Krauss (C.).
b. 2, Afrique méridionale, Knysna mouth.

Digitized by Google

Nassa thersites Bruguière.

a. 5, Océan Indien. M. Reinwardt (C.).
b. 3, Côte septentrionale de Java, Bezoekie. M. Semmelink (C.).
c. 1, Côte méridionale de Java, Tjilatjap. M. Overdijk (C.).
d. 4, Détroit de Larantoeka. M. Semmelink (C.).
e. 2, Soemba, Melolo. M. le Dr. H. ten Kate, 1891 (C.).
f. 1, Rotti. M. le Dr. H. ten Kate, 1891 (C.).
g. 2, (alc.) Océan Indien. M.M. Kuhl et van Hasselt (C.).

Nassa bimaculosa A. Adams.

a. 8, Côte septentrionale de Java, Bezoekie. M. Semmelink (C.).
b. 11, Iles Obi. M. Bernstein (C.).
c. 4, Détroit de Larantoeka. M. Semmelink (C.).
d. 3, Timor. M. Wienecke et M. Zijnen Wartel (C.).
e. 11, Soemba, Melolo. M. le Dr. H. ten Kate, 1891 (C.).

Nassa cancellata A. Adams.

a. 1, Variété. Japon. M. von Siebold (C.).

ZEUXIS.

Nassa balteata Lischke.

a. 4, Japon. M. von Siebold (C.).

Nassa crenulata Bruguière.

a. 1, Banka. M. van den Bossche (P.).
b. 1, Amboine. M. Hoedt (C.).
c. 1, Iles Aroe. M. von Rosenberg (C.).
d. 1, Ile de France. M. Frank.
e. 2, Patrie inconnue.

Nassa canaliculata Lamarck.

a. 1, Sumatra, Padang.
b. 1, Patrie inconnue.

Nassa javana Schepman.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.). Type de l'espèce.

Digitized by Google

Nassa taenia Gmelin.

a. 11, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 2, Misool. M. Hoedt (C.).
c. 1, Nossi-Faly. M.M. Pollen et van Dam (C.).

Nassa exilis Powis.

a. 1, Côte de Pérou. M. Cuming (C.).

Nassa semiplicata A. Adams.

a. 11, Amoy. M. G. Schlegel et M. Buddingh (C.).

Nassa nodifera Powis.

a. 1, Patrie inconnue.

HINIA.

Nassa angulifera A. Adams.

a. 1, Australie. M. Cuming (C.).

Nassa stolata Gmelin.

a. 11, Océan Indien. M. Boie (C.).
b. 3, Japon. M. von Siebold (C.).
c. 1, Mer Rouge.
d. 50, Patrie inconnue.

Nassa capensis Dunker.

a. 2, Cap. M. Krauss (C.).
b. 5, Japon?

Nassa plebecula Gould.

a. 3, Cap. M. Krauss (C.).

Nassa cerotina A. Adams.

a. 1, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).

Nassa nivea Marrat.

a. 1, Patrie inconnue. Ancien Cabinet.

Digitized by Google

Nassa festiva Powis.

a. 3, Japon. M. von Siebold (C.).

Nassa festiva, var. *minor* Dunker.

a. 1, Japon. M. von Siebold (C.).

Nassa lirella Beck.

a. 1, Japon. M. von Siebold (C.).
b. 3, Jeunes individus. Patrie inconnue.

Nassa dentifera Powis.

a. 2, Pérou. M. Cuming et Collection Dalen.

Nassa nodata Hinds.

a. 1, Amoy. M. G. Schlegel (C.).

Nassa microstoma Pease.

a. 1, Iles de la Société.

Nassa concinna Powis.

a. 1, Ile de France. M. M. M. Schepman (P.).

Nassa varicosa Turton.

a. 2, Côte d'Angleterre.
b. 4, Christiania fjord, Dröbak. M. T. A. Verkrüzen, 1871 (C.).
c. 5, Côte d'Algérie.

Nassa fratercula Dunker.

a. 1, Timor. M. Zijnen Wartel (C.).

Nassa incrassata Ström.

a. 6, Canal de St. George, Dublin.
b. 16, Angleterre, Falmouth. M. T. A. Verkrüzen (C.).
c. 5, Channel Isles.
d. 1, Variété. Norvège, Bergen. M. T. A. Verkrüzen (C.).
e. 3, Christiania fjord, Dröbak. M. T. A. Verkrüzen (C.).
f. 10, Côte d'Algérie.

Digitized by Google

g. 17, Côte de Toscan.
h. 6, Adriatique, Zara.

Nassa incrassata, var. *bifasciata* Brusina.

a. 3, Méditerranée. M. Cantraine (C.).

Nassa incrassata, var. *castanea* Brusina.

a. 3, Méditerranée. M. Cantraine (C.).

PHRONTIS.

Nassa tegula Reeve.

a. 9, Baie de Guijamas. M. le Dr. H. ten Kate, 1883 (C.).

Nassa tiarula Kiener.

a. 1, Golfe de Californie, Ile Espiritu Santo. M. le Dr. H. ten Kate, 1883 (C.).

Nassa luteostoma Broderip et Sowerby.

a. 5, Baie de Caracas et Panama. M. Cuming (C.).
b. 1, Golfe de Californie. M. le Dr. H. ten Kate (C.).

Nassa crenolirata A. Adams.

a. 3, Côte septentrionale de Timor. M. Zijnen Wartel (C.).
b. 12, Variété. Moluques.

Nassa ambigua Montagu.

a. 5, Patrie inconnue.

Nassa vibex Say.

a. 1, Côte de l'Amérique du Nord.

Nassa antillarum Philippi.

a. 1, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).
b. 3, Ocean Indien? M. Boie (C.).
c. 8, Ile Ruatan. J. Brown (C.).

Digitized by Google

Nassa crassa Koch.

a. 3, Détroit de Larantoeka. M. Semmelink (C.).
b. 2, Côte de Timor. M. Zijnen Wartel (C.).
c. 2, Moluques.

Nassa fasciata Chemnitz.

a. 1, Variété. Patrie inconnue. Ancien Cabinet.

HEBRA.

Nassa echinata A. Adams.

a. 1, Côte septentrionale de Timor. M. Zijnen Wartel (C.).

Nassa geniculata A. Adams.

a. 16, Côte septentrionale de Timor. M. Zijnen Wartel (C.).

Nassa horrida Dunker.

a. 8, Côte septentrionale de Timor. M. Zijnen Wartel (C.).

Nassa subspinosa Lamarck.

a. 6, Océan Indien.
b. 6, Détroit de Larantoeka. M. Semmelink (C.).
c. 3, Côte septentrionale de Timor. M. Zijnen Wartel (C.).
d. 1, Moluques.

UZITA.

Nassa nodicincta Adams.

a. 2, Variété. Iles Galapagos. M. Cuming (C.).

Nassa plicosa Dunker.

a. 2, Patrie inconnue.

ILYANASSA.

Nassa obsoleta Say.

a. 7, La Nouvelle-Ecosse, St. Mary's bay. M. T. A. Verkrüzen, 1877 (C.).
b. 5, Côte de l'Amérique, New-York.

Digitized by Google

AMYCLA.

Nassa corniculum Olivi.

a. 25, Méditerranée, Ancone. M. Cantraine (C.).
b. 8, Golfe de Gènes. M. Cantraine (C.).
c. 13, Sicile, Palermo.
d. 11, Tripoli.
e. 12, Adriatique, Zara.
f. 3, (alc.) Méditerranée. M. Cantraine (C.).

Nassa corniculum, var. *semiplicata* Costa.

a. 8, Méditerranée, Livourne. M. Cantraine (C.).
b. 2, Adriatique. M. Cantraine (C.).
c. 8, Tripoli.

Nassa corniculum, var. *fasciolata* Lamarck.

a. 14, Méditerranée. M. Cantraine (C.).
b. 5, Côte de Sicile, Syracuse.

Nassa corniculum, var. *minor* Philippi.

a. 23, Méditerranée. M. Cantraine (C.).

Nassa varians Dunker.

a. 3, Japon. M. von Siebold (C.).
b. 4, Côte de Chine.
c. 1, Patrie inconnue.

DESMOULEA.

Desmoulea retusa Lamarck.

a. 3, Cap. M. von Horstock et Collection Dalen.

CYCLONASSA.

Cyclonassa neritea Linné.

a. 33, Méditerranée. M. Cantraine (C.).
b. 11, Cannes.
c. 4, Adriatique, Zara.

Digitized by Google

d. 3, Mer Noire, Theodosia.

e. 2, (alc.) Méditerranée. M. Cantraine (C.).

Cyclonassa neritea, var. *donovaniana* Risso.

a. 21, Méditerranée, Livourne.

b. 9, Côte d'Algérie.

c. 2, Adriatique, Zara.

d. 53, Patrie inconnue.

CANIDIA.

CANIDIA.

Canidia themincktana Petit.

a. 16, Côte de Java. M. Junghuhn et M. Groen (C.).

Canidia helena, var. *rotundicosta* Schepman.

a. 25, Côte de Java. M. Groen (C.). Types de la variété.

CLEA.

Canidia nigricans A. Adams.

a. 2, Patrie inconnue.

Canidia costulata Schepman.

a. 1, Bornéo, Pleihari. M. Semmelink (C.). Type de l'espèce.

DORSANUM.

DORSANUM.

Dorsanum tahitense Gmelin.

a. 1, Patrie inconnue. Collection Dalen.

Dorsanum belangeri Kiener.

a. 1, Patrie inconnue. M. Goedhuijs.

Dorsanum vittatum Linné.

a. 9, Patrie inconnue. Cabinet Dalen et Collection Tobias.

Dorsanum lividum Reeve.

a. 1, Patrie inconnue. Collection Voigt.

Digitized by Google

Dorsanum granulosum Lamarck.

a. 4, Patrie inconnue.

Dorsanum turritum Gray.

a. 1, Océan Indien. M. Cuming (C.).

NORTHIA.

Dorsanum serratum Dufresne.

a. 2, Panama. M. Newcomb et M. Cuming (C.).

BUCCINANOPS.

BUCCINANOPS.

Buccinanops cochlidium, var. *gradatum* Deshayes.

a. 1, Patrie inconnue. Collection Dalen.

Buccinanops annulatum Lamarck.

a. 3, Côte de Java. M. Reinwardt (C.).

BULLIA.

Buccinanops lamarckii Kiener.

a. 1, Patrie inconnue. M. Marguier.

Buccinanops tenue Gray.

a. 1, Japon.

b. 4, Patrie inconnue. Collection Dalen.

Buccinanops dilutum Krauss.

a. 1, Patrie inconnue.

Buccinanops dilutum, var. *mediolaeve* Martens.

a. 2, Patrie inconnue.

Buccinanops digitale Meuschen.

a. 2, Cap. M. von Horstock (C.).

Buccinanops digitale, var. *semiustum* Reeve.

a. 1, Cap. M. von Horstock (C.).

Digitized by Google

Buccinanops rhodostoma Gray.

a. 5, Cap. M. von Horstock et Collection Dalen.

Buccinanops laevigatum Martini.

a. 4, Cap. M.M. Kuhl et van Hasselt (C.).

COLUMBELLIDAE.

COLUMBELLA.

COLUMBELLA.

Columbella mercatoria Linné.

a. 37, Côte de l'Amérique.
b. 70, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).
c. 53, Curaçao. M. Steenberge, M. A. J. van Koolwijk et M. le Dr. Epp (C.).
d. 5, St. Thomas.

Columbella pleëi Kiener.

a. 1, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).
b. 1, Côte de Java, Tjilatjap? M. Overdijk (C.).

Columbella labiosa Sowerby.

a. 2, Côte occidentale de Columbie. M. Cuming (C.).

Columbella versicolor Sowerby.

a. 5, Japon.
b. 3, Détroit de Larantoeka. M. Semmelink (C.).
c. 8, Timor, Koepang et Namsaire. M. Wienecke et M. le Dr. H. ten Kate (C.).
d. 1, Halmaheira. M. Bernstein (C.).
e. 15, Patrie inconnue.

Columbella versicolor, var. *coronata* Duclos.

a. 12, Japon. M. von Siebold (C.).
b. 1, Timor. M. Wienecke, 1863 (C.).

Digitized by Google

Columbella poecilia Sowerby.

a. 1, Timor, baie de Koepang. M. le Dr. H. ten Kate, 1891 (C.).

Columbella varians Sowerby.

a. 5, Iles Sandwich. M. Newcomb (C.).

Columbella rustica Linné.

a. 27, Méditerranée. M. Cantraine (C.).
b. 19, Tripoli. M. Cantraine (C.).

Columbella rustica, var. *elongata* Philippi.

a. 12, Tripoli. M. Cantraine (C.).
b. 1, Méditerranée.
c. 6, Adriatique. M. Cantraine (C.).

Columbella rustica, var. *spongiarum* Duclos.

a. 1, Patrie inconnue.

Columbella fulgurans Lamarck.

a. 9, Moluques.
b. 10, Flores, Larantoeka. M. Semmelink (C.).
c. 8, Timor. M. Wienecke, 1863 et M. le Dr. H. ten Kate, 1891 (C.).
d. 22, Patrie inconnue.

Columbella fulgurans, var. *punctata* Lamarck.

a. 14, Océan Indien. M. Reinwardt et M. Macklot (C.).
b. 20, Détroit de Larantoeka. M. Semmelink (C.).
c. 10, Timor. M. Wienecke, 1863 (C.).

Columbella luteola Kiener.

a. 17, Californie, baie de la Paz. M. le Dr. H. ten Kate (C.).

Columbella fuscata Sowerby.

a. 2, Panama. M. Cuming (C.).
b. 5, Golfe de Californie. M. Newcomb (C.).
c. 6, Californie, baie de la Paz. M. le Dr. H. ten Kate (C.).

Digitized by Google

Columbella pardalina Lamarck.

a. 7, Côte de Java. M. Junghuhn (C.).
b. 4, Détroit de Larantoeka. M. Semmelink (C.).
c. 1, Flores, baie d'Ende. M. le Dr. H. ten Kate, 1891 (C.).
d. 21, Timor. M. Wienecke, M. Zijnen Wartel et M. le Dr. H. ten Kate (C.).
e. 4, Mer de Chine.
f. 3, Mer du Sud. Collection Dalen.
g. 53, Patrie inconnue.
h. 1, Rotti. M. le Dr. H. ten Kate, 1891 (C.).

Columbella sagena Reeve.

a. 9, Japon. M. von Siebold (C.).
b. 4, Patrie inconnue.
c. 5, Variété. Japon. M. von Siebold (C.).

Columbella undata Duclos.

a. 9, Variété. Japon. M. von Siebold (C.).
b. 9, Variété. Japon. M. von Siebold (C.).

Columbella flavida Lamarck.

a. 2, Japon. Collection Dalen et M. von Siebold (C.).

Columbella turturina Lamarck.

a. 3, Cap.

Columbella major Sowerby.

a. 5, Côte occidentale de Columbie. Collection Dalen, et M. Cuming (C.).
b. 6, Golfe de Californie. M. Newcomb et M. le Dr. H. ten Kate (C.).

Columbella castanea Sowerby.

a. 1, Côte occidentale de Columbie. M. Cuming (C.).

Columbella paytensis Lesson.

a. 1, Côte occidentale de Columbie. M. Cuming (C.).

Columbella haemastoma Sowerby.

a. 22, Californie, La Paz. M. le Dr. H. ten Kate (C.).

Digitized by Google

b. 3, Iles Galapagos. M. Cuming (C.).

Columbella strombiformis Lamarck.

a. 2, Guayaquil. M. Cuming (C.).

Columbella fasciata Sowerby.

a. 9, Côte de Java. M. Junghuhn (C.).
b. 4, Variété. Côte de Java. M. Junghuhn (C.).
c. 14, Côte de Java, Tjilatjap. M. Overdijk (C.).

Columbella javacensis Gaskoin.

a. 3, Côte de Java. M. Junghuhn (C.).
b. 5, Côte de Java, Tjilatjap. M. Overdijk, 1865 (C.).

Columbella phasianola Duclos.

a. 1, Patrie inconnue.

Columbella decussata Sowerby.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Patrie inconnue.

ANACHIS.

Columbella rugosa Sowerby.

a. 3, Panama. M. Cuming (C.).
b. 2, Variété. Panama. M. Cuming (C.).

Columbella fluctuata Sowerby.

a. 3, Panama. M. Cuming (C.).

Columbella terpsichore Sowerby.

a. 15, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 2, Timor. M. Wienecke (C.).
c. 18, Patrie inconnue.

Columbella terpsichore, var. *lineolata* Kiener.

a. 24, Japon. M. von Siebold (C.).

Digitized by Google

Columbella suffusa Sowerby.

a. 3, Variété. Iles Sandwich. M. Newcomb (C.).

Columbella sp.

a. 1, Jeune individu. Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Columbella varia Sowerby.

a. 2, Panama. Collection Dalen et M. Cuming (C.).

NITIDELLA.

Columbella nitida Lamarck.

a. 100, Curaçao. M. Steenberghe, M. A. J. van Koolwijk, 1879 et M. le Dr. Epp, 1888 (C.).

b. 2, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).

Columbella laevigata Linné.

a. 27, Curaçao. M. Steenberghe, M. A. J. van Koolwijk, 1879 et M. le Dr. Epp, 1888 (C.).

b. 17, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).

Columbella cerealis Menke.

a. 4, Cap. M. Krauss (C.).

STROMBINA.

Columbella recurva Sowerby.

a. 2, Côte occidentale de Columbie. M. Cuming (C.).

Columbella lanceolata Sowerby.

a. 2, Iles Galapagos. M. Cuming. (C.).

Columbella angularis Sowerby.

a. 1, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Digitized by Google

Columbella turrita Sowerby.

a. 2, Columbie, Baie de Montica. M. Cuming (C.).

Columbella elegans Sowerby.

a. 1, Mexique. M. Cuming (C.).

Columbella maculosa Sowerby.

a. 1, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Columbella pavonia Hinds.

a. 2, Mazatlan. M. Verreaux (C.).

ATILIA.

Columbella minor Scacchi.

a. 1, Méditerranée.

CONIDEA.

Columbella discors Gmelin.

a. 6, Côte orientale de l'Afrique. Collection Dalen.
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 2, Timor. M. Wienecke (C.).

Columbella splendidula Sowerby.

a. 3, Patrie inconnue. Collection Dalen.

Columbella ovulata Lamarck.

a. 3, Curaçao. M. A. J. van Koolwijk, 1879 (C.).
b. 9, Côte de l'Amérique.
c. 2, Mexique. M. Cuming (C.).

ASTYRIS.

Columbella rosacea Gould.

a. 4, Groenland. M. Israël et Musée de Copenhague.
b. 1, Nouvelle-Zemble, Matotschkin-Shar. Expedition du „Willem Barents", 1879.

MITRELLA.

Columbella scripta Linné.

a. 9, Méditerranée. M. Persoon.

Digitized by Google

b. 9, Côte de Sardaigne. M. Cantraine (C.).
c. 13, Tripoli.
d. 10, Variété. Adriatique. M. Cantraine (C.).
e. 20, Variété. Côte de Sardaigne.
f. 28, Variété. Tripoli.

Columbella gervillei Payraudeau.

a. 2, Golfe de Naples. M. Cantraine (C.).
b. 4, Tripoli.
c. 1, Patrie inconnue.

Columbella impolita Sowerby.

a. 5, Japon. M. von Siebold (C.).

Columbella ligula Duclos.

a. 1, Patrie inconnue. M. Goedhuijs.

Columbella cribraria Quoy et Gaimard.

a. 22, Curaçao. M. A. J. van Koolwijk, 1879 et M. le Dr. Epp, 1888 (C.).

Columbella buccinoides Sowerby.

a. 2, Pérou. M. Cuming (C.).

Columbella semiconvexa Lamarck.

a. 1, Patrie inconnue. M. Cuming (C.).

MURICIDAE.

TROPHON.

TROPHON.

Trophon geversianus Pallas.

a. 3, Patrie inconnue. Voyage de M. Reinwardt.
b. 1, Variété. Patrie inconnue. M. Smissaert.

Trophon geversianus, var. *peruvianus* Bruguière.

a. 1, Détroit de Magellan. M. Krauss.

Digitized by Google

b. 1, Patrie inconnue.

Trophon laciniatus Martijn.

a. 1, Océan Pacifique. Collection Raye.

BOREOTROPHON.

Trophon clathratus Linné.

a. 2, Groenland. M. Mörch (C.).

Trophon truncatus Ström.

a. 9, Groenland. M. Mörch et Musée de Copenhague (P.).

Trophon craticulatus Fabricius.

a. 4, Groenland. M. Israël et Musée de Copenhague.
b. 2, Patrie inconnue. Collection Raye.
c. 2, (alc.) Islande.

TYPHIS.

Typhis tetrapterus Bronn.

a. 16, Méditerranée, Sardaigne et Syracuse. M. Cantraine (C.).
b. 2, (alc.) Sardaigne. M. Cantraine (C.).

MUREX.

MUREX.

Murex scolopax Dillwyn.

a. 1, Mer Rouge. M. Ruyssenaers (P.).
b. 2, Golfe de Perse.

Murex tribulus Linné.

a. 2, Mer Rouge. M. Clot Bey (P.).
b. 1, (alc.) Djeddah. M. J. A. Kruijt, 1881. (C.).

Murex tenuispina Lamarck.

a. 1, Océan Indien.
b. 1, Moluques. M. van Rees (P.).
c. 3, Amboine. M. Hoedt (C.).

Digitized by Google

d. 1, Jeune individu. Mer Rouge. M. Clot Bey (P.).

Murex ternispina Lamarck.

a. 5, Océan Indien.
b. 4, Moluques.
c. 3, Amboine. M. Hoedt (C.).
d. 2, Céram. M. Hoedt (C.).
e. 5, Iles Obi. M. Bernstein (C.).
f. 1, Misool. M. Hoedt (C.).
g. 6, (alc.) Amboine. M. Forsten (C.).
h. 1, (alc.) Sumatra, Padang.
i. 1, Batjan. M. Bernstein (C.).
j. 5, Timor. M. Zijnen Wartel et M. Wienecke (C.).
k. 1, Côte de Sumatra.
l. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
m. 2, Variété. Océan Indien.
n. 2, Variété. Moluques.
o. 1, Variété. Côte de Sumatra.
p. 3, Patrie inconnue. Collection Hoogeveen (P.).

Murex concinnus Reeve.

a. 1, Biliton.
b. 2, Patrie inconnue. Collection Hoogeveen (P.).
c. 1, (alc.) Océan Indien. M.M. Kuhl et van Hasselt (C.).

Murex troscheli Lischke.

a. 1, Japon. M. von Siebold (C.).

Murex nigrospinosus Reeve.

a. 2, Biliton.
b. 1, Banka. M. Buddingh (P.).

Murex rarispina Lamarck.

a. 2, Patrie inconnue.

Murex occa Sowerby.

a. 1, Célèbes, Badjoa. M. Moens (P.).

Digitized by Google

Murex martinianus Reeve.

a. 9, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 3, Banka. M. Buddingh (P.).
c. 7, Célèbes, Badjoa. M. Moens (P.).
d. 2, Iles Obi. M. Bernstein (C.).
e. 5, Moluques.
f. 2, Chine, Amoy. M. G. Schlegel et M. Buddingh (C.).
g. 1, Nossi-Faly. M.M. Pollen et van Dam (C.).
h. 1, (alc.) Océan Indien. M.M. Kuhl et van Hasselt (C.).

Murex pliciferus Sowerby.

a. 2, Japon. M. von Siebold (C.).

Murex brevispina Lamarck.

a. 3, Zanzibar. M. Derx.

Murex motacilla Chemnitz.

a. 1, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).

Murex elegans Beck.

a. 1, Moluques.

Murex trilineatus Reeve.

a. 1, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).

Murex bellus Reeve.

a. 8, Patrie inconnue. Cabinet Dalen et Collection Hoogeveen.

Murex funiculatus Reeve.

a. 1, Jeune individu. Collection Hoogeveen (P.).

Murex messorius Sowerby.

a. 2, Patrie inconnue.

Murex haustellum Linné.

a. 7, Océan Indien. Collection Dalen.
b. 2, Biliton.

Digitized by Google

c. 4, Amboine. M. Hoedt (C.).
d. 2, Céram. M. Hoedt (C.).
e. 6, Misool. M. Hoedt (C.).
f. 1, Côte septentrionale de Timor. M. Zijnen Wartel (C.).
g. 5, Japon.
h. 3, (alc.) Amboine. M. Forsten (C.).

BOLINUS.

Murex brandaris Linné.

a. 14, Méditerranée. M. Cantraine (C.).
b. 4, Méditerranée. Collection Hoogeveen (P.).
c. 1, Variété. Méditerranée. M. Cantraine (C.).

Murex cornutus Linné.

a. 4, Patrie inconnue. M. Kramer et Collection Hoogeveen (P.).

PTERONOTUS.

Murex pinnatus Wood.

a. 3, Chine. Collection Dalen et M. Marguier.
b. 2, Amboine. M. Hoedt (C.).

Murex clavus Kiener.

a. 2, Philippines. Collection Raye.
b. 1, Amboine. M. Hoedt (C.).

Murex tripterus Born.

a. 3, Océan Indien.
b. 3, Amboine. M. Hoedt (C.).

Murex uncinarius Lamarck.

a. 19, Cap. M. von Horstock et Collection Dalen.

Murex triformis Reeve.

a. 1, La Nouvelle Hollande.

Murex acanthopterus Lamarck.

a. 3, Patrie inconnue. Cabinet Raye et Collection Hoogeveen.

Digitized by Google

Murex festivus Hinds.

a. 2, Californie. M. H. Fulton.

CHICOREUS.

Murex inflatus Lamarck.

a. 9, Océan Indien. Cabinet Raye, Collection Dalen et Voyage Forsten.
b. 4, Amboine. M. Hoedt (C.).
c. 2, Céram.
d. 1, Côte de Bornéo.
e. 1, Biliton.
f. 3, Madagascar. M.M. Pollen et van Dam (C.).
g. 2, Nossi-Faly. M.M. Pollen et van Dam (C.).
h. 5, Nossi-Bé. M.M. Pollen et van Dam (C.).
i. 2, Mer Rouge. M. Ruyssenaers (P.).
j. 2, Jeunes individus. Japon. M. von Siebold (C.).
k. 1, Patrie inconnue. Collection Hoogeveen (P.).
l. 1, Variété. Amboine. M. Hoedt (C.).
m. 2, (alc.) Amboine. M. Forsten (C.).
n. 1, (alc.) Djeddah. M. J. A. Kruijt, 1881 (C.).
o. 2, (alc.) Patrie inconnue.

Murex sinensis Reeve.

a. 1, Variété. Chine, Amoy. M. G. Schlegel (P.).

Murex palmarosae Lamarck.

a. 4, Océan Indien. Cabinet Raye et Collection Dalen.
b. 5, Amboine. M. Hoedt (C.).

Murex affinis Reeve.

a. 1, Patrie inconnue. Collection Hoogeveen.

Murex sauliae Sowerby.

a. 2, Océan Indien. Collection Dalen.
b. 2, Amboine. M. Hoedt (C.).

Murex aculeatus Lamarck.

a. 2, Amboine. M. Hoedt (C.).

Digitized by Google

b. 3, Patrie inconnue. Collection Hoogeveen.

Murex adustus Lamarck.

a. 9, Océan Indien. M.M. Boie et Macklot (C.).
b. 3, Côte de Java, Tjilatjap. M. Junghuhn et M. Overdijk (C.).
c. 13, Amboine. M. Hoedt (C.).
d. 1, Misool. M. Hoedt (C.).
e. 4, Flores, Détroit de Larantoeka. M. Semmelink (C.).
f. 8, Timor. M. Zijnen Wartel et M. Wienecke (C.).
g. 1, Jeune individu. Samao. M. le Dr. H. ten Kate, 1891 (C.).
h. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).
i. 1, Japon. M. von Siebold (C.).
j. 1, Ile de France. M. Frank, 1891.
k. 4, Nossi-Faly. M.M. Pollen et van Dam (C.).
l. 1, Variété. Océan Indien.
m. 1, (alc.) Amboine. M. Forsten (C.).

Murex torrefactus Sowerby.

a. 5, Océan Indien.
b. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 7, Amboine. M. Hoedt (C.).
d. 1, Flores, Détroit de Larantoeka. M. Semmelink (C.).
e. 1, Nossi-Faly. M.M. Pollen et van Dam (C.).
f. 1, Ile de France. M. Frank, 1891.
g. 6, Variété. Nossi-Faly. M.M. Pollen et van Dam (C.).
h. 1, Variété. Moluques.

Murex microphyllus Lamarck.

a. 7, Océan Indien.
b. 4, Côte de Java. M. Junghuhn et M. Overdijk (C.).
c. 2, Timor. M. Zijnen Wartel (C.).
d. 1, Mayotte. M.M. Pollen et van Dam (C.).

Murex capucinus Lamarck.

a. 5, Océan Indien. Collection Voigt et M. S. Müller (C.).

Digitized by Google

b. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 5, Amboine. M. Hoedt (C.).

Murex quadrifrons Lamarck.

a. 1, Patrie inconnue.

Murex rufus Lamarck.

a. 2, Patrie inconnue.

Murex banksii Sowerby.

a. 2, Amboine. M. Hoedt (C.).
b. 1, Variété. Océan Indien. Collection Dalen.
c. 1, Variété. Patrie inconnue.

Murex corrugatus Sowerby.

a. 4, Mer Rouge. M. Ruyssenaers (P.).

Murex laciniatus Sowerby.

a. 1, Océan Indien. M. Kramer.
b. 7, Amboine. M. Hoedt (C.).

Murex monodon Sowerby.

a. 1, La Nouvelle Hollande.

Murex axicornis Lamarck.

a. 2, Océan Indien.
b. 7, Amboine. M. Hoedt (C.).
c. 1, Céram. M. Hoedt (C.).
d. 2, Moluques.

Murex cervicornis Swainson.

a. 1, Australie. M. H. Fulton.

Murex fenestratus Chemnitz.

a. 2, Amboine. M. Hoedt (C.).
b. 1, Patrie inconnue.

Murex erythraeus Fischer.

a. 4, Mer Rouge. M. Clot Bey (P.).

Digitized by Google

b. 3, Patrie inconnue. Collection Dalen.
c. 7, (alc.) Djeddah. M. J. A. Kruijt, 1881 (C.).

Murex anguliferus Lamarck.

a. 2, Océan Atlantique. Collection Dalen.
b. 4, Variété. Océan Atlantique. Collection Dalen.

Murex megacerus Sowerby.

a. 3, Côte de Guinée. M. Pel (C.).
b. 1, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).

Murex elongatus Lamarck.

a. 2, Patrie inconnue. Cabinet Raye et Collection Hoogeveen.

Murex calcitrapa Lamarck.

a. 3, Curaçao. M. Steenberghe et M. A. J. van Koolwijk, 1879 (C.).
b. 8, Patrie inconnue. Cabinet Raye et Collection Dalen.

Murex calcitrapa, var. *brevifrons* Lamarck.

a. 5, Patrie inconnue. Cabinet Dalen et Collection Hoogeveen.

Murex triqueter Born.

a. 7, Amboine. M. Hoedt (C.).
b. 2, Océan Indien. Collection Raye.

Murex cumingii A. Adams.

a. 4, Amboine. M. Hoedt (C.).
b. 2, Timor. M. Zijnen Wartel (C.).
c. 3, Océan Indien.
d. 2, Ile de France. M. Frank, 1891.

Murex pomum Gmelin.

a. 6, Océan Atlantique. Cabinet Raye, Collections Dalen et Hoogeveen.

Murex mexicanus Petit.

a. 1, St. Thomas. M. le Dr. F. van Calker (C.).

Digitized by Google

MURICANTHA.

Murex rosarium Chemnitz.

a. 1, Côte de Guinée. M. Pel (C.).
b. 3, Patrie inconnue. Cabinet Raye.

Murex trunculus Linné.

a. 22, Méditerranée. M. Cantraine (C.).
b. 3, Tripoli. M. Cantraine (C.).

Murex trunculus, var. *falcatus* Danilo et Sandri.

a. 4, Golfe de Gênes. M. Cantraine (C.).

Murex turbinatus Lamarck.

a. 2, Patrie inconnue. Ancien Cabinet.

Murex varius Sowerby.

a. 1, Patrie inconnue. Collection Hoogeveen.

Murex bicolor Valenciennes.

a. 1, Californie. M. Marguier.
b. 4, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Murex imperialis Swainson.

a. 1, Surinam?

Murex brassica Lamarck.

a. 1, Californie. M. Marguier.
b. 1, Pérou. M. Verreaux.

Murex princeps Broderip.

a. 1, Mexique. M. Cuming (C.).
b. 2, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Murex regius Wood.

a. 2, Panama. M. Turner.
b. 2, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

Murex melanomathos Gmelin.

a. 1, Patrie inconnue. Collection Raye.

Murex nigritus Philippi.

a. 1, Mexique, Baie de Guyamas. M. le Dr. H. ten Kate, 1883 (C.).
b. 1, Jeune individu. Océan Pacifique. M. Marguier.
c. 1, Patrie inconnue. Collection Hoogeveen (P.).

Murex nigritus, var. *ambiguus* Reeve.

a. 1, Océan Pacifique. M. Marguier.

Murex radix Gmelin.

a. 1, Océan Pacifique, 1849.

Murex saxatilis Lamarck.

a. 3, Côte de Sénégal. Collection Voigt.
b. 3, Patrie inconnue. M. Frank et Collection Hoogeveen.

Murex endivia Lamarck.

a. 4, Océan Indien. Ancien Cabinet.
b. 1, Biliton.
c. 5, Amboine. M. Hoedt (C.).
d. 5, Timor. M. Wienecke et M. Zijnen Wartel (C.).

HOMALOCANTHA.

Murex scorpio Linné.

a. 1, Japon. Collection Voigt.
b. 3, Océan Indien. M. van Rees (P.).
c. 3, Patrie inconnue. M. Marguier et Collection Hoogeveen.

Murex rota Sowerby.

a. 2, Mer Rouge. M. Ruyssenaers (P.).

MURICOPSIS.

Murex cristatus Brocchi.

a. 29, Méditerranée, Sardaigne. M. Cantraine (C.).

Digitized by Google

b. 2, Méditerranée, Syracuse.
c. 3, Adriatique. M. Cantraine (C.).
d. 3, Cannes.

Murex cristatus, var. *blainvillei* Payraudeau.

a. 37, Méditerranée. M. Cantraine (C.).
b. 4, Cannes.

Murex dubius Sowerby.

a. 2, Panama. M. Cuming (C.).

Murex horridus Broderip.

a. 2, Côte du Pérou. M. Cuming (C.).
b. 2, Variété. Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Murex hexagonus Lamarck.

a. 1, Patrie inconnue. Collection Voigt.

Murex balteatus Beck.

a. 1, Amboine. M. Hoedt (C.).
b. 1, Moluques. M. van Rees (P.).

Murex fiscellum Chemnitz.

a. 2, Djeddah. M. J. A. Kruijt (C.).

Murex buxeus Broderip.

a. 2, Le Pérou. Cabinet Dalen et Collection Cuming.

Murex vibex Broderip.

a. 1, Panama. M. Cuming (C.).

OCINEBRA.

OCINEBRA.

Ocinebra erinaceus Linné.

a. 8, Mer du Nord. Ancien Cabinet.
b. 7, Angleterre, Falmouth.
c. 3, Méditerranée, la Corse.

Digitized by Google

d. 11, Adriatique. M. Cantraine (C.).
e. 12, (alc.) France, St. Vaast la Hougue. M. E. Selenka (C.).
f. 1, (alc.) Variété. Patrie inconnue.

Ocinebra erinaceus, var. *triquetra* Olivi.

a. 2, Portsmouth. M. le Col. Worthington Wilmer (P.).
b. 2, Angleterre, Weymouth.
c. 2, Golfe de Tarente.

Ocinebra erinaceus, var. *tarentina* Lamarck.

a. 2, Méditerranée.

Ocinebra edwardsii Payraudeau.

a. 24, Adriatique. M. Cantraine (C.).
b. 6, Cannes.
c. 8, Syracuse.
d. 2, Algers.

Ocinebra purpuroides Dunker.

a. 30, Cap. M. von Horstock (C.).

Ocinebra erosa Broderip.

a. 1, St. Elena. M. Cuming (C.).

Ocinebra vittata Broderip.

a. 1, Baie de Guayaquil. M. Cuming (C.).

Ocinebra scalaroides Blainville.

a. 3, Méditerranée. M. Cantraine (C.).
b. 3, Côte d'Afrique.

CRASSILABRUM.

Ocinebra crassilabrum Gray.

a. 2, Valparaiso. M. Cuming (C.).

OCINEBRINA.

Ocinebra aciculata Lamarck.

a. 11, Adriatique, Spalato. M. Cantraine (C.).

Digitized by Google

b. 3, Côte de Dalmatie.
c. 5, Channel Isles.
d. 1, Algers. M. von Maltzan (P.).
e. 4, Cannes.

CERATOSTOMA.

Ocinebra nutallii Conrad.

a. 2, Californie. M. Newcomb (C.).

Ocinebra foliata Martijn.

a. 1, Océan Indien. Collection Raye.
b. 1, Japon, Hakodade. M. Hilgendorf (C.).

Ocinebra monoceros Sowerby.

a. 1, Californie. M. von Maltzan (P.).

Ocinebra falcata Sowerby.

a. 1, Japon. M. von Siebold (C.).

Ocinebra gibbosa Lamarck.

a. 4, Ile Gorée.

Ocinebra hemitriptera Lamarck.

a. 1, Patrie inconnue. Ancien Cabinet.

VITULARIA.

Ocinebra salebrosa King.

a. 1, Californie. M. Verreaux (C.).
b. 1, Tahiti. M. Turner (C.).

Ocinebra miliaris Gmelin.

a. 7, Océan Indien.
b. 8, Amboine. M. Hoedt (C.).

HADRIANIA.

Ocinebra craticulata Scacchi.

a. 2, Méditerranée. M. Cantraine (C.).

Digitized by Google

UROSALPINX.

Urosalpinx cinereus Say.

a. 3, Massachusetts, Vineyard sound. Smithsonian Institution (P.).

PSEUDOMUREX.

Pseudomurex japonicus Dunker.

a. 1, Japon. M. von Siebold (C.).

RAPANA.

RAPANA.

Rapana bulbosa Solander.

a. 5, Océan Indien. M. Reinwardt (C.).
b. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 1, Biliton.
d. 1, Amboine. M. Hoedt (C.).
e. 2, Misool. M. Hoedt (C.).
f. 2, Moluques.
g. 2, Mer Rouge. M. Ruyssenaers (P.).
h. 1, Côte de Zanzibar. M. Derx.

Rapana bezoar Linné.

a. 1, Chine.
b. 1, Variété. Japon.
c. 2, Variété. Amoy. M. G. Schlegel et M. Buddingh (C.).
d. 2, (alc.) Variété. Amoy. M. G. Schlegel (C.).

Rapana bezoar, var. *japonica* Dunker.

a. 6, Japon. M. von Siebold (C.).
b. 1, (alc.) Jeune individu. Japon. M. von Siebold (C.).

LATIAXIS.

Rapana deburghiae Reeve.

a. 1, Céram? M. Hoedt (C.).

Digitized by Google

PURPURA.

PURPURA.

Purpura persica Linné.

a. 6, Côte méridionale de Java. Voyage de M. Junghuhn.
b. 6, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 2, Océan Indien.
d. 1, Patrie inconnue. Collection Tobias.
e. 2, (alc.) Réunion.

Purpura rudolphi Chemnitz.

a. 6, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 2, Côte de Samao. M. le Dr. H. ten Kate, 1891 (C.).
c. 3, Japon. M. von Siebold (C.).
d. 1, Patrie inconnue.

Purpura patula Linné.

a. 8, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).
b. 5, Curaçao. M. A. J. van Koolwijk (C.).
c. 2, St. Thomas. M. le Dr. F. van Calker (C.).
d. 4, Haïti. M. Ricord (C.).
e. 3, Iles Galapagos. M. Cuming (C.).

Purpura haustrum Martijn.

a. 2, La Nouvelle Guinée. M. M. Quoy et Gaimard (C.).

Purpura chocolata Duclos.

a. 3, Ile Anna. M. Cuming (C.).

Purpura columellaris Lamarck.

a. 1, Iles Galapagos. M. Marguier (C.).

PLANITHAÏS.

Purpura planospira Lamarck.

a. 3, Iles Galapagos.

Digitized by Google

Purpura neritoidea Linné.

a. 24, Libéria, Grand Cape Mount. M. J. Büttikofer, 1881 (C.).
b. 7, Côte de Guinée, Saccondé. M. Pel (C.).
c. 4, (alc.) Côte de Guinée. M. Pel (C.).

Purpura carolensis Reeve.

a. 2, Mexique. M. Cuming (C.).

Purpura callaoensis Gray.

a. 2, Mexique. M. Cuming (C.).

THALESSA.

Purpura hippocastanum Linné.

a. 10, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 6, Côte de Java. M. Junghuhn (C.).
c. 1, Biliton.
d. 1, Flores, Larantoeka. M. Semmelink (C.).
e. 8, Timor. M. Zijnen Wartel et M. Wienecke (C.).
f. 4. Amboine. M. Hoedt (C.).
g. 6, Iles Obi. M. Bernstein (C.).
h. 19, Moluques. M. Reinwardt et M. Müller (C.).
i. 2, Océan Pacifique, Ile Elisabeth et Iles des Amis. M. Cuming (C.).
j. 3, Japon, Kanagawa. M. Noordhoek Hegt (C.).
k. 6, Variété. Nossi-Faly. M. M. Pollen et van Dam (C.).
l. 4, Variété. Patrie inconnue. Collection Dalen.
m. 8, (alc.) Sumatra. M. S. Müller (C.).

Purpura hippocastanum, var. *savignyi* Deshayes.

a. 4, Mer Rouge. M. Ruyssenaers et M. Forskål (C.).
b. 1, Aden. M. le Col. Worthington Wilmer (C.).
c. 2, Patrie inconnue. Collection Tobias.

Purpura hippocastanum, var. *intermedia* Kiener.

a. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).

Digitized by Google

Purpura bitubercularis Lamarck.

a. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 6, Amboine. M. Hoedt (C.).
c. 1, Céram. M. Hoedt (C.).
d. 3, Détroit de Larantoeka. M. Semmelink (C.).
e. 2, Patrie inconnue. Collection Tobias.
f. 11, (alc.) Océan Indien. M. M. Müller et Macklot (C.).

Purpura mancinella Linné.

a. 6, Océan Indien.
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 4, Amboine. M. Hoedt (C.).
d. 2, Moluques. Collection Tobias.
e. 2, Timor. M. Wienecke, 1863 (C.).
f. 1, Flores, Baie d'Endeh. M. le Dr. H. ten Kate, 1891 (C.).

Purpura echinata Blainville.

a. 2, Amboine. M. Hoedt (C.).
b. 1, Japon. M. von Siebold (C.).
c. 1, La Nouvelle Zélande. Collection Dalen.
d. 1, Océan Indien. M. Macklot (C.).

Purpura aegrota Reeve.

a. 2, Côte de Java. M. Junghuhn (C.).
b. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).

Purpura pica Blainville.

a. 1, Côte de Java. M. Junghuhn (C.).
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 3, Amboine. M. Hoedt (C.).
d. 2, Moluques.
e. 1, (alc.) Océan Indien. M. S. Müller (C.).

Purpura deltoidea Lamarck.

a. 8, Curaçao. M. A. J. van Koolwijk et M. le Dr. Epp (C.).
b. 5, St. Thomas. M. le Dr. F. van Calker, 1866 (C.).

Digitized by Google

c. 1, Patrie inconnue. Collection Hoogeveen.

Purpura melones Duclos.

a. 2, Columbie occidentale, Monte Christo. M. Cuming (C.).

Purpura speciosa Valenciennes.

a. 3, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).
b. 1, Côte de Mexique. M. Cuming (C.).

Purpura armigera Chemnitz.

a. 2, Océan Indien.
b. 1, Amboine. M. Hoedt (C.).

Purpura affinis Reeve.

a. 1, Ile Elisabeth. M. Marguier (C.).

Purpura echinulata Lamarck.

a. 2, Philippines. Collection Tobias.

STRAMONITA.

Purpura haemastoma Linné.

a. 14, Côte de Guinée, Saccondé. M. Pel (C.).
b. 33, Libéria, Grand Cape Mount. M. J. Büttikofer, 1881 (C.).
c. 2, Méditerranée, Corse. M. von Maltzan (P.).
d. 2, Côte d'Algérie. M. von Maltzan (P.).
e. 2, Haïti. M. Ricord.
f. 6, Patrie inconnue.
g. 10, (alc.) Côte de Guinée. M. Pel (C.).

Purpura bicostalis Lamarck.

a. 1, St. Elena. M. Cuming (C.).
b. 4, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Purpura consul Chemnitz.

a. 2, Variété. Patrie inconnue.

Purpura floridana Conrad.

a. 1, Curaçao. M. le Dr. Epp (C.).

Digitized by Google

b. 2, St. Thomas. M. le Dr. F. van Calker (C.).
c. 3, Patrie inconnue.

Purpura bronni Dunker.

a. 6, Japon. M. von Siebold (C.).

Purpura luteostoma Chemnitz.

a. 12, Chine, Amoy. M. G. Schlegel (C.).
b. 10, Chine, Macao. M. Buddingh (C.).
c. 3, Banka. M. Buddingh (P.).
d. 1, (alc.) Amoy. M. G. Schlegel (C.).

Purpura alveolata Reeve.

a. 15, Japon. M. von Siebold (C.).

Purpura blainvillei Deshayes.

a. 1, Pérou.

Purpura bufo Lamarck.

a. 2, Océan Indien.
b. 4, Jeunes individus. Côte de Java, Tjilatjap. M. Overdijk (C.).

Purpura bufo, var. *callosa* Lamarck.

a. 4, Océan Indien. M. Müller (C.).
b. 1, Patrie inconnue. Collection Tobias.

TROCHIA.

Purpura cingulata Linné.

a. 7, Océan Atlantique.
b. 2, Jeunes individus. Cap. M. Krauss (C.).
c. 18, Patrie inconnue. Collections Hoogeveen et Tobias.

POLYTROPA.

Purpura lapillus Linné.

a. 11, Méditerranée. M. Cantraine (C.).
b. 9, Norvège, Varanger fjord. M. T. A. Verkrüzen, 1874 (C.).
c. 8, Norvège, Kistrand. M. T. A. Verkrüzen, 1874 (C.).

Digitized by Google

d. 1, Norvège, Bergen. M. T. A. Verkrüzen (C.).
e. 19, Islande, Reikiavik. M. T. A. Verkrüzen (C.).
f. 2, Groenland.
g. 5, Côte de l'Amérique, St. Johns. M. T. A. Verkrüzen, 1876 (C.).
h. 4, Maine, Casco Bay. Smithsonian Institution, 1880 (P.).
i. 29, La Nouvelle Écosse, Annapolis. M. T. A. Verkrüzen, 1877 (C.).
j. 7, Pas de Calais.
k. 1, (alc.) Groënland. M. Eschricht (C.).
l. 6, (alc.) Massachusetts, Gloucester. Smithsonian Institution, 1880 (P.).
m. 3, (alc.) Pays-bas, Walcheren. M. le Dr. Burgersdijk (C.).

Purpura lapillus, var. *imbricata* Lamarck.

a. 10, Norvège, Hammerfest. M. T. A. Verkrüzen, 1874 (C.).
b. 1, Norvège, Kistrand. M. T. A. Verkrüzen, 1874 (C.).
c. 1, Pas de Calais. M. T. A. Verkrüzen (C.).
d. 4, Islande, Reikiavik. M. T. A. Verkrüsen (C.).
e. 2, La Nouvelle Écosse, Annapolis. M. T. A. Verkrüzen, 1877 (C.).

Purpura canaliculata Duclos.

a. 3, Sitka. Musée de St. Pétersbourg (P.).
b. 1, Alaska.
c. 3, Ile van Couver. M. Newcomb (C.).
d. 3, Californie.

Purpura succincta Martijn.

a. 1, La Nouvelle Zélande.
b. 1, Patrie inconnue. Collection Hoogeveen.

Purpura textiliosa Lamarck.

a. 2, La Nouvelle Hollande.
b. 1, La Nouvelle Guinée.

Purpura squamosa Lamarck.

a. 1, Côte de Natal. M. Krauss (C.).

Digitized by Google

b. 9, Côte de l'Amérique?

Purpura freycinetii Deshayes.

a. 1, Kamschatka.
b. 1, Variété. Kamschatka.
c. 1, Variété. Japon, Hakodade.
d. 1, Jeune individu. Patrie inconnue. M. Krauss.

Purpura crispata Chemnitz.

a. 4, Mer de Bering, Kadjac. Musée de St. Pétersbourg (P.).
b. 4, Patrie inconnue. Cabinet Raye et Collection Dalen.

Purpura crispata, var. *septentrionalis* Reeve.

a. 1, Sitka Sound.

Purpura incisa Philippi.

a. 1, Patrie inconnue. M. Goedhuis.

Purpura sacellum Chemnitz.

a. 1, Océan Indien.
b. 1, Côte de Java. M. Junghuhn (C.).
c. 1, Variété. Patrie inconnue. M. Drieling.

Purpura saxicola Valenciennes.

a. 3, Variété. Sitka Sound.
b. 3, Variété. Californie.

Purpura saxicola, var. *ostrina* Gould.

a. 5, Californie. M. Newcomb (C.).

Purpura saxicola, var. *emarginata* Deshayes.

a. 2, Sitka.

Purpura scobina Quoy et Gaimard.

a. 2, Variété. La Nouvelle Hollande. Ancien Cabinet.

CRONIA.

Purpura amygdala Kiener.

a. 1, Patrie inconnue. Collection Voigt.

Digitized by Google

CUMA.

Purpura angulifera Duclos.

a. 2, Chile. M. Marguier (C.).

Purpura carinifera Lamarck.

a. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 8, Patrie inconnue. Ancien Cabinet et Collection Dalen.

Purpura kiosquiformis Duclos.

a. 1, Mazatlan. M. Verreaux (C.).
b. 1, Panama. M. Turner (C.).

Purpura imperialis Blainville.

a. 1, Océan Pacifique. M. Marguier (C.).

Purpura coronata Lamarck.

a. 7, Sénégal.
b. 1, Patrie inconnue. Collection Tobias.

Purpura costata Blainville.

a. 1, Malacca.
b. 1, Chine, Amoy. M. G. Schlegel (C.).
c. 1, Patrie inconnue. Collection Dalen.

Purpura exigua Dunker.

a. 1, Macassar. M. Piller (C.).
b. 1, Timor. M. Zijnen Wartel (C.).

Purpura tiarella Lamarck.

a. 1, Variété. Amoy. M. Buddingh (C.).
b. 1, Variété. Patrie inconnue.

JOPAS.

Purpura sertum Bruguière.

a. 3, Mer Rouge. M. Ruyssenaers (P.).
b. 3, Amboine. M. Hoedt (C.).

Digitized by Google

c. 1, Batjan. M. Bernstein (C.).
d. 1, Côte septentrionale de Timor. M. Zijnen Wartel (C.).
e. 3, Japon. M. von Siebold (C.).
f. 5, Patrie inconnue. Cabinet Dalen et Collection Tobias.

Purpura francolinus Bruguière.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Nossi-Bé. M. M. Pollen et van Dam (C.).
c. 1, Patrie inconnue. Collection Tobias.

Purpura situlus Reeve.

a. 8, Mer rouge. M. Ruyssenaers (P.).
b. 3, Patrie inconnue. Collection Tobias.

VEXILLA.

Vexilla vexillum Chemnitz.

a. 2, Côte de Samao. M. le Dr. H. ten Kate, 1891 (C.).
b. 4, Patrie inconnue.

Vexilla taeniata Powis.

a. 2, Maurice. M. Frank, 1891.

ACANTHINA.

ACANTHINA.

Acanthina imbricata Lamarck.

a. 2, Cap Horn. M. Cuming (C.).
b. 1, Iles Chiloë. M. Krauss.

Acanthina muricata Broderip.

a. 1, Mazatlan. M. Verreaux (C.).

Acanthina unicarinata Sowerby.

a. 2, Californie. M. Newcomb (C.).

Acanthina punctata Gray.

a. 2, Californie. M. Newcomb (C.).

Digitized by Google

Acanthina lugubris Sowerby.

a. 2, Californie. M. Marguier et Collection Dalen.

Acanthina brevidentata Gray.

a. 3, Panama. M. Newcomb (C.).

Acanthina calcar Martijn.

a. 1, Collection Dalen.

Acanthina glabrata Lamarck.

a. 1, Chile. M. Cuming (C.).

Acanthina crassilabrum Lamarck.

a. 3, Valparaiso. M. Cuming (C.).
b. 2, Iles Chiloë. M. Krauss.
c. 1, Variété. Chile. Collection Dalen.

Acanthina crassilabrum, var. *citrina* Sowerby.

a. 4, Océan Pacifique. M. Turner et Collection Dalen.

Acanthina grandis Gray.

a. 1, Iles Galapagos.

CHORUS.

Acanthina gigantea Lesson.

a. 1, Chile. M. Turner.

Acanthina xanthostoma Broderip.

a. 2, Valparaiso. M. Cuming et Collection Dalen.

PENTADACTYLUS.

PENTADACTYLUS.

Pentadactylus ricinus Linné.

a. 25, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Banka. M. van den Bossche (P.).
c. 5, Amboine. M. Hoedt (C.).
d. 8, Timor. M. Wienecke et M. Zijnen Wartel (C.).

Digitized by Google

Pentadactylus ricinus, var. *albolabris* Blainville.

a. 7, Mer Rouge. M. Ruyssenaers (P.).
b. 3, Côte de Java. M. Junghuhn (C.).
c. 3, Ile Lord Hood (Marutea).

Pentadactylus horridus Lamarck.

a. 7, Océan Indien. Voyage de M. Reinwardt.
b. 6, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 3, Amboine. M. Hoedt (C.).
d. 1, Iles Obi. M. Bernstein (C.).
e. 4, Timor. M. Wienecke et M. Zijnen Wartel (C.).
f. 5, Ile Lord Hood (Marutea). M. Cuming (C.).
g. 2, (alc.) Océan Indien.
h. 1, (alc.) Djeddah. M. J. A. Kruijt (C.).

Pentadactylus clathratus Lamarck.

a. 4, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 3, Amboine. M. Hoedt (C.).
c. 5, Ile Lord Hood (Marutea). M. Cuming et Collection Dalen.
d. 1, Ile Elisabeth. M. Verreaux (C.).
e. 2, Patrie inconnue. Collection Hoogeveen.

Pentadactylus iodostomus Lesson.

a. 2, Iles Marquises. M. Verreaux (C.).
b. 1, Océan Pacifique. M. Knapp.

Pentadactylus hystrix Linné.

a. 3, Amboine. M. Hoedt (C.).
b. 3, Timor. M. Wienecke et M. Zijnen Wartel (C.).
c. 6, Océan Pacifique. Collection Dalen.

Pentadactylus digitatus Lamarck.

a. 3, Amboine. M. Hoedt (C.).
b. 6, La Nouvelle Hollande Collection Dalen.

Digitized by Google

Pentadactylus digitatus, var. *lobatus* Blainville.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Patrie inconnue. Collection Dalen.

MORULA.

Pentadactylus morus Lamarck.

a. 3, Ile Lord Hood (Marutea). M. Cuming (C.).
b. 1, Patrie inconnue. Collection Hoogeveen.

Pentadactylus concatenatus Blainville.

a. 1, Banka. M. van den Bossche (P.).
b. 2, Amboine. M. Hoedt (C.).
c. 1, Détroit de Larantoeka.
d. 2, Timor. M. Zijnen Wartel (C.).
e. 7, Océan Indien.

Pentadactylus mauritii Gmelin.

a. 4, Patrie inconnue. Cabinet Raye et Collection Dalen.

Pentadactylus elongatus Blainville.

a. 2, Océan Indien. M. Macklot (C.).
b. 2, Mer Rouge. M. Forskål (C.).
c. 1, (alc.) Océan Indien. M. M. Kuhl et van Hasselt (C.).

Pentadactylus asper Lamarck.

a. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).

Pentadactylus undatus Chemnitz.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Biliton.
c. 38, Timor. M. Wienecke, M. Zijnen Wartel et M. ten Kate (C.).
d. 3, Samao. M. le Dr. H. ten Kate, 1891 (C.).
e. 1, Halmaheira. M. Bernstein (C.).
f. 1, Singapore. M. Buddingh (P.).
g. 1, Jeune individu. Japon. M. von Siebold (C.).
h. 3, Ile Lord Hood (Marutea). M. Cuming (C.).

Digitized by Google

i. 1, Côte de Natal. M. Krauss (C.).
j. 10, Méditerranée? M. Cantraine (C.).
k. 6, (alc.) Océan Indien. M. M. Kuhl et van Hasselt (C.).

Pentadactylus musivus Kiener.

a. 8, Océan Indien.
b. 1, Timor. M. Wienecke (C.).
c. 1, Mer Rouge.
d. 1, (alc.) Côte de Java.

Pentadactylus elatus Blainville.

a. 4, Océan Indien. Collection Dalen.
b. 1, Bornéo. M. Semmelink (C.).
c. 3, Patrie inconnue. Collection Hoogeveen.

Pentadactylus chrysostomus Deshayes.

a. 2, Amboine. M. Hoedt (C.).

Pentadactylus roseus Reeve.

a. 1, Patrie inconnue.

Pentadactylus muricatus Reeve.

a. 1, Iles Sandwich. M. H. Dohrn.

Pentadactylus biconicus Blainville.

a. 1, Détroit de Larantoeka. M. Semmelink (C.).

Pentadactylus anaxares Duclos.

a. 23, Patrie inconnue.
b. 1, Timor, baie de Koepang. M. le Dr. H. ten Kate, 1891 (C.).

Pentadactylus tuberculatus Blainville.

a. 9, Timor. M. Wienecke et M. Zijnen Wartel (C.).
b. 1, Jeune individu. Détroit de Larantoeka. M. Semmelink (C.).
c. 2, Variété. Côte de Java, Tjilatjap. M. Overdijk (C.).
d. 1, Variété. Ile Lord Hood (Marutea). M. Cuming (C.).
e. 2, Iles Sandwich. M. H. Dohrn.

Digitized by Google

f. 2, Côte de Natal. M. Krauss (C.).
g. 2, Variété. Océan Indien.
h. 6, (alc.) Océan Indien. M. M. Müller et Macklot (C.).

Pentadactylus nodulosus C. B. Adams.

a. 3, Indes Occidentales.

Pentadactylus marginater Blainville.

a. 13, Océan Indien. Voyage de M. S. Müller.
b. 2, Côte de Java. M. Junghuhn et M. Overdijk (C.).
c. 2, Timor. M. Wienecke (C.).
d. 5, Côte de Samao. M. le Dr. H. ten Kate, 1891 (C.).
e. 11, Variété. Timor. M. Wienecke et M. Zijnen Wartel (C.).
f. 3, Variété. Samao. M. le Dr. H. ten Kate, 1891 (C.).
g. 2, (alc.) Océan Indien. M. M. Müller et Macklot (C.).

Pentadactylus muricinus Blainville.

a. 3, Océan Indien. Voyage de M. S. Müller.
b. 3, Côte de Java. M. Junghuhn et M. Overdijk (C.).
c. 1, Samao. M. le Dr. H. ten Kate, 1891 (C.).
d. 1, Patrie inconnue. Collection Dalen.
e. 2, (alc.) Océan Indien. M. M. Müller et Macklot (C.).

Pentadactylus muricinus, var. *turbinoides* Blainville.

a. 15, Timor. M Wienecke et M. Zijnen Wartel (C.).
b. 4, Détroit de Larantoeka. M. Semmelink (C.).
c. 1, Amboine. M. Hoedt (C.).
d. 1, Côte de Java. M. Junghuhn (C.).
e. 1, Patrie inconnue. Collection Tobias.

Pentadactylus smithi Schepman.

a. 4, Côte de Java, Tjilatjap. M. Overdijk (C.). Types de l'espèce.

Pentadactylus martensi Schepman.

a. 3, Mer Rouge. M. Forskål (C.). Types de l'espèce.

Digitized by Google

CONCHOLEPAS.

Concholepas peruviana Lamarck.

a. 5, Chile. M. Marguier (C.).
b. 1, (alc.) Patrie inconnue.

CORALLIOPHILIDAE.

CORALLIOPHILA.

Coralliophila madreporarum Sowerby.

a. 2, Ile Lord Hood (Marutea). M. Cuming (C.).

Coralliophila neritoidea Chemnitz.

a. 3, Amboine. M. Hoedt (C.).
b. 1, Céram. M. Hoedt (C.).
c. 1, Détroit de Larantoeka. M. Semmelink (C.).
d. 1, Flores, baie d'Endeh. M. le Dr. H. ten Kate, 1891 (C.).
e. 6, Tahiti. M. Cuming (C.).
f. 2, Patrie inconnue. Collections Hoogeveen et Tobias.
g. 2, (alc.) Mer Rouge. M. J. A. Kruijt (C.).

Coralliophila neritoidea, var. *squamulosa* Reeve.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).

Coralliophila galea Chemnitz.

a. 4, Antilles. Cabinet Raye.
b. 2, Curaçao. M. le Dr. Epp (P.).

Coralliophila suturalis A. Adams.

a. 1, Variété. Flores, baie d'Endeh. M. le Dr. H. ten Kate (C.).

Coralliophila plicata Mörch.

a. 1, Patrie inconnue.
b. 1, Jeune individu. Timor. M. Zijnen Wartel (C.).

Digitized by Google

Coralliophila squamosissima E. A. Smith.

a. 1, Variété. Batjan. M. Bernstein (C.).
b. 1, Jeune individu. Patrie inconnue.

Coralliophila costularis Lamarck.

a. 1, Côte septentrionale de Timor. M. Zijnen Wartel (C.).

Coralliophila lamellosa Jan.

a. 2, Côte de Sardaigne.
b. 1, Méditerranée. M. Cantraine (C.).

LEPTOCONCHUS.

Leptochonchus serratus Deshayes.

a. 4, Ile de France. M. Frank, 1891.
b. 1, Seychelles. M. Verreaux (C.).
c. 3, Patrie inconnue. M. Landauer.

Leptoconchus Lamarckii Deshayes.

a. 1, Seychelles. M. Verreaux (C.).

Leptoconchus costatus Chemnitz.

a. 2, Ile de France. M. Frank, 1891.

MAGILUS.

Magilus antiquus Montfort.

a. 2, Mer Rouge. M. Ruyssenaers (P.).
b. 2, Océan Indien. Voyage de M. Reinwardt.
c. 2, Amboine. M. Hoedt (C.).
d. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
e. 2, Ile de France. M. Frank, 1891.

Magilus sp.

a. 1, Tube. Côte de Java.

RAPA.

Rapa papyracea Lamarck.

a. 6, Océan Indien. Voyage de M. Reinwardt.

Digitized by Google

b. 3, Banka. M. van den Bossche (P.).
c. 8, Amboine. M. Hoedt (C.).
d. 1, Détroit de Larantoeka. M. Semmelink (C.).
e. 5, Moluques.
f. 2, Patrie inconnue. Collection Tobias.
g. 1, Côte septentrionale de Timor. M. Zijnen Wartel (C.).
h. 8, (alc.) Amboine. M. Forsten (C.).

TAENIOGLOSSA.

TRITONIDAE.

TRITON.

TRITON.

Triton tritonis Linné.

a. 3, Océan Indien.
b. 3, Moluques.
c. 1, Waigéoe. M. Bernstein (C.).
d. 1, Célèbes, Gorontalo. M. von Rosenberg (C.).
e. 1, Nossi-Faly. M. Pollen (C.).
f. 1, Japon. M. von Siebold (C.).
g. 5, Patrie inconnue. Collection Hoogeveen (P.).

Triton nobilis Conrad.

a. 1, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).
b. 1, Curaçao. M. A. J. van Koolwijk, 1879 (C.).
c. 1, St. Thomas. M. le Dr. F. van Calker (C.).
d. 5, Patrie inconnue. M. J. E. G. van Emden, 1892 (P.).

Triton nobilis, var. *seguenzae* Aradas & Benoit.

a. 1, Méditerranée. M. Cantraine (C.).

Digitized by Google

Triton nodiferus Lamarck.

a. 1, Océan Indien.
b. 1, Batjan.
c. 1, Patrie inconnue.

Triton nodiferus, var. *sauliae* Reeve.

a. 4, Japon. M. von Siebold (C.).

Triton australis Chemnitz.

a. 2, La Nouvelle Hollande.

COLUBRARIA.

Triton maculosus Gmelin.

a. 5, Océan Indien.
b. 4, Amboine. M. Hoedt (C.).

Triton Sowerbyi Reeve.

a. 1, Amboine. M. Hoedt (C.).

Triton obscurus Reeve.

a. 3, Océan Indien.
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 2, Patrie inconnue. Collection Tobias.

Triton testaceus Mörch.

a. 1, Curaçao. M. le Dr. Epp, 1888 (C.).

Triton distortus Schubert & Wagner.

a. 1, Patrie inconnue. Collection Tobias.

Triton Cumingii Dohrn.

a. 1, Ile de France. M. Frank.

Triton nitidulus Sowerby.

a. 5, Océan Indien.
b. 5, Amboine. M. Hoedt (C.).

Digitized by Google

Triton tortuosus Reeve.

a. 2, Océan Indien.
b. 2, Patrie inconnue. Collection Tobias.

Triton reticulatus Blainville.

a. 11, Méditerranée.
b. 1, (alc.) Méditerranée. M. Cantraine (C.).

Triton lanceolatus Menke.

a. 4, Porto-Rico. Collection Tobias.

Triton eximius Reeve.

a. 1, Patrie inconnue. M. Goedhuis.

Triton bracteatus Hinds.

a. 2, Iles Sandwich. M. H. Dohrn (P.).

SIMPULUM.

Triton parthenope von Salis.

a. 8, Japon. M. von Siebold (C.).
b. 1, Océan Indien. M. Smitsaard (P.).
c. 1, Naples.
d. 1, (alc.) Océan Indien. M. Macklot (C.).

Triton pilearis Linné.

a. 8, Océan Indien. M. Reinwardt (C.).
b. 7, Amboine. M. Hoedt (C.).
c. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
d. 4, Détroit de Larantoeka. M. Semmelink (C.).
e. 3, Timor. M. Wienecke et M. Zijnen Wartel (C.).
f. 1, Iles Aroe. M. von Rosenberg (C.).
g. 1, Céram. M. Hoedt (C.).
h. 1, Misool. M. Hoedt (C.).
i. 2, Nossi-Bé. M. M. Pollen et van Dam. (C.).
j. 2, (alc.) Amboine. M. Forsten (C.).
k. 3, (alc.) Océan Indien. M. Reinwardt (C.).

Digitized by Google

Triton pilearis, var. *martinianus* d'Orbigny.

a. 5, Côte de l'Amérique.
b. 2, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).
c. 1, Jeune individu. Curaçao. M. le Dr. Epp (C.).

Triton aquatilis Reeve.

a. 6, Côte de l'Amérique.
b. 1, St. Thomas. M. le Dr. F. van Calker (C.)
c. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
d. 1, Halmaheira septentrionale. M. Bernstein (C.).
e. 1, Timor. M. Wienecke (C.).
f. 1, Nossi-Faly. M. M. Pollen et van Dam (C.).
g. 11, Patrie inconnue. Collection Hoogeveen (P.).
h. 1, (alc.) Amboine. M. Forsten (C.).

Triton rubecula Linné.

a. 4, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 25, Amboine. M. Hoedt (C.).
c. 1, Céram. M. Hoedt (C.).
d. 6, Détroit de Larantoeka. M. Semmelink (C.).
e. 1, Timor septentrional. M. Zijnen Wartel (C.).
f. 1, Ile de France. M. Frank.

Triton chlorostomus Lamarck.

a. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 4, Timor. M. Wienecke et M. Zijnen Wartel (C.).
c. 5, Jeunes individus. Curaçao. M. A. J. van Koolwijk (C.).
d. 3, St. Thomas. M. le Dr. F. van Calker (C.).
e. 3, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).
f. 6, Patrie inconnue. Ancien Cabinet.

Triton corrugatus Lamarck.

a. 9, Méditerranée. M. Cantraine (C.).
b. 2, (alc.) Méditerranée. M. Cantraine (C.).

Digitized by Google

Triton ficoides Reeve.

a. 2, Côte de l'Afrique.

Triton lignarius Broderip.

a. 1, St. Elena. M. Cuming (C.).

Triton gemmatus Reeve.

a. 1, Timor septentrional. M. Zijnen Wartel (C.).
b. 1, Patrie inconnue. Collection Hoogeveen (P.).

Triton Pfeifferi Reeve.

a. 1, Patrie inconnue. Collection Voigt.

AQUILLUS.

Triton cutaceus Linné.

a. 6, Méditerranée. M. Cantraine (C.).
b. 5, Océan Atlantique.

Triton cutaceus, var. *Danieli* Locard.

a. 1, Naples. M. Cantraine (C.).

Triton doliarius Linné.

a. 8, Côte de l'Amérique.
b. 3, Patrie inconnue. Collection Tobias.

Triton africanus Adams.

a. 2, Côte de l'Amérique.
b. 1, Patrie inconnue. Collection Dalen.

Triton Spengleri Chemnitz.

a. 2, La Nouvelle Hollande.

Triton labiosus Wood.

a. 1, Amboine. M. Hoedt (C.).
b. 2, Patrie inconnue. Collection Tobias.

Digitized by Google

LOTORIUM.

Triton femoralis Linné.

a. 7, Côte de l'Amérique.
b. 1, Curaçao. M. le Dr. Epp (C.).
c. 1, St. Thomas. M. le Dr. F. van Calker (C.).
d. 1, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).

Triton lotorium Linné.

a. 10, Amboine. M. Hoedt (C.).
b. 2, Timor septentrional. M. Zijnen Wartel (C.).

LINATELLA.

Triton tranquebaricus Lamarck.

a. 1, Libérie. M. J. Büttikofer (C.).
b. 1, Jeune individu. Congo.

Triton cingulatus Lamarck.

a. 1, Océan Indien. Collection Voigt.
b. 1, Détroit de Larantoeka. M. Semmelink (C.).
c. 1, Jeune individu. Amboine.

Triton Wiegmanni Anton.

a. 1, Californie. M. Verreaux (C.).

Triton clandestinus Chemnitz.

a. 6, Amboine. M. Hoedt (C.).
b. 4, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 1, Timor septentrional. M. Zijnen Wartel (C.).
d. 2, Côtes de Samao. M. le Dr. H. ten Kate, 1891 (C.).

PRIENE.

Triton oregonensis Redfield.

a. 1, Japon. M. von Siebold (C.).

Digitized by Google

Triton rudis Broderip.

a. 1, Pérou. M. Cuming (C.).

Triton scaber King.

a. 5, Valparaiso. M. Cuming (C.).

RANULARIA.

Triton cynocephalus Lamarck.

a. 4, Océan Indien.
b. 2, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).
c. 4, Jeunes individus. Japon. M. von Siebold (C.).

Triton pyrum Linné.

a. 6, Océan Indien.
b. 9, Amboine. M. Hoedt (C.).
c. 2, Timor septentrional. M. Zijnen Wartel (C.).

Triton trilineatus Reeve.

a. 3, Mer Rouge. M. Ruyssenaers (P.).
b. 1, (alc.) Djeddah. M. J. A. Kruijt, 1881 (C.).

Triton tripus Chemnitz.

a. 7, Patrie inconnue.

Triton tuberosus Lamarck.

a. 4, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 4, Amboine. M. Hoedt (C.).
c. 1, Côte septentrionale de Timor. M. Zijnen Wartel (C.).
d. 1, Zanzibar. M. Derx.
e. 1, Nossi-Faly. M. M. Pollen et van Dam (C.).
f. 2, Nossi-Bé. M. M. Pollen et van Dam (C.).
g. 1, St. Thomas. M. le Dr. F. van Calker (C.).
h. 2, (alc.) Océan Indien. M. Reinwardt (C.).

Digitized by Google

Triton tuberosus, var. *albocingulatus* Deshayes.

a. 1, Océan Indien.
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).

Triton exaratus Reeve.

a. 1, Variété. Japon, Kanagawa. M. Noordhoek Hegt (C.).

Triton gibbosus Broderip.

a. 1, Golfe de Californie. M. le Dr. H. ten Kate (C.).

Triton retusus Lamarck.

a. 2, Patrie inconnue. Ancien Cabinet et Collection Hoogeveen.

Triton clavator Chemnitz.

a. 3, Océan Indien.
b. 3, Amboine. M. Hoedt (C.).
c. 2, Patrie inconnue. Collection Hoogeveen.

Triton caudatus Gmelin.

a. 1, Moluques.

Triton exilis Reeve.

a. 2, Océan Indien. M. van Doorn (P.).
b. 5, Amboine. M. Hoedt (C.).
c. 1, Moluques.

Triton vespaceus Lamarck.

a. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 6, Timor. M. Wienecke et M. Zijnen Wartel (C.).
c. 4, Moluques. Collection Hoogeveen (P.).

Triton sp.

a. 2, Moluques. M. van Rees (P.).
b. 1, Amboine.

Triton convolutus Broderip.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).

Digitized by Google

ARGOBUCCINUM.

Triton argus Gmelin.

a. 6, Cap. M. Krauss (C.).

GYRINA.

Triton leucostoma Lamarck.

a. 2, La Nouvelle Hollande.

Triton giganteus Lamarck.

a. 2, Côte de l'Amérique.

PERSONA.

Persona anus Linné.

a. 5, Moluques. M. Reinwardt (C.).
b. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 7, Amboine. M. Hoedt (C.).
d. 1, Misool. M. Hoedt (C.).
e. 1, Céram. M. Hoedt (C.).
f. 1, Banka. M. van den Bossche (P.).
g. 1, Célèbes, Gorontalo. M. von Rosenberg (C.).
h. 2, Détroit de Larantoeka. M. Semmelink (C.).
i. 5, Timor. M. Wienecke et M. Zijnen Wartel (C.).
j. 1, Mer Rouge. M. Ruijssenaers (P.).

Persona reticulata Linné.

a. 2, Océan Indien.
b. 2, Amboine. M. Hoedt (C.).
c. 1, Banka. M. van den Bossche (P.).
d. 3, Côte de l'Amérique.
e. 1, Haïti. M. Ricord.

Persona ridens Reeve.

a. 1, Océan Indien.

Digitized by Google

RANELLA.

RANELLA.

Ranella crumena Lamarck.

a. 6, Océan Indien.
b. 2, Moluques. Collection Tobias.

Ranella foliata Broderip.

a. 1, Zanzibar. M. Derx.

Ranella subgranosa Beck.

a. 5, Amboine. M. Hoedt (C.).
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 1, Timor. M. Zijnen Wartel (C.).
d. 5, Philippines.
e. 1, Chine, Amoy. M. G. Schlegel (C.).
f. 1, Japon.

Ranella elegans Beck.

a. 3, Sumatra.
b. 1, (alc.) Padang, Sumatra.

Ranella margaritula Deshayes.

a. 5, Océan Indien.
b. 2, Amboine. M. Hoedt (C.).
c. 2, Timor septentrional. M. Zijnen Wartel (C.).
d. 2, Chine. M. Damon.

Ranella nobilis Reeve.

a. 1, Amboine. M. Hoedt (C.).

Ranella rana Linné.

a. 3, Océan Indien.
b. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 7, Célèbes, Badjoa. M. Moens (C.).

Digitized by Google

Ranella crassa Dillwyn.

a. 4, Océan Indien?

Ranella coelata Broderip.

a. 2, Panama. M. Cuming (C.).

Ranella ponderosa Reeve.

a. 2, Curaçao. M. le Dr. Epp, 1888 (C.).

Ranella scrobiculator Linné.

a. 5, Méditerranée.
b. 1, Iles Ioniennes.
c. 1, Patrie inconnue. M. Frank.

Ranella coriacea Reeve.

a. 1, Panama. M. Cuming (C.).

Ranella granifera Lamarck.

a. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 4, Amboine. M. Hoedt (C.).
c. 14, Timor. M. Wienecke et M. Zijnen Wartel (C.).
d. 2, Détroit de Larantoeka. M. Semmelink (C.).
e. 1, Batjan. M. Bernstein (C.).
f. 6, Nossi-Bé. M. M. Pollen et van Dam (C.).
g. 1, Nossi-Faly. M. M. Pollen et van Dam (C.).
h. 1, Mayotte. M. M. Pollen et van Dam (C.).
i. 8, Moluques. Collection Tobias et Cabinet Hoogeveen.

Ranella affinis Broderip.

a. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 7, Amboine. M. Hoedt (C.).
c. 12, Timor. M. Zijnen Wartel et M. Wienecke (C.).
d. 1, Détroit de Larantoeka. M. Semmelink (C.).
e. 4, Samao. M. le Dr. H. ten Kate, 1891 (C.).
f. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).

Digitized by Google

Ranella Cumingiana Dunker.

a. 6, Mer Rouge. M. Ruyssenaers (P.).

Ranella semigranosa Lamarck.

a. 1, Côte de Natal. M. Krauss (C.).

BUFONARIA.

Ranella spinosa Lamarck.

a. 3, Océan Indien.
b. 2, Patrie inconnue. Collection Hoogeveen.

BURSA.

Ranella bufonia Gmelin.

a. 3, Océan Indien.
b. 2, Amboine. M. Hoedt (C.).
c. 1, Timor. M. Zijnen Wartel (C.).

Ranella siphonata Reeve.

a. 1, Amboine. M. Hoedt (C.).
b. 4, Timor. M. Zijnen Wartel (C.).
c. 1, Variété. Philippines.
d. 1, Variété. Patrie inconnue.
e. 2, (alc.) Amboine. M. Forsten (C.).

Ranella tuberosissima Reeve.

a. 1, Philippines. Collection Tobias.

Ranella cruentata Sowerby.

a. 1, Moluques.
b. 1, Patrie inconnue. Collection Tobias.

COLUBRELLINA.

Ranella candisata Lamarck.

a. 2, Ile Anaa. M. Cuming (C.).

Digitized by Google

ASPA.

Ranella marginata Gmelin.

a. 2, Côte de l'Afrique. M. Verreaux (C.).

LAMPADOPSIS.

Ranella Thomae d'Orbigny.

a. 5, Curaçao. M. A. J. van Koolwijk (C.).
b. 1, St. Thomas. M. le Dr. F. van Calker (C.).

LAMPAS.

Ranella lampas Linné.

a. 13, Océan Indien. Collection Dalen.
b. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 1, Amboine. M. Hoedt (C.).
d. 1, Halmaheira septentrionale. M. Bernstein (C.).
e. 1, Japon. M. von Siebold (C.).
f. 4, Patrie inconnue. Collection Hoogeveen (P.).
g. 1, (alc.) Amboine. M. Forsten (C.).
h. 1, Waigéoe. M. Bernstein (C.).

Ranella ranelloides Reeve.

a. 1, Japon. M. von Siebold (C.).

CROSSATA.

Ranella ventricosa Broderip.

a. 2, Pérou. M. Cuming (C.).

Ranella californica Hinds.

a. 1, Californie. M. H. Fulton.

APOLLO.

Ranella gyrina Linné.

a. 11, Amboine. M. Hoedt (C.).
b. 8, Timor. M. Wienecke et M. Zijnen Wartel (C.).
c. 3, Samao. M. le Dr. H. ten Kate, 1891 (C.).

Digitized by Google

Ranella tuberculata Broderip.

a. 8, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 2, Banka. M. Buddingh (P.).
c. 1, Timor. M. Wienecke (C.).
d. 2, Chine. M. Damon.
e. 2, Océan Pacifique. M. Kramer.

Ranella bitubercularis Lamarck.

a. 2, Brésil? M. d'Orbigny (C.).

Ranella pusilla Broderip.

a. 3, Jeunes individus. Timor. M. Zijnen Wartel (C.).
b. 2, Patrie inconnue. Collection Tobias.

Ranella concinna Dunker.

a. 3, Mer Rouge. M. Forskål (C.).

BIPLEX.

Ranella pulchra Gray.

a. 1, Japon. M. von Siebold (C.).

ASPELLA.

Ranella anceps Lamarck.

a. 2, Ile de France. Mr. Frank.

CASSIDIDAE.

CASSIS.

CASSIS.

Cassis cornuta Linné.

a. 3, Océan Indien.
b. 3, Amboine. M. Hoedt (C.).
c. 1, Timor. M. Zijnen Wartel (C.).
d. 7, Biliton. Mad. Vosmaer.

Digitized by Google

Digitized by Google

MUSÉUM
D'HISTOIRE NATURELLE
DES
PAYS-BAS
PAR

H. SCHLEGEL et F. A. JENTINK.

CATALOGUE DES COLLECTIONS
DÉPOSÉES DANS CET
ÉTABLISSEMENT.

Tome I. Contenant: BUCEROS. — BUCCONES. — CUCULI. — CORACES.
» II. » OTI. — STRIGES. — FALCONES. — CIRCI. — ASTURES. — ASTURINAE. — BUTEONES. — AQUILAE. — MILVI. — PERNES. — POLYBORI. — VULTURES. — OISEAUX DE PROIE (Revue).
» III. » PSITTACI. — PSITTACI (Revue). — MEROPS. — MOMOTUS. — ALCEDINES. — ALCEDINES. (Revue). — PITTA. — PITTA (Revue).
» IV. » COLUMBAE. — STRUTHIONES. — CURSORES.
» V. » SCOLOPACES. — RALLI. — CICONIAE. — ARDEAE. — IBIS.
» VI. » ANSERES. — PROCELLARIAE. — LARI. — STERNAE. — PELECANI. — URINATORES.
» VII. » SIMIAE.
» VIII. » TINAMI. — TABLE ALPHABÉTIQUE.
» IX. » CATALOGUE OSTÉOLOGIQUE DES MAMMIFÈRES.
» XI. » CATALOGUE SYSTÉMATIQUE DES MAMMIFÈRES (SINGES, CARNIVORES, RUMINANTS, PACHYDERMES, SIRÈNES ET CÉTACÉS).
» XII. » CATALOGUE SYSTÉMATIQUE DES MAMMIFÈRES (RONGEURS, INSECTIVORES, CHEIROPTÈRES, ÉDENTÉS ET MARSUPIAUX).

Prix des tomes I—IX, XI et XII flor. 54.75.

Digitized by Google

Mus of Comp. Zool.
APR 21 1900
8397.

MUSÉUM D'HISTOIRE NATURELLE

DES

PAYS-BAS.

TOME XIII.

CATALOGUE SYSTÉMATIQUE

DES

MOLLUSQUES.

DEUXIÈME PARTIE

PAR

R. HORST ET M. M. SCHEPMAN.

LIBRAIRIE ET IMPRIMERIE
CI-DEVANT
E. J. BRILL.
LEIDE — 1899.

Digitized by Google



Digitized by Google

177-360

e. 2, Moluques. M. Reinwardt (C.).
f. 1, Côte de Bornéo.
g. 1, Philippines. M. A. van der Valk, 1890 (C.).
h. 1, Nossi-Bé. M. M. Pollen et van Dam (C.).
i. 6, Patrie inconnue.

Cassis madagascariensis Lamarck.

a. 1, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).
b. 4, Patrie inconnue.

Cassis tuberosa Linné.

a. 2, Surinam.
b. 1, Indes Occidentales. M. M. Kraepelin et Holm (C.).
c. 1, Aruba. M. A. J. van Koolwijk, 1879 (C.).
d. 1, Patrie inconnue. Collection Hoogeveen.

Cassis flammea Linné.

a. 3, Océan Indien?
b. 6, Patrie inconnue.
c. 1, Curaçao. M. A. J. van Koolwijk, 1879 (C.).

Cassis spinosa Gronovius.

a. 1, Côte de l'Afrique, Robertsport. M. Demery, 1891 (C.).
b. 3, Océan Pacifique.

Cassis fimbriata Quoy & Gaimard.

a 1, Océan Atlantique. Ancien Cabinet.

LEVENIA.

Cassis coarctata Gray.

a. 1, Mazatlan. M. Verreaux (C.).
b. 1, Iles Galapagos. M. Cuming (C.).
c. 1, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Digitized by Google

SEMICASSIS.

Cassis saburon Adanson.

a. 2, Ocean Indien?
b. 1, Japon.

Cassis japonica Reeve.

a. 6, Japon.

Cassis pila Reeve.

a. 2, Patrie inconnue. Collection Dalen.
b. 1, Java, Tjilatjap. M. Overdijk (C.).
c. 1, Amboine. M. Hoedt (C.).
d. 1, Misool.
e. 1, Jeune individu. Banka. M. van den Bossche (P.).
f. 1, Variété. Moluques, 1877.
g. 3, Variété. Océan Indien.
h. 3, Biliton. Mad. Vosmaer, 1885.
i. 2, Variété. Ile de France. M. Frank.
j. 2, Variété. Patrie inconnue.
k. 1, (alc.) Japon. M. von Siebold (C.).

Cassis canaliculata Bruguière.

a. 5, Ceylan.
b. 1, Patrie inconnue. Collection Hoogeveen (P.).

Cassis bisulcata Schubert & Wagner.

a. 6, Océan Indien.
b. 1, Java, Tjilatjap. M. Overdijk (C.).
c. 4, Banka. M. van den Bossche (P.).
d. 6, Amboine. M. Hoedt (C.).
e. 1, Japon.
f. 1, (alc.) Amboine. M. Forsten (C.).

Cassis semigranosa Wood.

a. 1, La Nouvelle-Hollande.

Digitized by Google

Cassis inflata Shaw.

a. 10, Patrie inconnue. Collection Dalen.
b. 1, Variété. Ancien Cabinet.

Cassis abbreviata Lamarck.

a. 3, Patrie inconnue. Collection Dalen.

Cassis abbreviata, var. *centiquadrata* Valenciennes.

a. 1, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).
b. 1, Monstruosité. Patrie inconnue.

Cassis abbreviata, var. *doliata* Valenciennes.

a. 5, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Cassis sulcosa Bruguière.

a. 4, Algers. M. Guyon (P.).
b. 1, Tripoli.
c. 1, Méditerranée, Sardaigne. M. Cantraine (C.).
d. 3, Surinam.
e. 1, Haïti. M. Ricord.

Cassis cicatricosa Meuschen.

a. 1, St. Thomas. M. le Dr. F. van Calker (C.).

BEZOARDICA.

Cassis glauca Linné.

a. 13, Océan Indien.
b. 2, Biliton. Mad. Vosmaer, 1885.
c. 2, Amboine. M. Hoedt (C.).
d. 1, Célèbes, Menado. M. Bernstein (C.).
e. 1, Golfe de Gorontalo. M. von Rosenberg (C.).
f. 2, Timor. M. Wienecke (C.).
g. 1, (alc.) Amboine. M. Forsten (C.).

Cassis coronulata Sowerby.

a. 3, Océan Indien.
b. 2, Biliton.

Digitized by Google

Cassis areola Linné.

a. 8, Océan Indien.
b. 7, Java, Tjilatjap. M. Overdijk (C.).
c. 4, Amboine. M. Hoedt (C.).
d. 4, Misool. M. Bernstein (C.).
e. 1, Timor. M. Zijnen Wartel (C.).

Cassis strigata Gmelin.

a. 2, Japon. M. von Siebold (C.).
b. 3, Patrie inconnue. Cabinet Dalen et Collection Hoogeveen.

Cassis plicata Linné.

a. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Amboine. M. Hoedt (C.).
c. 1, Patrie inconnue.

Cassis decussata Linné.

a. 4, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Timor. M. Zijnen Wartel (C.).
c. 8, Patrie inconnue. Cabinet Raye.

CASMARIA.

Cassis vibex Linné.

a. 9, Océan Indien.
b. 11, Amboine. M. Hoedt (C.).
c. 2, Banka. M. van den Bossche (P.).
d. 6, Timor. M. Wienecke et M. Zijnen Wartel (C.).
e. 2, Misool.
f. 2, Mayotte. M. M. Pollen et van Dam (C.).
g. 1, Iles des Amis.
h. 1, Curaçao? M. le Dr. Herklots (P.).
i. 9, Variété. Océan Indien. Cabinet Dalen et Collection Hoogeveen.
j. 1, Variété. Haïti? M. Ricord.
k. 1, Bornéo. M. Semmelink (C.).

Digitized by Google

Cassis vibex, var. *erinacea* Linné.

a. 10, Océan Indien.
b. 7, Timor. M. Zijnen Wartel (C.).
c. 1, Banka. M. van den Bossche (P.).
d. 1, Amboine. M. Hoedt (C.).

Cassis torquata Reeve.

a. 5, Océan Indien.
b. 3, Banka. M. van den Bossche (P.).
c. 4, Amboine. M. Hoedt (C.).
d. 1, Timor. M. Zijnen Wartel (C.).
e. 1, Nossi-Bé. M. M. Pollen et van Dam (C.).
f. 5, Patrie inconnue. Collection Hoogeveen.
g. 8, Variété. Océan Indien. Collection Dalen.
h. 2, Variété. Banka. M. van den Bossche (P.).
i. 5, Variété. Amboine. M. Hoedt (C.).
j. 5, Variété. Timor. M. Zijnen Wartel (C.).
k. 1, Variété. Iles des Amis.

Cassis turgida Reeve.

a. 2, Océan Indien.

Cassis paucirugis Menke.

a. 1, Patrie inconnue. Collection Dalen.

Cassis achatina Lamarck.

a. 1, La Nouvelle Hollande.

Cassis pyrum Lamarck.

a. 4, La Nouvelle Hollande.

Cassis pyrum, var. *zeylanica* Lamarck.

a. 4, Ceylan. Collection Raye.

CYPRAECASSIS.

Cassis rufa Linné.

a. 10, Océan Indien.

Digitized by Google

b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 3, Amboine. M. Hoedt (C.).
d. 1, Timor. M. Zijnen Wartel (C.).
e. 3, Waigéoe. M. Bernstein (C.).
f. 2, Nossi-Bé. M. M. Pollen et van Dam (C.).
g. 1, Mayotte. M. M. Pollen et van Dam (C.).
h. 1, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).
i. 2, Patrie inconnue.

Cassis tenuis Gray.

a. 2, Iles Galapagos. M. Cuming (C.).

Cassis testiculus Linné.

a. 4, Curaçao. M. A. J. van Koolwijk (C.).
b. 2, Haïti. M. Ricord.
c. 1, Indes Occidentales, Possessions Danoises. M. M. Kraepelin et Holm (C.).
d. 12, Patrie inconnue. Collection Hoogeveen (P.).

Cassis crumena Bruguière.

a. 1, Océan Indien.

MORIO.

MORIO.

Morio echinophora Linné.

a. 9, Golfe de Gênes. M. Cantraine (C.).
b. 1, Haïti? M. Ricord.
c. 3, Variété. Méditerranée.

Morio tyrrhena Chemnitz.

a. 1, Méditerranée.
b. 1, Patrie inconnue. Collection Tobias.

Digitized by Google

SCONSIA.

Morio striata Lamarck.

a. 1, Patrie inconnue.

ONISCIA.

ONISCIA.

Oniscia oniscus Linné.

a. 8, Patrie inconnue. Cabinet Hoogeveen et Collection Tobias.

Oniscia Lamarcki Deshayes.

a. 5, Curaçao. M. A. J. van Koolwijk (C.).
b. 1, Jamaica.

ONISCIDIA.

Oniscia cancellata Kiener.

a. 1, Iles Galapagos.
b. 2, Patrie inconnue. Collection Dalen.

Oniscia Macandrewi Sowerby.

a. 1, Patrie inconnue.

PLESIONISCIA.

Oniscia tuberculosa Sowerby.

a. 3, Iles Galapagos. M. Cuming (C.).
b. 2, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

DOLIIDAE.

DOLIUM.

DOLIUM.

Dolium galea Linné.

a. 2, Méditerranée. M. Cantraine (C.).

Digitized by Google

b. 4, Océan Indien? M. Reinwardt (C.).
c. 1, Mer Rouge. M. Ruyssenaers (P.).
d. 2, Patrie inconnue. M. Smissaard.

Dolium luteostomum Küster.

a. 7, Japon. M. von Siebold (C.).
b. 1, Japon, Kanagawa. M. Noordhoek Hegt.
c. 11, Jeunes individus. Patrie inconnue.

Dolium variegatum Lamarck.

a. 2, La Nouvelle Hollande.

Dolium chinense Dillwyn.

a. 2, Mer de Chine. Collection Dalen.

Dolium olearium Bruguière.

a. 4, Océan Indien.
b. 5, Amboine. M. Hoedt (C.).
c. 1, Flores. M. Semmelink (C.).
d. 2, Rotti. M. le Dr. H. ten Kate, 1891 (C.).
e. 1, Samao. M. le Dr. H. ten Kate, 1891 (C.).
f. 3, Misool.
g. 6, Japon.
h. 2, Cap.
i. 3, Zanzibar. M. Derx.
j. 1, Nossi-Faly. M. M. Pollen et van Dam (C.).
k. 1, Mer Rouge. M. Ruyssenaers (P.).
l. 2, (alc.) Amboine. M. Forsten et M. Hoedt (C.).
m. 1, (alc.) Mer Rouge, Djeddah. M. J. A. Kruijt (C.).

Dolium zonatum Green.

a. 1, Zanzibar. M. Derx.
b. 2, Patrie inconnue. Cabinet Dalen et Collection Hoogeveen.

Dolium fasciatum Bruguière.

a. 5, Océan Indien.

Digitized by Google

b. 2, Amboine. M. Hoedt (C.).
c. 1, Macassar. M. Piller (C.).
d. 2, Célèbes, Badjoa. M. Moens (C.).

Dolium lactescens Martyn.

a. 9, Océan Indien. Voyage de M. Reinwardt.
b. 11, Amboine. M. Hoedt (C.).
c. 2, Banka. M. van den Bossche (P.).
d. 1, Célèbes, Badjoa. M. Moens (C.).
e. 1, Timor. M. Wienecke (C.).
f. 1, Batjan. M. Bernstein (C.).
g. 2, Misool.
h. 2, Japon. M. von Siebold (C.).
i. 2, (alc.) Sumatra.

Dolium maculatum Lamarck.

a. 3, Océan Indien. Voyage de M. Reinwardt.
b. 4, Japon. M. von Siebold (C.).
c. 1, Jeune individu. Sumatra.
d. 6, Patrie inconnue. Collection Hoogeveen (P.).

Dolium Lischkeanum Küster.

a. 2, Océan Indien. Voyage de M. Reinwardt.
b. 1, Biliton.

Dolium tessellatum Lamarck.

a. 1, Java. M. Junghuhn (C.).
b. 2, Amboine. M. Hoedt (C.).
c. 1, Misool.
d. 8, Patrie inconnue. Collections Hoogeveen et Tobias.
e. 4, (alc.) Océan Indien. M. Reinwardt et M.M. Kuhl et van Hasselt (C.).

Dolium Deshayesii Reeve.

a. 1, Patrie inconnue. Collection Raye.

Digitized by Google

Dolium pictum Schepman.

a. 1, La Nouvelle Hollande? Collection Raye. Type de l'espèce.

PERDIX.

Dolium perdix Linné.

a. 3, Amboine. M. Hoedt (C.).
b. 2, Rotti. M. le Dr. H. ten Kate, 1891 (C.).
c. 1, Timor. M. Wienecke (C.).
d. 1, Banka. M. Buddingh (P.).
e. 3, Waigéoe. M. Bernstein (C.).
f. 2, Variété. Japon. M. von Siebold (C.).
g. 2, Curaçao. M. A. J. van Koolwijk (C.).
h. 2, Aruba. M. A. J. van Koolwijk (C.).
i. 1, St. Thomas.
j. 1, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).
k. 1, Haïti. M. Ricord.
l. 16, Patrie inconnue. Collection Hoogeveen et M. J. E. G. van Emden, 1892 (P.).

MALEA.

Dolium pomum Linné.

a. 10, Océan Indien. Voyage de M. Reinwardt.
b. 6, Amboine. M. Hoedt (C.).
c. 3, Misool.
d. 1, Soëk. M. von Rosenberg (C.).
e. 4, Timor. M. Zijnen Wartel (C.).
f. 2, Singapore. M. Buddingh (P.).
g. 3, Mer Rouge. M. Ruyssenaers (P.).

Dolium dentatum Barnes.

a. 3, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).
b. 2, Pérou. M. Cuming (C.).

Digitized by Google

PIRULA.

Pirula reticulata Lamarck.

a. 13, Côte de l'Amérique. Ancien Cabinet et Collection Dalen.

Pirula reticulata, var. *ficoides* Lamarck.

a. 12, Océan Indien. Collection Dalen et Voyage de M. Blume.
b. 2, Amboine. M. Hoedt (C.).
c. 2, Célèbes, Badjoa. M. Moens (C.).
d. 3, Japon. M. von Siebold (C.).
e. 1, Zanzibar. M. Derx.
f. 1, (alc.) Japon. M. von Siebold (C.),

Pirula ficus Linné.

a. 13, Océan Indien. Collection Dalen.
b. 3, Sumatra, Padang. M. S. Müller (C.).
c. 1, Banka. M. van den Bossche (P.).
d. 1, Amboine. M. Hoedt (C.).
e. 5, Célèbes, Badjoa. M. Moens, 1863 (C.).
f. 1, Iles Obi. M. Bernstein, 1863 (C.)
g. 3, (alc.) Sumatra, Padang.

Pirula Dussumieri Valenciennes.

a. 2, Patrie inconnue. M. Turner et Collection Dalen.

CYPRAEIDAE.

OVULA.

AMPHIPERAS.

Ovula ovum Linné.

a. 9, Océan Indien. Voyage de M. Reinwardt.
b. 2, Côte de Java. M. Groen, 1861 et M. Overdijk, 1865 (C.).
c. 4, Amboine. M. Hoedt (C.).
d. 2, Céram. M. Hoedt (C.).
e. 1, Iles Obi. M. Bernstein (C.).

Digitized by Google

f. 1, Waïgéoe. M. Bernstein (C.).
g. 1, Détroit de Larantoeka. M. Semmelink (C.).
h. 4, Timor. M Wienecke et M. Zijnen Wartel (C.).
i. 1, Zanzibar. M. Derx.
j. 3, Sakatia. M.M. Pollen et van Dam (C.).
k. 2, Nossi-Bé. M.M. Pollen et van Dam (C.).
l. 1, Indes Occidentales? Possessions Danoises. M.M. Kraepelin et Holm (C.).
m. 2, (alc.) Océan Indien. M. Reinwardt (C.).
n. 2, (alc.) Amboine. M. Forsten (C.).

Ovula tortilis Martyn.

a. 3, Océan Indien. M. Goedhuis et Collection Dalen.

Ovula lactea Lamarck.

a. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 2, Détroit de Larantoeka. M. Semmelink (C.).
c. 4, Moluques. Voyage de M. Reinwardt.
d. 1, Timor. M. Wienecke (C.).
e. 1, Réunion. M.M. Pollen et van Dam (C.).

Ovula adriatica Sowerby.

a. 4, Adriatique.
b. 1, Méditerranée. M. Cantraine (C.).
c. 1, Sicile. M. Marguier.

Ovula carnea Poiret.

a. 14, Méditerranée. M. Cantraine (C.).
b. 1, Adriatique.

Ovula triticea Lamarck.

a. 1, Japon. M. von Siebold (C.).
b. 1, Chine, Amoy. M. G. Schlegel (C.).

Ovula rhodia Adams.

a. 1, Japon. M. von Siebold (C.).

Digitized by Google

CYPHOMA.

Ovula intermedia Sowerby.

a. 1, Patrie inconnue. Collection Dalen.

Ovula gibbosa Linné.

a. 10, Curaçao. M. Steenberghe, M. A. J. van Koolwijk et M. le Dr. Epp (C.).
b. 5, Surinam.
c. 1, St. Thomas.
d. 3, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).
e. 3, Variété. Surinam.

RADIUS.

Ovula longirostrata Sowerby.

a. 1, Patrie inconnue. Collection Raye.

Ovula volva Linné.

a. 5, Océan Indien. Voyage de M. Reinwardt.
b. 3, Japon. M. von Siebold (C.).
c. 2, Patrie inconnue. Collection Hoogeveen.

Ovula rosea Adams.

a. 1, Japon. M. von Siebold (C.).

Ovula Adamsi Dunker.

a. 1, Japon. M. von Siebold (C.).

Ovula Sowerbyana Weinkauff.

a. 2, Côte de Java. Voyage de M. Reinwardt.

Ovula spelta Linné.

a. 2, Méditerranée.

Ovula californica Sowerby.

a. 2, Mazatlan. M. Verreaux (C.).

Digitized by Google

b. 2, Amérique Méridionale. M. Damon.

CALPURNUS.

Ovula verrucosa Linné.

a. 4, Océan Indien. Voyage de M. Reinwardt.
b. 3, Banka. M. van den Bossche (P.).
c. 7, Amboine. M. Hoedt (C.).
d. 5, Détroit de Larantoeka. M. Semmelink. (C.).
e. 7, Timor. M. Wienecke et M. Zijnen Wartel (C.).
f. 4, (alc.) Amboine. M. Forsten (C.).

Ovula dentata Adams et Reeve.

a. 1, Japon. M. von Siebold (C.).

Ovula hordacea Lamarck.

a. 3, St. Elena. M. Cuming (C.).

ERATO.

Erato laevis Donovan.

a. 7, Méditerranée. M. Cantraine (C.).

Erato lachryma Gray.

a. 7, Japon. M. von Siebold (C.).

CYPRAEA.

CYPRAEA.

Cypraea exanthema Linné.

a. 9, Côte de l'Amérique.
b. 2, Curaçao. M. Steenberghe (C.).
c. 2, Patrie inconnue. M. J. E. G. van Emden, 1892. (P,).

Cypraea cervus Linné.

a. 3, Côte de l'Amérique.
b. 1, Patrie inconnue. Cabinet Dalen.

Digitized by Google

Cypraea testudinaria Linné.

a. 4, Moluques. M. Reinwardt (C.).
b. 2, Amboine. M. Hoedt (C.).
c. 1, Banka. M. Buddingh (P.).

Cypraea argus Linné.

a. 8, Moluques. M. Reinwardt (C.).
b. 6, Timor. M. Zijnen Wartel (C.).
c. 6, Banka. M. Buddingh (P.).
d. 1, Biliton.
e. 1, Sakatia. M.M. Pollen et van Dam (C.).
f. 1, Nossi-Mitsian. M.M. Pollen et van Dam (C.).
g. 2, Iles des Amis.

Cypraea talpa Linné.

a. 5, Moluques. M. Reinwardt (C.).
b. 3, Amboine. M. Hoedt (C.).
c. 2, Timor. M. Zijnen Wartel (C.).
d. 3, Japon. M. von Siebold (C.).
e. 1, Zanzibar. M. Derx.
f. 2, Sakatia. M.M. Pollen et van Dam (C.).
g. 1, Mayotte. M.M. Pollen et van Dam (C.).
h. 5, Nossi-Faly. M.M. Pollen et van Dam (C.).
i. 1, Indes Occidentales? Possessions Danoises. M.M. Kraepelin et Holm (C.).
j. 2, Iles des Amis.
k. 2, (alc.) Manipa. M. Hoedt (C.).

Cypraea lurida Linné.

a. 4, Méditerranée. M. Cantraine. (C.).
b. 2, Tripoli.
c. 6, Côte de Guinée et Angola. M. Pel et M. van Woerden (C.).

Cypraea pulchra Gray.

a. 1, Mer Rouge. M. Ruyssenaers (P.).

Digitized by Google

Cypraea isabella Linné.

a. 14, Amboine. M. Hoedt (C.).
b. 1, Manipa. M. Hoedt (C.).
c. 2, Misool. M. Hoedt (C.).
d. 5, Timor. M. Wienecke et M. Zijnen Wartel (C.).
e. 2, Détroit de Larantoeka. M. Semmelink (C.).
f. 9, Côte de Java, Tjilatjap. M. Overdijk (C.).
g. 3, Banka. M. van den Bossche et M. Buddingh (P.).
h. 2, Réunion. M.M. Pollen et van Dam (C.).
i. 1, Mayotte. MM. Pollen et van Dam (C.).
j. 1, Sakatia. M.M. Pollen et van Dam (C.).
k. 2, Nossi-Bé. M.M. Pollen et van Dam (C.).
l. 2, Nossi-Faly. M.M. Pollen et van Dam (C.).
m. 1, Indes Occidentales? Possessions Danoises. M.M. Kraepelin et Holm (C.).
n. 2, Iles des Amis.

Cypraea cinerea Gmelin.

a. 6, Surinam.
b. 3, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).
c. 3, St. Thomas. M. le Dr. F. van Calker, 1866 (C.).
d. 10, Curaçao. M. le Dr. Epp (C.).
e. 3, Java? M. Reinwardt (C.).
f. 2, Amboine? M. Hoedt (C.).

Cypraea irrorata Solander.

a. 2, Iles de la Société. M. Newcomb.

Cypraea interrupta Gray.

a. 14, Côte de Java, Tjilatjap M. Overdijk (C.).

Cypraea tabescens Solander.

a. 8, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Détroit de Larantoeka. M. Semmelink (C.).

Digitized by Google

c. 2, Amboine. M. Hoedt (C.).
d. 2, Moluques.
e. 1, Océan Pacifique. M. Cuming (C.).

Cypraea quadrimaculata Gray.

a. 2, Océan Indien. M. Reinwardt (C.).
b. 1, Singapore. M. Buddingh (P.).

Cypraea cylindrica Born.

a. 6, Océan Indien. M. Reinwardt (C.).
b. 1, Banka. M. van den Bossche (P.).
c. 4, Timor. M. Zijnen Wartel (C.).
d. 4, Amboine. M. Hoedt (C.).

Cypraea felina, var. *ursellus* Gmelin.

a. 3, Océan Indien. M. Reinwardt (C.).
b. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).

Cypraea hirundo Linné.

a. 1, Océan Indien. M. Reinwardt (C.).

Cypraea neglecta Sowerby.

a. 9, Océan Indien. M. Reinwardt (C.).
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 3, Timor. M. Zijnen Wartel et M. Wienecke (C.).
d. 2, Ile de France. M. Frank.

Cypraea neglecta, var. *coffea* Sowerby.

a. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Timor. M. Zijnen Wartel. (C.).

Cypraea fimbriata Gmelin.

a. 9, Mer Rouge. M. Ruyssenaers (P.).
b. 1, (alc.) Djeddah. M. J. A. Kruijt (C.).

Cypraea microdon Gray.

a. 1, Ile de France. M. Frank.

Digitized by Google

Cypraea macula Adams.

a. 10, Japon. M. von Siebold' (C.).

Cypraea erythraeensis Beck.

a. 1, Mer Rouge. M. Ruyssenaers (P.).

Cypraea stolida Linné.

a. 3, Océan Indien.

ARICIA.

Cypraea ventriculus Lamarck.

a. 4, Ile Anna. Cabinet Dalen et M. Cuming.

Cypraea arenosa Gray.

a. 2, Ile Anna. M. Cuming (C.).

Cypraea carneola Linné.

a. 11, Moluques. M. Reinwardt. (C.).
b. 4, Timor. M. Zijnen Wartel (C.).
c. 2, Détroit de Larantoeka. M. Semmelink (C.).
d. 2, Banka. M. van den Bossche (P.).
e. 6, Côte de Zanzibar. M. Derx.
f. 7, Mer Rouge. M. Ruyssenaers (P.).
g. 7, Nossi-Bé. M.M. Pollen et van Dam (C.).
h. 5, Nossi-Faly. M.M. Pollen et van Dam (C.).
i. 5, Mayotte. M.M. Pollen et van Dam (C.).
j. 1, Sakatia. M.M. Pollen et van Dam (C.).
k. 2, Iles des Amis.
l. 1, Indes Occidentales, Possessions Danoises? M.M. Kraepelin et Holm (C.).
m. 5, (alc.) Djeddah. M. J. A. Kruijt (C.).

Cypraea caurica Linné.

a. 20, Océan Indien. M. Reinwardt (C.).
b. 4, Timor. M. Wienecke et M. Zijnen Wartel (C.).

Digitized by Google

c. 7, Amboine. M. Hoedt (C.).
d. 6, Mer Rouge. M. Ruyssenaers (P.).
e. 6, Côte de Zanzibar. M. Derx.
f. 14, Nossi-Faly. M.M. Pollen et van Dam (C.).
g. 6, Nossi-Bé. M.M. Pollen et van Dam (C.).
h. 2, Mayotte. M.M. Pollen et van Dam (C.).
i. 2, Côte de Guinée. M. Pel (C.).
j. 3, Haïti? M. Ricord.
k. 4, Indes Occidentales, Possessions Danoises? M.M. Kraepelin et Holm (C.).
l. 6, (alc.) Djeddah. M. J. A. Kruyt (C.).

Cypraea variolaria Lamarck.

a. 7, Océan Indien.
b. 1, Mayotte. M.M. Pollen et van Dam (C.).
c. 1, Cote de Guinée? M. Pel (P.).

Cypraea variolaria, var. *coloba* Melvill.

a. 4, Moluques.

Cypraea vitellus Linné.

a. 14, Moluques. M. Reinwardt (C.).
b. 2, Céram. M. Hoedt (C.).
c. 1, Amboine. M. Hoedt (C.).
d. 7, Détroit de Larantoeka. M. Semmelink (C.).
e. 3, Timor. M. Wienecke (C.).
f. 1, Iles Aroe. M. von Rosenberg (C.).
g. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
h. 2, Banka. M. van den Bossche (P.).
i. 6, Japon? M. von Siebold (C.).
j. 4, Côte de Zanzibar. M. Derx.
k. 2, Sakatia. M.M. Pollen et van Dam (C.).
l. 4, Mayotte. M.M. Pollen et van Dam (C.).
m. 3, Nossi-Faly. M.M. Pollen et van Dam (C.).
n. 8, Nossi-Bé. M.M. Pollen et van Dam (C.).

Digitized by Google

o. 1, (alc.) Océan Indien. M. S. Müller (C.).
p. 1, (alc.) Manipa. M. Hoedt (C.).

Cypraea vitellus, var. *nivosa* Broderip.

a. 2, Collection Dalen.

Cypraea melanostoma Leathes.

a. 8, Mer Rouge. M. Ruyssenaers et M. Turner (P.).

Cypraea mappa Linné.

a. 11, Moluques. M. Reinwardt (C.).
b. 2, Nossi-Faly. M.M. Pollen et van Dam (C.).
c. 2, Sakatia. M.M. Pollen et van Dam (C.).
d. 1, Ile de France. M.M. Pollen et van Dam (C.).
e. 3, Timor. M. Zijnen Wartel (C.).
f. 1, Amboine. M. Hoedt (C.).
g. 1, Biliton.

Cypraea arabica Linné.

a. 14, Moluques.
b. 3, Célèbes, Boni. M. Moens (C.).
c. 2, Halmaheira. M. Bernstein (C.).
d. 3, Iles Obi. M. Bernstein (C.).
e. 3, Céram. M. Hoedt (C.).
f. 6, Amboine. M. Hoedt (C.).
g. 1, Iles Aroe. M. von Rosenberg (C.).
h. 1, Détroit de Larantoeka. M. Semmelink (C.).
i. 4, Timor. M. Wienecke (C.).
j. 6, Côte de Java, Tjilatjap. M. Overdijk (C.).
k. 3, Biliton.
l. 2, Banka. M. van den Bossche (P.).
m. 4, Singapore. M. Buddingh (P.).
n. 8, Mer Rouge. M. Ruyssenaers (P.).
o. 5, Madagascar.
p. 2, Mayotte. M.M. Pollen et van Dam (C.).
q. 1, Nossi-Faly. M.M. Pollen et van Dam (C.).

Digitized by Google

r. 2, Indes Occidentales, Possessions Danoises? M.M. Kraepelin et Holm (C.).

s. 7, (alc.) Océan Indien. M. S. Müller (C.).

Cypraea reticulata Martyn.

a. 6, Moluques. M. Reinwardt (C.).

b. 3, Japon. Jardin zoologique à Amsterdam, „Natura Artis Magistra" (P.).

c. 1, Sakatia. M.M. Pollen et van Dam (C.).

d. 1, Variété. Patrie inconnue. Collection Hoogeveen. (P.)

Cypraea scurra Chemnitz.

a. 3, Moluques.

b. 2, Ile Anna. M. Cuming (C.).

c. 5, Nossi-Faly. M.M. Pollen et van Dam (C.).

d. 1, Ile de France. M. Frank.

Cypraea arabicula Lamarck.

a. 3, Panama. M. Turner.

b. 3, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Cypraea punctulata Gray.

a. 3, Panama. M. Cuming (C.).

Cypraea mauritiana Linné.

a. 11, Moluques. M. Reinwardt (C.).

b. 11, Côte de Java, Tjilatjap. M. Overdijk (C.).

c. 3, Timor. M. Zijnen Wartel (C.).

d. 2, Ile Rau. M. Bernstein (C.).

e. 3, Iles Obi. M. Bernstein (C.).

f. 4, Réunion. M.M. Pollen et van Dam (C.).

g. 1, (alc.) Océan Indien. M. S. Müller (C.).

Cypraea mus Linné.

a. 1, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).

Digitized by Google

b. 10, Patrie inconnue. Collection Hoogeveen (P.).

Cypraea mus, var. *bicornis* Sowerby.

a. 4, Patrie inconnue.

Cypraea caput-serpentis Linné.

a. 13, Moluques. M. Reinwardt (C.).
b. 7, Waigéoe. M. Bernstein (C.).
c. 5, Iles Obi. M. Bernstein (C.).
d. 5, Amboine. M. Hoedt (C.).
e. 1, Céram. M. Hoedt (C.).
f. 1, Détroit de Larantoeka. M. Semmelink (C.).
g. 5, Timor. M. Zijnen Wartel (C.).
h. 9, Côte de Java, Tjilatjap. M. Overdijk (C.).
i. 3, Banka. M. van den Bossche (P.).
j. 2, Singapore. M. Buddingh (P).
k. 10, Japon. M. von Siebold (C.).
l. 3, Jeunes individus. Réunion. M.M. Pollen et van Dam (C).
m. 1, Sakatia. M.M. Pollen et van Dam (C.).
n. 1, Indes Occidentales, Possessions Danoises? M.M. Kraepelin et Holm (C.).

Cypraea moneta Linné.

a. 23, Moluques. M. Reinwardt (C.).
b. 4, Amboine. M. Hoedt (C.).
c. 8, Timor. M. Zijnen Wartel et M. Wienecke (C.).
d. 1, Détroit de Larantoeka. M. Semmelink (C.).
e. 3, Banka. M van den Bossche (P.).
f. 8, Japon. M. von Siebold (C.).
g. 11, Méditerranée? M. Cantraine (C.).
h. 7, Indes Occidentales, Possessions Danoises? M.M. Kraepelin et Holm (C.).

Cypraea moneta, var. *icterina* Lamarck.

a. 1, Zanzibar. M. Derx.

Digitized by Google

Cypraea annulus Linné.

a. 13, Moluques. M. Reinwardt (C.).
b. 5, Amboine. M. Hoedt (C.).
c. 1, Batjan. M. Bernstein (C.).
d. 23, Timor. M. Zijnen Wartel (C.).
e. 4, Détroit de Larantoeka. M. Semmelink (C.).
f. 8, Côte de Java, Tjilatjap. M. Overdijk, 1865 (C.).
g. 1, Banka. M. van den Bossche (P.).
h. 2, Biliton.
i. 5, Japon. M. von Siebold (C.).
j. 8, Zanzibar. M. Derx.
k. 17, Madagascar. M. Pollen (C.).
l. 3, Nossi-Faly, M.M. Pollen et van Dam. (C.).
m. 6, Nossi-Bé. M.M. Pollen et van Dam (C.).
n. 1, Mayotte. M.M. Pollen et van Dam (C.).
o. 11, Mer Adriatique? M. Cantraine (C.).
p. 2, Iles Andaman. M. le Col. Worthington Wilmer (C.).
q. 15, (alc.) Sumatra. M. S. Müller (C.).

Cypraea obvelata Lamarck.

a. 3, Tahiti. M. Cuming (C.).
b. 7, Moorea (Eimeo). M. le dr. H. ten Kate, 1892 (C.).

LUPONIA.

Cypraea stercoraria Linné.

a. 6, Côte de Guinée, Saccondée. M. Pel (C.).
b. 6, Angola. M. van Woerden, 1870 (C.).

Cypraea stercoraria, var. *rattus* Lamarck.

a. 4, Patrie inconnue.

Cypraea Scotti Broderip.

a. 1, La Nouvelle Hollande. M. Verreaux (C.).

Cypraea decipiens E. A. Smith.

a. 1, Patrie inconnue. M. G. B. Sowerby.

Digitized by Google

Cypraea aurora Chemnitz.

a. 1, La Nouvelle Zélande.

Cypraea tigris Linné.

a. 18, Océan Indien. M. Reinwardt (C.).
b. 6, Amboine. M. Hoedt (C.).
c. 1, Iles Obi. M. Bernstein (C.).
d. 1, Célèbes, Badjoa. M. Moens (C.).
e. 1, Ile Rau. M. Bernstein (C.).
f. 1, Waigéoe. M. Bernstein (C.).
g. 4, Misool. M. Hoedt. (C.).
h. 3, Timor. M. Wienecke et M. Zijnen Wartel (C.).
i. 2, Détroit de Larantoeka. M. Semmelink (C.).
j. 2, Côte de Java, Tjilatjap. M. Overdijk, 1865. (C.).
k. 1, Biliton.
l. 1, Japon. Jardin zoologique à Amsterdam (P.).
m. 3, Mayotte. M.M. Pollen et van Dam (C.).
n. 3, Nossi-Bé. M.M. Pollen et van Dam (C.).
o. 3, Indes Occidentales, Possessions Danoises? MM. Kraepelin et Holm (C.).
p. 1, Iles des tigres. M. van der Ven (P.).
q. 1, Monstruosité. Patrie inconnue.
r. 1, (alc.) Amboine. M. Forsten (C.).
s. 1, (alc.) Patrie inconnue.

Cypraea pantherina Solander.

a. 13, Mer Rouge. M. Ruyssenaers (P.).
b. 3, Océan Indien.
c. 1, Patrie inconnue. M. J. E. G. van Emden, 1892 (P.).
d. 3, (alc.) Djeddah. M. J. A. Kruijt (C.).

Cypraea lynx Linné.

a. 12, Moluques.
b. 12, Amboine. M. Hoedt (C.).

Digitized by Google

c. 4, Waigéoe. M. Bernstein (C.).
d. 4, Timor. M. Wienecke et M. Zijnen Wartel (C.).
e. 7, Détroit de Larantoeka. M. Semmelink (C.).
f. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
g. 6, Banka. M. van den Bossche et M. Buddingh (P.).
h. 2, Biliton.
i. 1, Singapore. M. Buddingh (P.).
j. 1, Japon. M. von Siebold (C.).
k. 5, Mer Rouge. M. Ruyssenaers (P.).
l. 6, Côte de Zanzibar. M. Derx.
m. 7, Nossi-Faly. M.M. Pollen et van Dam (C.).
n. 4, Nossi-Bé. M.M. Pollen et van Dam (C.).
o. 4, Mayotte. M.M. Pollen et van Dam (C.).
p. 4, Côte de Guinée. M. Pel (C.).
q. 4, Indes Occidentales, Possessions Danoises? M.M. Kraepelin et Holm (C.).
r. 6, (alc.) Océan Indien. M. S. Müller (C.).
s. 2, Djeddah. M. J. A. Kruijt (C.).

Cypraea errones Linné.

a. 18, Moluques.
b. 19, Amboine. M. Hoedt et M. Forsten (C.).
c. 10, Timor. M. Zijnen Wartel et M. Wienecke (C.).
d. 2, Détroit de Larantoeka. M. Semmelink (C.).
e. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
f. 3, Banka. M. van den Bossche (P.).
g. 4, Biliton. M. Vosmaer.
h. 1, Japon. M. von Siebold (C.).
i. 2, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).
j. 6, (alc.) Amboine. M. Forsten (C.).

Cypraea subviridis Reeve.

a. 1, Iles Aroe. M. von Rosenberg (C.).

Digitized by Google

Cypraea pallida Gray.

a. 2, Bombay. M. H. Fulton, 1892.

Cypraea pyrum Gmelin.

a. 9, Méditerranée. M. Cantraine (C.).

Cypraea onyx Linné.

a. 6, Océan Indien.
b. 1, Amboine. M. Hoedt (C.).
c. 2, Célèbes, Gorontalo. M. von Rosenberg, 1864 (C.).
d. 1, Détroit de Larantoeka. M. Semmelink (C.).
e. 2, Côte de Java, Tjilatjap.
f. 2, Biliton.
g. 2, Zanzibar. M. Derx.
h. 1, Variété. Patrie inconnue. Cabinet Dalen.
i. 2, (alc.) Amboine. M. Forsten (C.).

Cypraea spadicea Swainson.

a. 1, Californie. M. H. Fulton, 1892.

Cypraea picta Gray.

a. 1, Patrie inconnue. Cabinet Dalen.

Cypraea sanguinolenta Gmelin.

a. 1, Patrie inconnue.

Cypraea Sowerbyi Kiener.

a. 20, Golfe de Californie. M. Newcomb, M. Cuming et M. le Dr. H. ten Kate (C.).

Cypraea zonata Chemnitz.

a. 5, Angola. M. van Woerden, 1870 (C.).
b. 1, Côte de Guinée. Ancien Cabinet.

Cypraea lentiginosa Gray.

a, 1, Bombay. M. H. Fulton, 1892.

Digitized by Google

Cypraea pulchella Swainson.

a. 1, Patrie inconnue.

Cypraea undata Lamarck.

a. 1, Timor. M. Zijnen Wartel (C.).
b. 2, Patrie inconnue.

Cypraea ziczac Linné.

a. 2, Mer Rouge. M. Ruyssenaers (P.).
b. 1, Timor. M. Zijnen Wartel (C.).
c. 11, Patrie inconnue. Cabinet Dalen.

Cypraea lutea Gronovius.

a. 2, Océan Indien. M. Boie (C.).
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).

Cypraea asellus Linné.

a. 11, Océan Indien.
b. 16, Timor. M. Zijnen Wartel (C.).
c. 2, Indes Occidentales, Possessions Danoises? M.M. Kraepelin et Holm (C.).

Cypraea clandestina Linné.

a. 3, Java. M. Reinwardt (C.).
b. 6, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 15, Patrie inconnue. Collection Hoogeveen (P.).

Cypraea artuffeli Jousseaume.

a. 1, Iles Sandwich.
b. 2, Japon. M. von Siebold (C.).

Cypraea punctata Linné.

a. 2, Océan pacifique. M. Cuming (C.).
b. 2, Ile de France. M. Frank, 1890.

Cypraea algoensis Gray.

a. 5, Baie d'Algoa. M. Reinwardt (C.).

Digitized by Google

Cypraea edentula Sowerby.

a. 1, Côte de l'Afrique. Cabinet Dalen.

Cypraea similis Gray.

a. 1, Cap.

OCELLARIA.

Cypraea cribraria Linné.

a. 6, Moluques. M. Reinwardt (C.).
b. 2, Amboine. M. Hoedt (C.).
c. 4, Patrie inconnue. Collection Hoogeveen (P.).

Cypraea cribellum Gaskoin.

a. 1, Réunion. M.M. Pollen et van Dam (C.).

Cypraea guttata Gmelin.

a. 1, Mer Rouge. Cabinet Raye.

Cypraea Lamarcki Gray.

a. 1, Java. M. Reinwardt (C.).
b. 2, Côte de Zanzibar. M. Derx.
c. 1, Côte de Natal. M. Krauss (C.).
d. 2, Noss-Faly. M.M. Pollen et van Dam (C.).
e. 1, Sakatia. M.M. Pollen et van Dam (C.).
f. 1, (alc.) Padang. Expédition scientifique Néerlandaise dans Sumatra, 1877.

Cypraea miliaris Gmelin.

a. 6, Moluques. M. van Doorn et Cabinet Dalen.
b. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 2, Biliton. M. Vosmaer.
d. 5, Japon. M. von Siebold (C.).
e. 2, Amoy. M. G. Schlegel (C.).

Cypraea eburna Born.

a. 1, Philippines. M. Verreaux (C.).
b. 2, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

Cypraea ocellata Linné.

a. 9, Moluques. M. Reinwardt (C.).

Cypraea turdus Lamarck.

a. 2, Ceylan. M. Cuming (C.).
b. 13, Mer Rouge. M. Ruyssenaers (P.).
c. 1, Aden. M. le Col. Worthington Wilmer (P.).

Cypraea spurca Linné.

a. 8, Surinam.
b. 20, Curaçao. M. Steenbergen et M. le Dr. Epp (C.).
c. 1, Sardaigne. M. Cantraine (C.).
d. 6, Patrie inconnue. Collection Hoogeveen (P.).

Cypraea erosa Linné.

a. 11, Amboine. M. Hoedt (C.).
b. 3, Batjan. M. Bernstein (C.).
c. 4, Timor. M. Zijnen Wartel (C.).
d. 19, Côte de Java, Tjilatjap. M. Overdijk (C.).
e. 4, Banka. M. van den Bossche (P.).
f. 7, Mer Rouge. M. Ruyssenaers (P.).
g. 6, Côte de Zanzibar. M. Derx.
h. 7, Nossi-Faly. M.M. Pollen et van Dam (C.).
i. 10, Nossi-Bé. M.M. Pollen et van Dam (C.).
j. 2, Mayotte. M.M. Pollen et van Dam (C.).
k. 1, Sakatia. M.M. Pollen et van Dam (C.).
l. 1, Madagascar. M.M. Pollen et van Dam (C.).
m. 4, Indes Occidentales, Possessions Danoises? M.M. Kraepelin et Holm (C.).
n. 5, Haiti? M. Ricord.
o. 2, Moorea (Eimeo). M. le Dr. H. ten Kate, 1892 (C.).
p. 5, Jeunes individus. Patrie inconnue. Collection Dalen.
q. 1, (alc.) Sumatra. M. S. Müller (C.).
r. 1, (alc.) Djeddah. M. J. A. Kruijt (C.).

Digitized by Google

Cypraea Listeri Gray.

a. 1, Côte de Guinée. M. Pel (C.).

Cypraea poraria Linné.

a. 2, Japon. Jardin zoologique à Amsterdam „Natura Artis Magistra" (P.).

b. 6, Sénégal? Cabinet Dalen.

Cypraea albuginosa Gray.

a. 50, Golfe de Californie. M. Cuming, M. Newcomb et M. le Dr. H. ten Kate (C.).

Cypraea gangrenosa Solander.

a. 13, Côte de Java, Tjilatjap. M. Overdijk (C.).

b. 2, Timor. M. Zijnen Wartel (C.).

c. 1, Patrie inconnue.

Cypraea gangrenosa, var. *flaveola* Reeve.

a. 4, Java. M. Reinwardt (C.).

b. 1, Timor. M. Zijnen Wartel (C.).

c. 1, Céram. M. Hoedt (C.).

d. 1, Patrie inconnue. M. J. E. G. van Emden, 1892 (P.).

Cypraea gangrenosa, var. *Boivini* Kiener.

a. 1, Flores. M. Semmelink (C.).

Cypraea cernica Sowerby.

a. 1, Réunion. M.M. Pollen et van Dam (C.).

Cypraea helvola Linné.

a. 17, Moluques. M. Reinwardt (C.).

b. 3, Amboine. M. Hoedt (C.).

c. 7, Waigéoe. M. Bernstein (C.).

d. 6, Timor. M. Zijnen Wartel (C.).

e. 1, Détroit de Larantoeka. M. Semmelink (C.).

f. 10, Côte de Java, Tjilatjap. M. Overdijk (C.).

Digitized by Google

g. 1, Banka. M. van den Bossche (P.).
h. 4, Mer Rouge. M. Ruyssenaers (P.).
i. 8, Côte de Zanzibar. M. Derx.
j. 1, Réunion. M.M. Pollen et van Dam (C.).
k. 3, Nossi-Faly. M.M. Pollen et van Dam (C.).
l. 6, Côte de Guinée? M. Pel. (C.).
m. 3, Méditerranée? M. Cantraine (C.).
n. 2, Japon. M. von Siebold (C.).

Cypraea bicallosa Gray.

a. 1, Curaçao. M. le Dr. Epp (C.).
b. 1, Patrie inconnue. Cabinet Dalen.

PUSTULARIA.

Cypraea staphylaea Linné.

a. 14, Moluques.
b. 5, Timor. M. Zijnen Wartel et M. Wienecke (C.).
c. 3, Détroit de Larantoeka. M. Semmelink (C.).
d. 18, Côte de Java, Tjilatjap. M. Overdijk. (C.).
e. 1, Banka. M. van den Bossche (P.).

Cypraea limacina Lamarck.

a. 9, Moluques.
b. 2, Amboine. M. Hoedt (C.).
c. 2, Détroit de Larantoeka. M. Semmelink (C.).
d. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
e. 1, Bankà. M. van den Bossche (P.).
f. 4, Japon. M. von Siebold (C.).
g. 1, Variété. Iles Sandwich. M. H. Dohrn (P.).

Cypraea pustulata Lamarck.

a. 3, Ile Plata. M. Cuming (C.).
b. 2, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Digitized by Google

Cypraea nucleus Linné.

a. 10, Moluques.
b. 4, Amboine. M. Hoedt (C.).
c. 9, Timor. M. Wienecke et M. Zijnen Wartel. (C.).
d. 16, Côte de Java, Tjilatjap. M. Overdijk (C.).
e. 5, Réunion. M.M. Pollen et van Dam (C.).

EPONA.

Cypraea cicercula Linné.

a. 5, Halmaheira. M. Bernstein (C.).
b. 3, Amboine. M. Hoedt (C.).
c. 8, Timor. M. Zijnen Wartel (C.).
d. 3, Java. M. Reinwardt (C.).
e. 30, Réunion. M.M. Pollen et van Dam (C.).

Cypraea cicercula, var. *tricornis* Jousseaume.

a. 2, Java. M. Reinwardt (C.).
b. 3, Réunion. M.M. Pollen et van Dam (C.).

Cypraea cicercula, var. *Lienardi* Jousseaume.

a. 3, Moluques.
b. 10, Réunion. M.M. Pollen et van Dam (C.).

Cypraea Childreni Gray.

a. 3, Ile Anna. M. Cuming (C.).
b. 1, Réunion. M.M. Pollen et van Dam (C.).

CYPRAEOVULA.

Cypraea capensis Gray.

a. 2, Cap. M. Reinwardt (C.).

TRIVIA.

Trivia vesicularis Gaskoin.

a. 1, Jeune individu. Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

Trivia costata Gmelin.

a. 2, Cap.

Trivia ovulata Lamarck.

a. 1, Cap.
b. 2, Baie d'Algoa. M. Krauss (C.).
c. 3, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).
d. 5, Patrie inconnue. Cabinet Dalen.

Trivia oniscus Lamarck.

a. 2, Cap. M. von Horstock (C.).

Trivia radians Lamarck.

a. 1, Côte de l'Amérique méridionale. M. Turner (C.).

Trivia Solandri Gray.

a. 2, Côte de Mexique. M. Cuming (C.).
b. 43, Golfe de Californie. M. Newcomb et M. le Dr. H. ten Kate (C.).

Trivia pediculus Linné.

a. 9, Curaçao. M. Steenbergh et M. van Koolwijk (C.).
b. 11, Surinam.
c. 8, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).
d. 4, St. Thomas. M. le Dr. F. van Calker, 1866 (C.).

Trivia californica Gray.

a. 4, Côte de Californie. M. Newcomb (C.).

Trivia pacifica Gray.

a. 1, Golfe de Californie. M. le Dr. H. ten Kate (C.).

Trivia suffusa Gray.

a. 6, Surinam.
b. 2, Curaçao.

Digitized by Google

Trivia europaea Montagu.

a. 13, Méditerranée. M. Cantraine (C.).
b. 6, Côte d'Angleterre.
c. 12, (alc.) St. Vaast. M. E. Selenka (C.).

Trivia nivea Gray.

a. 2, Curaçao.

Trivia subrostrata Gray.

a. 3, Patrie inconnue.

Trivia quadripunctata Gray.

a. 9, Surinam.
b. 1, St. Thomas. M. le Dr. F. van Calker, 1866 (C.).
c. 1, Patrie inconnue.

Trivia globosa Gray.

a. 1, Patrie inconnue.

Trivia oryza Lamarck.

a. 10, Cap.
b. 4, Détroit de Larantoeka. M. Semmelink (C.).
c. 6, Timor. M. Zijnen Wartel (C.).
d. 9, Réunion. M.M. Pollen et van Dam (C.).
e. 3, Océan pacifique. M. Newcomb (C.).

Trivia oryza, var. *scabriuscula* Gray.

a. 1, Djeddah. M. J. A. Kruijt (C.).

Trivia hordacea Kiener.

a. 6, Iles Sandwich. M. H. Dohrn (P.).
b. 2, Réunion. M.M. Pollen et van Dam (C.).

Trivia sanguinea Gray.

a. 3, Côte de Mexique. M. Cuming (C.).
b. 2, Golfe de Californie. M. Newcomb et M. le Dr. H. ten Kate (C.).

Digitized by Google

Trivia pulex Gray.

a. 14, Méditerranée. M. Cantraine (C.).
b. 18, Tripoli.

Trivia tremeza Duclos.

a. 7, Iles Sandwich. M. Newcomb et M. H. Dohrn.

STROMBIDAE.

STROMBUS.

STROMBUS.

Strombus gigas Linné.

a. 9, Jeunes individus. Surinam. Cabinet Trippenhuis.
b. 7, Jeunes individus. Curaçao. M. A. J. van Koolwijk, 1879 (C.).
c. 6, Patrie inconnue. Collection Hoogeveen (P.).
d. 2, Patrie inconnue. M. J. E. G. van Emden, 1892 (P.).

Strombus latissimus Linné.

a. 4, Japon. M. von Siebold (C.).
b. 1, Océan Indien.

Strombus galeatus Swainson.

a. 2, Côte de Mexique. M. Verreaux et M. Turner (C.).
b. 2, Jeunes individus. Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Strombus bubonius Lamarck.

a. 2, Côte de Guinée. M. van den Bossche et M. Pel (C.).
b. 7, Surinam. Cabinet Trippenhuis.

Strombus costatus Gmelin.

a. 5, Surinam. M. le Dr. Herklots (P).
b. 3, Curaçao. M. A. J. van Koolwijk, 1879 (C.).
c. 1, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

Strombus lentiginosus Linné.

a. 6, Océan Indien. M. Reinwardt (C.).
b. 6, Amboine. M. Hoedt (C.).
c. 3, Timor. M. Wienecke et M. Zijnen Wartel (C.).
d. 1, Waigéoe. M. Bernstein (C.).
e. 1, Iles Aroe. M. von Rosenberg (C.).
f. 1, Singapore. M. Buddingh (P.).
g. 3, Zanzibar. M. Derx (P.).

Strombus papilio Chemnitz.

a. 4, Océan Indien.
b. 1, Amboine. M. Hoedt (C.).
c. 1, Patrie inconnue. Collection Hoogeveen (P.).

Strombus granulatus Gray.

a. 5, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).
b. 2, St. Elena. M. Cuming (C.).
c. 1, Patrie inconnue. M. Newcomb.

Strombus gracilior Sowerby.

a. 2, Côte de Mexique. M. Cuming (C.).
b. 2, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Strombus alatus Gmelin.

a. 2, Patrie inconnue. Collection Dalen.

Strombus pugilis Linné.

a. 9, Surinam. Cabinet Trippenhuis.
b. 2, Curaçao. M. le Dr. Epp, 1888 (C.).
c. 3, Aruba. M. A. J. van Koolwijk (C.).
d. 1, St. Thomas. M. le Dr. F. van Calker, 1866 (C.).

Strombus pugilis, var. *Sloanii* Leach.

a. 1, Patrie inconnue. Collection Raye.

Digitized by Google

Strombus canarium Linné.

a. 6, Océan Indien. Collection Dalen.
b. 7, Timor. M. Zijnen Wartel et M. Wienecke (C.).
c. 3, Java, Côte septentrionale de Bezoekie. M. Semmelink (C.).
d. 2, Célèbes, Badjoa. M. Moens (C.).
e. 2, Banka. M. van den Bossche (P.).
f. 2, Détroit de Larantoeka. M. Semmelink (C.).
g. 1, Amboine. M. Hoedt (C.).
h. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).
i. 3, (alc.) Amboine. M. Forsten (C.).

Strombus canarium, var. *vanikorensis* Quoy et Gaimard.

a. 1, Océan Indien.

Strombus isabella Lamarck.

a. 9, Océan Indien. Collection Dalen.
b. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 3, Amboine. M. Hoedt (C.).
d. 4, Célèbes, Badjoa. M. Moens (C.).
e. 3, Misool.
f. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).
g. 1, (alc.) Océan Indien. M. S. Müller (C.).

Strombus isabella, var. *taeniatus* Quoy et Gaimard.

a. 2, Océan Indien. Collection Dalen.

Strombus epidromis Linné.

a. 8, Océan Indien. M. Reinwardt (C.).
b. 6, Biliton. M. Vosmaer, 1885.
c. 1, Banka. M. van den Bossche (P.).
d. 5, Amboine. M. Hoedt (C.).
e. 3, Timor. M. Zijnen Wartel (C.).
f. 1, Célèbes, Badjoa. M. Moens (C.).
g. 3, (alc.) Amboine. M. Forsten (C.).

Digitized by Google

Strombus variabilis Swainson.

a. 7, Océan Indien. M.M. Boie et Macklot (C.)
b. 5, Timor. M. Zijnen Wartel (C.).
c. 1, Variété. Océan Indien. M. Smissaard.

Strombus minimus Linné.

a. 10, Moluques. M. Blume (C.).
b. 6, Banka. M. van den Bossche (P.).
c. 2, Amboine. M. Hoedt (C.).
d. 4, Timor. M. Zijnen Wartel et M. Wienecke (C.).

Strombus pulchellus Reeve.

a. 2, Océan Indien.

Strombus orosminus Duclos.

a. 4, Sumatra.
b. 1, (alc.) Padang. M. S. Müller (C).

Strombus columba Lamarck.

a. 4, Côte de Zanzibar. M. Derx (P.).

Strombus dilatatus Swainson.

a. 1, Moluques.

Strombus Campbelli Gray.

a. 1, Océan Indien.

Strombus japonicus Reeve.

a. 4, Japon. M. von Siebold (C.).
b. 1, Japon. Jardin Zoologique à Amsterdam „Natura artis magistra" (P.).

Strombus vittatus Linné.

a. 8, Océan Indien.
b. 4, Moluques.
c. 1, Amboine. M. Hoedt (C).

Digitized by Google

Strombus vittatus, var. *turritus* Lamarck.

a. 1, Banka. M. van den Bossche (P.).
b. 1, Biliton. M. Vosmaer, 1885.
c. 2, Patrie inconnue. Collection Raye.

Strombus succinctus Linné.

a. 9, Océan Indien. M. Reinwardt (C.).
b. 2, Moluques. Collection Hoogeveen (P.).

Strombus succinctus, var. *septimus* Duclos.

a. 2, Océan Indien. M Reinwardt (C.).
b. 1, Banka. M. van den Bossche (P.).
c. 3, Amboine. M. Hoedt (C.).
d. 3, Variété intermédiaire. Moluques.

Strombus robustus Sowerby.

a. 1, Océan Indien. M. Reinwardt (C.).

Strombus marginatus Linné.

a. 5, Patrie inconnue.

EUPROTOMUS.

Strombus laciniatus Chemnitz.

a. 1, Patrie inconnue.

MONODACTYLUS.

Strombus pacificus Swainson.

a. 1, Patrie inconnue. Collection Voigt.

Strombus auris-dianae Linné.

a. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Biliton.
c. 1, Célèbes, Gorontalo. M. von Rosenberg (C.).
d. 1, Misool.
e. 1, Jeune individu. Batjan. M. Bernstein (C.).

Digitized by Google

f. 2, Détroit de Larantoeka. M. Semmelink (C.).
g. 6, Timor. M. Zijnen Wartel et M. Wienecke, 1863 (C.).
h. 1, Singapore. M. Buddingh (P.).
i. 3, Côte de Zanzibar. M. Derx (P.).
j. 2, Patrie inconnue.

Strombus guttatus Martyn.

a. 9, Océan Indien.
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 7, Amboine. M Hoedt (C.).
d. 3, Misool.
e. 1, Flores. M. Semmelink, 1862 (C.).
f. 2, Timor. M. Zijnen Wartel et M. Wienecke (C.).
g. 1, Banka. M. van den Bossche (P.).
h. 2, Japon.
i. 2, (alc.) Amboine. M. Forsten C.).

Strombus melanostomus Swainson.

a. 5, Océan Indien.
b. 2, Amboine. M. Hoedt (C).
c. 2, Biliton. M. Vosmaer, 1885.
d. 1, Iles Aroe. M. von Rosenberg (C.).

Strombus gallus Linné.

a. 6, Surinam. Collection Trippenhuis.
b. 3, Côte occidentale de Curaçao. M. A. J. van Koolwijk, 1879 (C.).
c. 3, Aruba. M. A. J. van Koolwijk (C.).

Strombus peruvianus Swainson.

a. 1, Caracas. M. Cuming (C.).

Strombus tricornis Lamarck.

a. 10, Mer Rouge. M. Clot Bey et M. Ruyssenaers (C.).
b. 3, Patrie inconnue. Collection Trippenhuis.
c. 5, (alc.) Djeddah. M. J. A. Kruyt, 1881 (C.).

Digitized by Google

Strombus lobatus Swainson.

a. 9, Surinam. Cabinet Trippenhuis.
b. 7, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).
c. 1, Curaçao. M. le Dr. Epp, 1888 (C.).

CANARIUM.

Strombus urceus Linné (— *floridus* Lamarck).

a. 25, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 3, Banka. M. van den Bossche (P.).
c. 2, Amboine. M. Hoedt (C.).
d. 2, Détroit de Larantoeka. M. Semmelink (C.).
e. 15, Timor. M. Zijnen Wartel (C.).
f. 1, Batjan. M. Bernstein, 1863 (C.).
g. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C).
h. 1, Japon. M. von Siebold (C).
i. 4, Mer Rouge. M. Ruyssenaers (P.).
j. 1, Côte de Zanzibar. M. Derx (P.).
k. 2, Nossi-Faly. M.M. Pollen et van Dam (C.).
l. 2, Méditerranée? M. Cantraine (C.).
m. 1, Variété. Ile de France. M. Frank, 1891.
n. 3, Variété. Japon. M. von Siebold (C.).
o. 5, Patrie inconnue. Collection Hoogeveen (P.).
p. 1, (alc.) Amboine. M. Forsten (C.).
q. 1, (alc.) Mer Rouge. M. J. A. Kruijt (C.).

Strombus dentatus Linné.

a. 11, Amboine. M. Hoedt (C.).
b. 69, Timor. M. Zijnen Wartel (C.).
c. 5, Banka. M. van den Bossche (C.).
d. 5, Détroit de Larantoeka. M. Semmelink (C.).
e. 1, Waigéoe. M. Bernstein (C.).

Digitized by Google

f. 1, Iles Aroe. M. Rosenberg (C.).
g. 5, Océan Indien.
h. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).
i. 1, Nossi-Faly. M.M. Pollen et van Dam (C.).
j. 2, Variété. Nossi-Faly. M.M. Pollen et van Dam (C.).
k. 1, (alc.) Amboine. M. Forsten (C.).

Strombus Rüppelli Reeve.

a. 8, Mer Rouge. M. Ruyssenaers et M. Forskål (C.).
b. 2, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).

Strombus elegans Sowerby.

a. 3, Mer Rouge. M. Ruyssenaers (P.).

Strombus muricatus Martini (— *urceus* Lamarck).

a. 10, Océan Indien. Cabinet Raye.
b. 1, Côte septentrionale de Java, Bezoeki. M. Semmelink (C.).
c. 1, Banka. M. van den Bossche (P.).
d. 2, Amboine. M. Hoedt (C.).
e. 1, Iles Obi. M. Bernstein (C.).
f. 4, Détroit de Larantoeka. M. Semmelink (C.).
g. 8, Timor. M. Zijnen Wartel et M. Wienecke (C.).
h. 1, Variété. Océan Indien.
i. 1, Variété. Iles Aroe. M. von Rosenberg (C.).
j. 5, (alc.) Océan Indien.

Strombus gibberulus Linné.

a. 14, Océan Indien.
b. 4, Banka. M. van den Bossche (P.).
c. 17, Amboine. M. Hoedt (C.).
d. 10, Iles Obi. M. Bernstein, 1863 (C.).
e. 9, Flores. M. Semmelink (C.).
f. 18, Timor. M. Wienecke et M. Zijnen Wartel (C.).

Digitized by Google

g. 2, Singapore. M. Buddingh (P.).
h. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (C.).
i. 1, Saleyer, iles des tigres. M. van der Ven (C.).
j. 5, Japon. M. von Siebold (C.).
k. 4, Côte de Zanzibar. M. Derx (P.).
l. 12, Nossi-Bé. M.M. Pollen et van Dam (C.).
m. 1, Mayotte. M.M. Pollen et van Dam (C.).
n. 2, Ile de France. M. Frank, 1891.
o. 4, (alc.). Amboine. M. Forsten (C.).

Strombus gibberulus, var. *rhodostomus* Issel.

a. 6, Mer Rouge. M. Ruyssenaers et M. Forskål (C.).
b. 4, (alc.) Mer Rouge. M. J. A. Kruijt (C.).

CONOMUREX.

Strombus luhuanus Linné.

a. 10, Océan Indien. Voyage de M. Reinwardt et Collection Hoogeveen.
b. 3, Banka. M. van den Bossche (P.).
c. 8, Amboine. M. Hoedt (C.).
d. 4, Côte de Java, Tjilatjap. M. Overdijk (C.).
e. 6, Misool.
f. 8, Timor. M. Zijnen Wartel et M. Wienecke (C).
g. 2, Iles Obi. M. Bernstein (C.).
h. 1, Batjan. M. Bernstein (C.).
i. 1, Waigéoe. M. Bernstein (C.).
j. 1, Saleyer, iles des tigres. M. van der Ven (P.).
k. 1, Singapore. M. Buddingh (P.).
l. 4, (alc.) Amboine. M. Forsten (C.).

Strombus mauritianus Lamarck.

a. 5, Océan Indien. M. Reinwardt (C.).
b. 2, Ile de France. M. Frank, 1891.
c. 1, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

Strombus mauritianus, var. *coniformis* Sowerby.

a. 1, Océan Indien. M. Reinwardt (C.).

Strombus fasciatus Born.

a. 9, Mer Rouge. M. Ruyssenaers (P.).

Strombus samar Chemnitz.

a. 4, Océan Indien. Cabinet Raye.
b. 2, Amboine. M. Hoedt (C.).
c. 1, Patrie inconnue. Collection Hoogeveen (P.).

Strombus terebellatus Sowerby.

a. 3, Amboine. M. Hoedt (C.).
b. 1, Patrie inconnue. Cabinet Raye.

PTEROCERA.

PTEROCERA.

Pterocera bryonia Chemnitz.

a. 2, Waigéoe. M. Bernstein (C.).
b. 8, Patrie inconnue. Collection Hoogeveen (P.).
c. 9, Céram.
d. 2, Mer Rouge. M. Ruyssenaers (P.).

Pterocera lambis Linné.

a. 9, Océan Indien. M. Reinwardt (C.).
b. 1, Sumatra.
c. 1, Banka. M. van den Bossche (P.).
d. 4, Biliton. M. Vosmaer.
e. 5, Amboine. M. Hoedt (C.).
f. 1, Célèbes, Badjoa. M. Moens (C.).
g. 7, Détroit de Larantoeka. M. Semmelink (C.).
h. 4, Waigéoe. M. Bernstein (C.).
i. 4, Iles Obi. M. Bernstein (C).

Digitized by Google

j. 7, Timor. M. Zijnen Wartel et M. Wienecke (C.).
k. 1, Jeune individu. Mer Rouge. M. Ruyssenaers (P.).
l. 6, Madagascar. M.M. Pollen et van Dam (C.).
m. 3, (alc.) Océan Indien. M. S. Müller et M.M. Kuhl et van Hasselt (C.).
n. 1, (alc.) Amboine. M. Forsten (C.).

Pterocera aurantia Lamarck.

a. 4, Océan Indien. Cabinet Raye.
b. 2, Amboine. M. Hoedt (C.).
c. 2, Céram. M. Hoedt (C.).
d. 3, Côte de Zanzibar. M. Derx (P.).

Pterocera scorpio Linné.

a. 7, Océan Indien.
b. 1, Amboine. M. Hoedt (C.).
c. 2, Céram. M. Bernstein (C.).
d. 1, Iles Obi. M. Bernstein (C.).
e. 1, Waigéoe. M. Bernstein (C).
f. 5, Timor. M. Zijnen Wartel (C.).
g. 3, Nossi-Bé. M.M. Pollen et van Dam (C.).
h. 2, Nossi-Faly. M.M. Pollen et van Dam (C.).

MILLEPES.

Pterocera millepeda Linné.

a. 3, Océan Indien. M. Reinwardt (C.).
b. 3, Amboine. M. Hoedt (C.).
c. 3, Céram. M. Bernstein (C.).
d. 2, Timor. M. Zijnen Wartel (C.).

HARPAGO.

Pterocera chiragra Linné.

a. 7, Océan Indien. M. Reinwardt (C.).
b. 4, Côte de Java, Tjilatjap. M. Overdijk (C.).

Digitized by Google

c. 1, Biliton. M. Vosmaer.
d. 3, Amboine. M. Hoedt (C.).
e. 2, Waigéoe. M. Bernstein (C.).
f. 1, Morotai. M. Bernstein (C.).
g. 1, Céram.
h. 5, Timor. M. Zijnen Wartel (C.).
i. 1, Moluques.

Pterocera rugosa Sowerby.

a. 3, Océan Indien. M. Reinwardt (C.).
b. 1, Mer Rouge. M. Clot Bey (P.).

ROSTELLARIA.

ROSTELLARIA.

Rostellaria curvirostris Lamarck.

a. 6, Mer Rouge. M. Ruyssenaers (P.).
b. 1, Jeune individu. Moluques. Cabinet Raye.
c. 2, (alc.) Djeddah. M. J. A. Kruijt (C.).

Rostellaria delicatula Nevill.

a. 1, Baie de Bengale. M. H. Fulton, 1893.

Rostellaria fusus Linné.

a. 1, Amboine. M. Hoedt (C.).
b. 2, Patrie inconnue. Cabinet Raye et Collection Hoogeveen (P.).

RIMELLA.

Rostellaria crispata Sowerby.

a. 1, Océan Indien. M. van Doorn (P.).

Rostellaria cancellata Lamarck.

a. 4, Patrie inconnue.

Digitized by Google

TEREBELLUM.

Terebellum punctatum Chemnitz.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 5, Banka. M. van den Bossche (P.).
c. 4, Amboine. M. Hoedt (C.).
d. 1, Céram. M. Hoedt (C.).
e. 2, Détroit de Larantoeka. M. Semmelink (C.).
f. 10, Patrie inconnue.

CHENOPODIDAE.

CHENOPUS.

CHENOPUS.

Chenopus pes-pelicani Linné.

a. 20, Méditerranée. M. Cantraine (C.).
b. 2, Côte de Norvège.
c. 2, Haiti? M. Ricord.
d. 3, Patrie inconnue.

ARRHOGES.

Chenopus occidentalis Beck.

a. 1, Patrie inconnue.

STRUTHIOLARIIDAE.

STRUTHIOLARIA.

STRUTHIOLARIA.

Struthiolaria australis Gmelin.

a. 1, La Nouvelle-Zélande. M. Cuming (C.).

Struthiolaria pes-struthiocameli Chemnitz.

a. 2, La Nouvelle-Zélande.

Digitized by Google

PELICARIA.

Struthiolaria scutulata Martyn.

a. 2, La Nouvelle-Zélande. M. Marguier (C.).

CERITHIIDAE.

TRIPHORIS.

MONOPHORUS.

Triphoris perversa Linné.

a. 16, Méditerranée. M. Cantraine (C.).

CERITHIUM.

CERITHIUM.

Cerithium nodulosum Bruguière.

a. 3, Amboine. M. Hoedt (C.).
b. 1, Détroit de Larantoeka. M. Semmelink (C.).
c. 3, Timor. M. Zijnen Wartel (C.).
d. 1, Halmaheira. M. Bernstein (C.).
e. 4, Moluques.
d. 1, (alc.) Amboine. M. Forsten (C.).

Cerithium erythraeonense Lamarck.

a. 3, Mer Rouge. M. Clot-Bey et M. Ruyssenaers (C.).

Cerithium guinaicum Philippi.

a. 1, Côte de Guinée. M. Pel (P.).

Cerithium vulgatum Bruguière.

a. 9, Méditerranée, Gênes. M. Cantraine (C.).
b. 5, Haiti? M. Ricord.
c. 1, Variété. Haiti? M. Ricord.

Digitized by Google

Cerithium vulgatum, var. *gracile* Philippi.

a. 20, Méditerranée. M. Cantraine (C.).

Cerithium vulgatum, var. *nodulosum* Philippi.

a. 1, Patrie inconnue.

Cerithium maculosum Kiener.

a. 1, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Cerithium rupestre Risso.

a. 20, Méditerranée. M. Cantraine (C.).
b. 2, Marseille. Mad. Wright (P.).
c. 6, Variété. Méditerranée. M. Cantraine (C.).

Cerithium atratum Born.

a. 7, Côte de l'Afrique.

Cerithium eburneum Bruguière.

a. 1, Curaçao. M. A. J. van Koolwijk (C.).
b. 1, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).
c. 6, Patrie inconnue. Ancien Cabinet.

Cerithium Adansoni Bruguière.

a. 2, Iles de la Société, Ile Annaa. M. Cuming (C.).

Cerithium echinatum Lamarck.

a. 2, Amboine. M. Hoedt (C.).
b. 1, Iles de la Société, Ile Annaa. M. Cuming (C.).
c. 2, Variété. Patrie inconnue. Collection Raye.

Cerithium salebrosum Sowerby.

a. 1, Iles de la Société, Ile Annaa. M. Cuming (C.).

Digitized by Google

Cerithium adenense Sowerby.

a. 10, Mer Rouge. M. Ruyssenaers, 1849 (P.).

Cerithium columna Sowerby.

a. 11, Timor. M. Zijnen Wartel et M. Wienecke (C.).
b. 1, Détroit de Larantoeka. M. Semmelink (C.).
c. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
d. 6, Patrie inconnue. Collection Hoogeveen (P.).
e. 2, Variété. Ile de France. M. Frank, 1891.
f. 2, Variété. Ile Lord Hood (Marutea). M. Cuming (C.).
g. 1, Variété. Patrie inconnue. Collection Raye.

Cerithium citrinum Sowerby.

a. 2, Océan Indien.

Cerithium Rüppellii Philippi.

a. 2, Mer Rouge. M. Ruyssenaers (P.).

Cerithium armatum Philippi.

a. 1, Timor. M. Wienecke (C.).
b. 1, Patrie inconnue. Cabinet Raye.

Cerithium polygonum Sowerby.

a. 1, Patrie inconnue.

Cerithium granosum Kiener.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 5, Patrie inconnne. Ancien Cabinet et Collection Hoogeveen (P.).

Cerithium coralium Dufresne.

a. 4, Océan Indien.
b. 1, Morotai. M. Bernstein (C.).
c. 1, Patrie inconnue. Ancien Cabinet.

Digitized by Google

Cerithium dialeucum Philippi.

a. 2, Timor. M. Zijnen Wartel (C.).
b. 1, Ile de France. M. Frank, 1891.
c. 4, Japon. M. von Siebold (C.).
d. 3, Patrie inconnue. Collection Raye.
e. 3, Variété. Chine, Amoy. M. G. Schlegel (C.).

Cerithium Kobelti Dunker.

a. 1, Japon. M. von Siebold (C.).

Cerithium umbonatum Sowerby.

a. 1, Patrie inconnue. M. Cuming (C.).

Cerithium antillarum Dunker.

a. 1, Patrie inconnue. M. Cuming (C.).

Cerithium suturale Philippi.

a. 1, Jeune individu. Timor. M. Zijnen Wartel (C.).

Cerithium punctatum Bruguière.

a. 1, Ile Oparo. M. Cuming (C).
b. 1, Moluques.

Cerithium litteratum Born.

a. 4, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).
b. 7, Curaçao. M. A. J. van Koolwijk (C.).
c. 15, Patrie inconnue. Ancien Cabinet et Collection Raye.

Cerithium ocellatum Bruguière.

a. 2, Mazatlan. M. Verreaux (C.).
b. 1, Pérou, Tombey. M. Cuming (C.).
c. 7, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).
d. 2, Patrie inconnue.

Digitized by Google

Cerithium semiferrugineum Lamarck.

a. 4, Patrie inconnue. Ancien Cabinet.

Cerithium coeruleum Sowerby.

a. 6, Mer Rouge. M. Ruyssenaers et M. Forskål (C.)
b. 1, (alc.) Djeddah. M. J. A. Kruijt (C.).

Cerithium morus Lamarck.

a. 16, Java. M. Junghuhn et M. Overdijk (C.).
b. 2, Timor. M. Zijnen Wartel (C.).
c. 19, Variété. Java.
d. 1, Variété. Padang.
e. 2, Variété. Mer Rouge. M. Ruyssenaers (P.).
f. 4, Variété. Mer Rouge. M. Ruyssenaers, 1849 (P.).
g. 3, Variété. Mer Rouge. M. Forskål (C.).
h. 5, (alc.) Océan Indien.

Cerithium morus, var. *moniliferum* Dufresne.

a. 20, Java.
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 1, Détroit de Larantoeka. M. Semmelink (C.).
d. 1, Détroit de Sunda. M. Groen (C.).
e. 3, Timor, M. Wienecke (C.).
f. 5, (alc.) Japon. M. von Siebold (C.).

Cerithium Trailli Sowerby.

a. 1, Variété. Timor. M. Wienecke (C.).
b. 1, (alc.) Java.

Cerithium rugosum Wood.

a. 1, Océan Indien.
b. 1, Variété. Ile Lord Hood (Marutea). M. Cuming (C.).

Cerithium carbonarium Philippi.

a. 1, Patrie inconnue. Collection Raye.

Digitized by Google

Cerithium tuberculatum Linné.

a. 15, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 12, Padang.
c. 16, Timor. M. Wienecke (C.).
d. 5, Détroit de Larantoeka. M. Semmelink (C.).
e. 4, Variété. Moluques.
f. 3, (alc.) Sumatra. M. S. Müller (C.).
g. 2, (alc.) Variété. Océan Indien. M.M. Kuhl et van Hasselt (C.).

Cerithium tuberculatum, var. *variegatum* Quoy et Gaymard.

a. 3, Java.
b. 5, Timor. M. Wienecke (C.).
c. 1, Ile Oparo. M. Cuming (C.).
d. 7, (alc.) Sumatra. M. S. Müller (C.).

Cerithium tuberculatum, var. *petrosum* Wood.

a. 1, Timor. M. Zijnen Wartel (C.).

Cerithium breviculum Sowerby.

a. 2, Java. M. Junghuhn (C.).
b. 2, Détroit de Larantoeka. M. Semmelink (C.).
c. 1, Timor. M. Zijnen Wartel (C.).
d. 5, La Nouvelle Guinée. M. S. Müller (C.).

Cerithium inflatum Quoy.

a. 4, Océan Indien. Collection Raye.

Cerithium patulum Sowerby.

a. 1, Patrie inconnue. Collection Hoogeveen (P.).

Cerithium obesulum Sowerby.

a. 4, Golfe de Californie. M. Newcomb (C.).

Cerithium incisum Sowerby.

a. 2, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Digitized by Google

Cerithium galapaginis Adams.

a. 3, Jeunes individus. Iles Galapagos. M. Cuming (C.).

Cerithium obesum Sowerby.

a. 1, Amboine. M. Forsten (C.).
b. 1, (alc.) Bornéo. M. Semmelink (C.).

VERTAGUS.

Cerithium vertagus Linné.

a. 5, Amboine. M. Hoedt (C.).
b. 13, Timor. M. Wienecke et M. Zijnen Wartel (C.).
c. 4, Détroit de Larantoeka. M. Semmelink (C.).
d. 5, Iles Obi. M. Bernstein (C.).
e. 5, Biliton. M. Vosmaer, 1885 (C.).
f. 2, Banka, M. van den Bossche (P.).
g. 1, Java. M. Junghuhn (C.).
h. 8, Patrie inconnue. Collection Hoogeveen (P.).
i. 6, (alc.) Amboine. M. Forsten (C.).

Cerithium semigranosum Lamarck.

a. 2, La Nouvelle Hollande.

Cerithium nobile Reeve.

a. 1, Nossi-Bé. M.M. Pollen et van Dam (C.).

Cerithium martinianum Pfeiffer.

a. 9, Océan Indien. M. Reinwardt et M. Blume (C.).
b. 6, Amboine. M. Hoedt (C.).
c. 1, Ile Saparoea. M. Macklot (C.).
d. 1, Nossi-Bé. M.M. Pollen et van Dam (C.).
e. 1, Haiti? M. Ricord.
f. 1, Variété. Océan Indien. M. Blume (C.).
g. 2, (alc.) Amboine. M. Forsten (C.).

Cerithium martinianum, var. *fasciatum* Bruguière.

a. 5, Mer Rouge. M. Ruyssenaers (P.).

Digitized by Google

b. 1, Ile Saparoea. M. Macklot (C.).
c. 3, Patrie inconnue. Collection Hoogeveen (P.).

Cerithium asperum Linné.

a. 2, Amboine. M. Hoedt (C.).
b. 3, Célèbes, Macassar. M. Piller (C.).
c. 2, Timor. M. Zijnen Wartel (C.).
d. 5, Zanzibar. M. Derx (P.).
e. 2, Nossi-Bé. M.M. Pollen et van Dam (C.).

Cerithium recurvum Sowerby.

a. 8, Mer Rouge. M. Ruyssenaers (P.).

Cerithium aluco Linné.

a. 5, Moluques. M. Reinwardt (C.).
b. 1, Détroit de Larantoeka. M. Semmelink (C.).
c. 4, Timor. M. Wienecke et M. Zijnen Wartel (C.).
d. 1, Amboine. M. Hoedt (C.).
e. 1, Céram. M. Hoedt (C.).
f. 3, (alc.) Amboine. M. Forsten (C.).

Cerithium obeliscus Bruguière.

a. 14, Timor. M. Wienecke et M. Zijnen Wartel (C.).
b. 4, Détroit de Larantoeka. M. Semmelink (C.).
c. 3, Amboine. M. Hoedt (C.).
d. 1, Banka. M. van den Bossche (P.).
e. 3, Japon. M. von Siebold (C.).
f. 2, Ile de France. M. Frank, 1891.
g. 1, Ile Annaa. M. Cuming (C.).
h. 2, Ile Lord Hood (Marutea). M. Cuming (C.).
i. 14, Variété. Côte de Java, Tjilatjap. M. Overdijk (C.).
j. 8, Patrie inconnue. Collection Hoogeveen (P.).
k. 1, (alc.) Bornéo. M. Semmelink (C.).

Cerithium articulatum Adams & Reeve.

a. 1, Tahiti. M. Cuming (C.).

Digitized by Google

b. 1, Ile de France. M. Frank.

Cerithium gemmatum Hinds.

a. 2, Ile Plata. M. Cuming (C.).

Cerithium tenuisculptum Sowerby.

a. 1, Golfe de Californie. M. Newcomb (C.).

Cerithium Kochi Philippi.

a. 7, Japon. M. von Siebold (C.).
b. 2, Zanzibar. M. Derx (P.).

Cerithium Pfefferi Dunker.

a. 2, Japon. M. von Siebold (C.).

Cerithium adustum Kiener.

a. 1, Iles Galapagos. M. Cuming (C.).

CAMPANILE.

Cerithium laeve Quoy et Gaimard.

a. 2, La Nouvelle Hollande. Ancien Cabinet.

BITTIUM.

Bittium turritella Quoy et Gaimard.

a. 5, Jeunes individus. Patrie inconnue.

Bittium nigrum Totten.

a. 100, Massachusetss, Vineyard Sound. Smithsonian Institution, 1880 (P.).

Bittium reticulatum Da Costa.

a. 13, Méditerranée, M. Cantraine (C.).
b. 30, Tripoli. M. Cantraine (C.).
c. 25, Variété. Méditerranée. M. Cantraine (C.).
d. 35, Variété. Mediterranée. M. Cantraine (C.).

Digitized by Google

Bittium lacteum Kiener.

a. 1, Ile de France. M. Frank, 1891.

POTAMIDES.

TYMPANOTONUS.

Potamides fuscatus Linné.

a. 3, Afrique, Sénégal. M. Petit.
b. 2, Variété. Afrique, Musserra. M. P. Kamerman, 1882 (C.).
c. 2, Libérie. M. J. Büttikofer, 1881 (C.).

Potamides radula Linné.

a. 6, Afrique, Musserra. M. P. Kamerman, 1882 (C.).
b. 8, Afrique, Saccondée. M. Pel (P.).
c. 8, Méditerranée? M. Cantraine (C.).
d. 7, (alc.) Côte de Guinée. M. Pel (C.).

PYRAZUS.

Potamides Humboldti Valenciennes.

a. 1, Pérou, Tombey. M. Cuming (C.).

Potamides ebeninus Bruguière.

a. 1, La Nouvelle Zélande.
b. 1, La Nouvelle Guinée. Mad. Dupont.

PIRENELLA.

Potamides conicus Blainville.

a. 25, Méditerranée. M. Cantraine (C.).
b. 22, Adriatique. M. Cantraine (C.).

TEREBRALIA.

Potamides palustris Linné.

a. 3, Océan Indien.

Digitized by Google

b. 7, Amboine. M. Hoedt (C.).
c. 3, Iles Obi. M. Bernstein (C.).
d. 1, Partie septentrionale de Halmaheira. M. Bernstein (C.).
e. 9, Mer Rouge. M. Ruyssenaers (P.).
f. 5, Nossi-Faly. M.M. Pollen et van Dam (C.).
g. 6, (alc.) Sumatra. M. S. Müller (C.).

Potamides sulcatus Born.

a. 10, Océan Indien.
b. 4, Amboine. M. Hoedt (C.).
c. 1, Détroit de Larantoeka. M. Semmelink (C.).
d. 3, Morotai. M. Bernstein (C.).
e. 5, La Nouvelle Guinée.

Potamides semitrisulcatus Bolten.

a. 3, Océan Indien.
b. 1, (alc.) Océan Indien. M. Reinwardt (C.).

Potamides tenerrimus Schepman.

a. 10, Rotti. M. le Dr. H. ten Kate, 1891 (C.). Types de l'espèce.
b. 6, (alc.) Rotti. M. le Dr. H. ten Kate, 1891 (C.).

Potamides tenerrimus, var. *costatus* Schepman.

a. 1, Rotti. M. le Dr. H. ten Kate, 1891 (C.).

TELESCOPIUM.

Potamides telescopium Linné.

a. 6, Moluques. M. van Doorn (P.).
b. 2, Timor. M. Zijnen Wartel (C.).
c. 1, Céram. M. Hoedt (C.).
d. 5, Amboine. M. Hoedt (C.).
e. 3, (alc.) Amboine. M. Forsten (C.).

CERITHIDEA.

Potamides obtusus Wood.

a. 2, Java.

Digitized by Google

b. 1, Bornéo, Pleihari. M. Semmelink (C.).
c. 3, Patrie inconnue. Collection Dalen.
d. 6, (alc.) Siam. M. Winckel (P.).

Potamides quadratus Sowerby.

a. 15, Macassar. M. Piller (C.).
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 6, (alc.) Macassar. M. Piller (C.).

Potamides decollatus Linné.

a. 1, Océan Indien.
b. 1, Baie de Natal. M. Krauss (C.).

Potamides varicosus Sowerby.

a. 2, Ile Tomiaco. M. Cuming (C.).
b. 13, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

Potamides sacratus Gould.

a. 4, Californie. M. Newcomb (C.).
b. 2, Patrie inconnue.

Potamides sinensis Philippi.

a. 2, Patrie inconnue. Cabinet Raye.

Potamides ornatus A. Adams.

a. 1, Batjan. M. Bernstein, 1863 (C.).
b. 10, Partie occidentale de Soemba. M. le Dr. H. ten Kate, 1891 (C.).

Potamides balteatus A. Adams.

a. 6, Bornéo. M. S. Müller (C.).
b. 2, La Nouvelle Guinée.
c. 2, Patrie inconnue.
d. 6, (alc.) Océan Indien. M.M. Kuhl et van Hasselt (C.)

Potamides fluviatilis Potiez et Michaud.

a. 4, Japon. M. von Siebold (C.).

Digitized by Google

b. 5, Chine, Amoy. M. G. Schlegel (C.).
c. 12, (alc.) Célèbes.

Potamides alatus Philippi.

a. 6, Bornéo. M. Schwaner. (C.).
b. 4, Chine, Macao. M. Buddingh (P.).
c. 1, Japon. M. von Siebold (C.).
d. 2, (alc.) Océan Indien. M. Reinwardt (C.).

Potamides costatus Da Costa.

a. 5, Variété. Patrie inconnue. Ancien Cabinet.

Potamides ambiguus Adams.

a. 1, Patrie inconnue. Ancien Cabinet.

APHANISTYLUS.

Potamides charbonnieri Petit.

a. 13, Bornéo, Banjermassing. M. Schwaner (C.).
b. 1, Padang.

LAMPANIA.

Potamides zonalis Bruguière.

a. 1, Japon. M. von Siebold (C.).
b. 1, Patrie inconnue. Collection Raye.

Potamides australis Quoy et Gaymard.

a. 2, Patrie inconnue. Ancien Cabinet.

Potamides multiformis Lischke.

a. 5, Japon. M. von Siebold (C.).

Potamides minimus Gmelin.

a. 15, Patrie inconnue. Ancien Cabinet.
b. 2, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).

Digitized by Google

c. 1, Patrie inconnue. M. Goedhuijs.

Potamides minimus, var. *nigrescens* Menke.

a. 2, Patrie inconnue. Cabinet Raye.

MODULIDAE.

MODULUS.

Modulus modulus Linné.

a. 6, Barbados. Ancien Cabinet.
b. 1, St. Thomas. M. le Dr. F. van Calker, 1866 (C.).
c. 1, Variété. Barbados. Ancien Cabinet.

Modulus tectum Gmelin.

a. 1, Patrie inconnue. Ancien Cabinet.
b. 1, Timor. M. Zijnen Wartel (C.).
c. 1, Jeune individu. Samao. M. le Dr. H. ten Kate, 1891 (C.).

Modulus catenulatus Philippi.

a. 2, Californie. M. Verreaux (C.).
b. 1, Baie de Guyamas. M. le Dr. H. ten Kate, 1883 (C.).

PLANAXIDAE.

PLANAXIS.

PLANAXIS.

Planaxis sulcatus Born.

a. 16, Côte de Java. M. Junghuhn et M. Reinwardt (C.).
b. 6, Biliton.
c. 1, Côte de Natal. M. Krauss (C.).
d. 16, (alc.) Sumatra. M. S. Müller (C.).

Digitized by Google

Planaxis sulcatus, var. *undulatus* Lamarck.

a. 12, Côte de Java. M. Reinwardt (C.).
b. 3, Samao. M. le Dr. H. ten Kate, 1891 (C.).

Planaxis Savignyi Deshayes.

a. 3, Mer Rouge. M. Ruyssenaers et M. Forskål (C.).

Planaxis breviculus Deshayes.

a. 1, Mer Rouge. M. Ruyssenaers, 1849 (P.).
b. 1, Aden. M. le Col. Worthington Wilmer (C.).

Planaxis planicostatus Sowerby.

a. 2, Ile Lord Hood (Marutea). M. Cuming (C.).
b. 1, Patrie inconnue.

Planaxis nucleus Lamarck.

a. 3, Indes Occidentales, Possessions Danoises. M.M. Kraepelin et Holm (C.).
b. 3, Surinam.
c. 1, Curaçao. M. Steenberghe, 1864 (P.).
d. 7, St. Thomas. M. le Dr. F. van Calker, 1866 (C.).

Planaxis nigritellus Forbes.

a. 2, Mazatlan. M. Dohrn (P.).

Planaxis eboreus Smith.

a. 2, Curaçao. M. Steenberghe (P.).

Planaxis lineatus da Costa.

a. 14, Patrie inconnue.

HINEA.

Planaxis brasilianus Lamarck.

a. 1, Brésil?

Digitized by Google

Planaxis brasilianus, var. *piger* Forbes.

a. 3, Ile Lord Hood (Marutea). M. Cuming (C.).

QUOYIA.

Planaxis decollatus Quoy et Gaymard.

a. 1, Ile Saparoea. M. Macklot (C.).
b. 5, La Nouvelle Guinée. M. S. Müller (C.).
c. 2, (alc.) Océan Indien. M. Macklot (C.).

TRICHOTROPIDAE.

TRICHOTROPIS.

TRICHOTROPIS.

Trichotropis bicarinata Sowerby.

a. 1, Détroit de Behring. M. Turner (C.).

ARIADNA.

Trichotropis borealis Broderip et Sowerby.

a. 1, Ile Farö. M. Mörch (C.).

IPHINOE.

Trichotropis unicarinata Sowerby.

a. 1, Japon. M. von Siebold (C.).

ALORA.

Trichotropis cedo-nulli A. Adams.

a. 1, Jeune individu. Japon. M. Dohrn (P.).

Digitized by Google

VERMETIDAE.

VERMETUS.

SERPULORBIS.

Vermetus arenarius Linné.

a. 1, Méditerranée. M. Cantraine (C.).
b. 4, Patrie inconnue. Ancien Cabinet.
c. 1, (alc.) Méditerranée. M. Cantraine (C.).

Vermetus sulcatus Lamarck.

a. 1, Océan Indien.

Vermetus colubrinus Bolten.

a. 1, Ile de France. M. Frank, 1891.
b. 3, Patrie inconnue. M. Drieling et Collection Hoogeveen (P.).

Vermetus medusae Pilsbry.

a. 2, Japon.

Vermetus sp.

a. 1, Ile Espirito Santo, Golfe de Californie. M. le Dr. H. ten Kate, 1883 (C.).

? Vermetus imbricatus Dunker.

a. 2, Japon. M. von Siebold (C.).

VERMICULARIA.

Vermetus lumbricalis Linné.

a. 3, Sénégal. Collection Raye.
?*b.* 1, (alc.) sans Coquille. Mer Rouge. M. Rüppell (C.).

Vermetus spiratus Philippi.

a. 4, Iles Bahama. M. P. W. M. Trap (P.).

Digitized by Google

Vermetus spiratus, var. *scalaris* Mörch.

a. 7, Patrie inconnue.

Vermetus pellucidus Broderip et Sowerby.

a. 1, Iles Lobos. M. Cuming (C.).

SIPHONIUM.

? Vermetus maximus Sowerby.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).

SPIROGLYPHUS.

Vermetus glomeratus Bivona.

a. 1, Variété? Océan Indien. Ancien Cabinet.

VERMETUS.

Vermetus conicus Dillwyn.

a. 3, Antilles. Ancien Cabinet.

? Vermetus renisectus Carpenter.

a. 3, Détroit de Larantoeka. M. Semmelink (C.).

BIVONIA.

Vermetus triqueter Bivona.

a. 1, Patrie inconnue.

Vermetus semisurrectus Bivona.

a. 2, Méditerranée. M. Cantraine et Ancien Cabinet.

TENAGODES.

TENAGODES.

Tenagodes obtusus Schumacher.

a. 1, Méditerranée. M. Humbert.

b. 1, Marseille.

Digitized by Google

Tenagodes incisus Chemnitz.

a. 5, Côte de Guinée. M. Pel (C.).
b. 1, Patrie inconnue.
c. 1, (alc.) Côte de Guinée. M. Pel (C.).

AGATHIRSES.

Tenagodes anguina Linné.

a. 2, Amboine. M. Hoedt (C.).
b. 2, Patrie inconnue. Cabinet Raye.

Tenagodes anguina, var. *ruber* Schumacher.

a. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Patrie inconnue. Cabinet Raye.

Tenagodes Bernardi Mörch.

a. 1, Patrie inconnue. Cabinet Raye.

TURRITELLIDAE.

TURRITELLA.

TURRITELLA.

Turritella terebra Linné.

a. 7, Océan Indien.
b. 5, Variété. Côte de Java. M. Junghuhn (C.).
c. 7, Variété. Patrie inconnue. Collection Hoogeveen (P.).
d. 2, (alc.) Océan Indien. M.M. Kuhl et van Hasselt (C.).

Turritella spectrum Reeve.

a. 6, Côte de Java. M. Junghuhn (C.).

Turritella communis Risso.

a. 18, Méditerranée. M. Cantraine (C.).
b. 14, Alger.

Digitized by Google

c. 1, Côte d'Hollande, Katwijk. M. A. A. van Bemmelen (C.).
d. 1, Cattegat. M. Mörch (C.).
e. 5, Haïti? M. Ricord.
f. 2, (alc.) Méditerranée. M. Cantraine (C.).

Turritella cingulata Sowerby.

a. 4, Valparaiso. M. Cuming (C.)

Turritella triplicata Brocchi.

a. 20, Méditerranée. M. Cantraine (C.).
b. 1, Patrie inconnue. Ancien Cabinet.

Turritella bicingulata Lamarck.

a. 3, Patrie inconnue. Ancien Cabinet.
b. 2, Variété. Congo.

Turritella nodulosa King.

a. 1, Mexique. M. Cuming (C.).

Turritella sp.

a. 3, Côte de Java. M. Junghuhn et M. Overdijk (C.).

Turritella erosa Couthouy.

a. 2, Jeunes individus. Groenland. Musée de Copenhague (P.).

Turritella cingulifera Sowerby.

a. 1, Patrie inconnue.

Turritella incisa Reeve.

a. 12, Méditerranée? M. Cantraine (C.).

HAUSTATOR.

Turritella variegata Linné.

a. 4, Surinam. Cabinet Trippenhuis.
b. 6, Patrie inconnue. Cabinet Dalen et Collection Hoogeveen (P.).

Digitized by Google

Turritella variegata, var. *imbricata* Linné.

a. 1, Patrie inconnue.

Turritella Cumingii Reeve.

a. 2, Mexique. M. Cuming (C.).

Turritella columnaris Kiener.

a. 2, Patrie inconnue. Ancien Cabinet et Collection Hoogeveen (P.).

Turritella Broderipiana d'Orbigny.

a. 2, Pérou, Payta. M. Cuming (C.).

Turritella maculata Reeve.

a. 1, Patrie inconnue. Ancien Cabinet.

Turritella vittulata Adams et Reeve.

a. 1, Patrie inconnue. Ancien Cabinet.
b. 2, Variété. Patrie inconnue. Ancien Cabinet.

Turritella candida Reeve.

a. 1, Patrie inconnue. Collection Dalen.

Turritella infraconstricta Smith.

a. 1, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (P.).

Turritella sp.

a. 1, Jeune individu. Benguela, Humpata. M. D. Veth, 1886 (C.).

Turritella punctata Kiener.

a. 3, Patrie inconnue. Collection Dalen.

Turritella fascialis Menke.

a. 2, Japon. M. von Siebold (C.).

Digitized by Google

TORCULA.

Turritella exoleta Linné.

a. 1, Jeune individu. Côte de Guinée. Ancien Cabinet.

Turritella carinifera Lamarck.

a. 10, Patrie inconnue. Ancien Cabinet et Collection Hoogeveen.

Turritella Banksii Gray.

a. 3, Panama. M. Cuming (C.).

Turritella cochlea Reeve.

a. 1, Patrie inconnue. Ancien Cabinet.

ZARIA.

Turritella duplicata Linné.

a. 5, Océan Indien. Collection Raye.

Turritella duplicata, var. *acutangula* Linné.

a. 3, Océan Indien. Collection Hoogeveen (P.).

Turritella attenuata Reeve.

a. 1, Patrie inconnue. Collection Hoogeveen.

Turritella bacillum Kiener.

a. 10, Chine, Amoy. M. Buddingh et M. G. Schlegel (C.).
b. 5, Patrie inconnue. Cabinet Dalen et Collection Hoogeveen.
c. 1, Variété. Collection Hoogeveen (P.).

MESALIA.

Mesalia brevialis Lamarck.

a. 4, Patrie inconnue. Ancien Cabinet.

Mesalia lactea Möller.

a. 2, Groenland. Musée de Copenhague (P.).

Digitized by Google

CAECIDAE.

CAECUM.

Caecum trachea Martyn.

a. 8, Angleterre. M. Damon.

MELANIIDAE.

MELANIA.

MELANELLA.

Melania Hollandri Férussac.

a. 12, Carniole, rivières Laibach et Save. M. F. J. Schmidt (C.).
b. 4, Jeunes individus. Carinthie. M. Landauer.
c. 5, Variété. Carniole. M. Landauer.

Melania Hollandri, var. *elegans* Schmidt.

a. 6, Carniole. M. F. J. Schmidt, 1848 (C.).

Melania Hollandri, var. *costulata* Schmidt.

a. 4, Carniole. M. F. J. Schmidt (C.).
b. 2, Patrie inconnue. Collection Dalen.

Melania Hollandri, var. *laevigata* Rossmässler.

a. 15, Carniole. M. F. J. Schmidt (C.).

Melania Hollandri, var. *afra* Ziegler.

a. 3, Carniole, rivière Ringelza. M. F. J. Schmidt (C.).
b. 9, Patrie inconnue.

Melania Hollandri, var. *agnata* Ziegler.

a. 3, Carniole. M. Landauer.

Digitized by Google

Melania Hollandri, var. *macilenta* Parreyss.

a. 1, Patrie inconnue. M. Landauer.

Melania parvula Schmidt.

a. 11, Styrie, Tieffersbad. M. Landauer.

Melania glans von dem Busch.

a. 9, Java. M. Junghuhn (C.).
b. 1, Iles Obi. M. Bernstein (C.).
c. 4, Indes orientales. M. Macklot (C.).
d. 3, (alc.) Java. M. Macklot (C.).
e. 1, (alc.) Padang.

ACROSTOMA.

Melania pisum Brot.

a. 15, Java. M. Junghuhn (C.).

Melania glandiformis Schepman.

a. 4, Java. M. Junghuhn (C.). Types de l'espèce.

PACHYCHILUS.

Melania Largillierti Philippi.

a. 3, Mexique. M. Cuming (C.).
b. 1, Guatemala. M. Verreaux (C.).
c. 3, Patrie inconnue.

Melania Helleri Parreyss.

a. 1, Patrie inconnue.

Melania laevissima Sowerby.

a. 1, Amérique centrale. M. Landauer.
b. 8, Patrie inconnue.

Melania laevissima, var. *decollata* Brot.

a. 1, Patrie inconnue.

Digitized by Google

Melania laevissima, var. *clava* Menke.

a. 2, Patrie inconnue. Collection Dalen.

Melania Schiedeana Philippi.

a. 1, Mexique. Musée de Copenhague. (P.).
b. 2, Patrie inconnue. M. Landauer.

Melania testudinaria von dem Busch.

a. 26, Java. M. Junghuhn (C.).
b. 20, (alc.) Java.

Melania Junghuhni Schepman.

a. 31, Java. M. Junghuhn (C.). Types de l'espèce.
b. 9, (alc.) Java.

Melania Junghuhni, var. *fasciata* Schepman.

a. 18, Java. M. Junghuhn (C.). Types de la variété.

Melania Junghuhni, var. *flammulata* Schepman.

a. 16, Java. M. Junghuhn (C.). Types de la variété.

Melania brevis d'Orbigny.

a. 4, Cuba. M. Landauer.

SULCOSPIRA.

Melania sulcospira Mousson.

a. 18, Java. M. Junghuhn (C.).

Melania japonica Reeve.

a. 9, Indes orientales. Voyage de M. Macklot.
b. 5, Variété. Indes orientales. Voyage de M. Macklot.
c. 3, Timor? M. Macklot (C.).
d. 4, Japon. M. von Siebold (C.).

Melania japonica, var. *ambidextra* Martens.

a. 4, Japon. M. von Siebold (C.).

Digitized by Google

? *Melania hongkongiensis* Brot.

a. 1, Patrie inconnue.

Melania rufescens Martens.

a. 2, Japon. M. von Siebold (C.).

NIGRITELLA.

Melania nigritina Morelet.

a. 7, Côte de Guinée. M. Pel (P.).
b. 5, Gaboon. M. Verreaux (C.).
c. 2, Jeunes individus. Sénégal. M. Verreaux (C.).
d. 5, Variété. Libéria, rivière Duqueah. M. J. Büttikofer, 1887 (C.).
e. 6, (alc.) Côte d'or. M. Pel (P.).

Melania decollata Lamarck.

a. 2, Cuba.
b. 2, Jeunes individus. Patrie inconnue.

Melania liberiensis Schepman.

a. 12, Libéria, rivière St. Paul près de Bavia. M.M. J. Büttikofer et Sala, 1880 (C.). Types de l'espèce.

Melania Sancti-Pauli Schepman.

a. 6, Libéria, rivière St. Paul, près de Bavia. M.M. J. Büttikofer et Sala, 1880 (C.). Types de l'espèce.

Melania Büttikoferi Schepman.

a. 4, Libéria, rivière St. Paul, près de Bavia. M.M. J. Büttikofer et Sala, 1880 (C.). Types de l'espèce.

MELANOIDES.

Melania dactylus Lea.

a. 1, Variété. Philippines. M. Verreaux (C.).
b. 1, Variété β Brot. Jeune individu. Patrie inconnue. M. Landauer.

Digitized by Google

Melania asperata Lamarck.

a. 1, Philippines. M. Verreaux (C.).
b. 1, Patrie inconnue. M. Landauer.

Melania asperata, var. *inquinata* Defrance.

a. 1, Patrie inconnue. M. Landauer.

Melania perfecta Mousson.

a. 4, Java. M.M. Kuhl et van Hasselt (C.).

Melania variabilis Bens. var. *varicosa* Troschel.

a. 2, Chine, iles Alambas. M. Verreaux (C.).
b. 2, Embouchure du Ganges. M. Landauer.

Melania sp.

a. 1, Japon. M. von Siebold (C.).

Melania sumatrensis Brot.

a. 2, Sumatra, entre Soengei Aboe et Moeara Laboe. Expédition scientifique de Sumatra, 1877—79.
b. 1, Indes orientales. M. Landauer.
c. 4, Variété. Sumatra, Soekadana. M. M. M. Schepman (P.).
d. 1, Variété. Sumatra, entre Ajer Boesoek et Ringkiang Loeloes. Expédition scientifique de Sumatra, 1877—79.

Melania sumatrensis, var. *milescens* Martens.

a. 1, Sumatra. Expédition scientifique de Sumatra, 1877—79.
b. 8, (alc.) Soepajang et Alahan Pandjang. Expédition scientifique de Sumatra, 1877—79.

Melania spinosa Benson.

a. 1, Bengale. M. Landauer.

Melania Reevei Brot.

a. 1, Burmah, Pegu. M. Landauer.

Digitized by Google

Melania infracostata Mousson.

a. 9, Java.

b. 1, (alc.) Bornéo. M. Semmelink (C.).

Melania Brookei Reeve.

a. 16, Bornéo occidental, Singangi, Goenoeng Kenepai, Poelau Sibau. Expédition scientifique de Bornéo, 1893—94.

b. 3, Variété. Bornéo méridional. M. Schwaner (C.).

c. 7, Jeunes individus? Bornéo méridional. M. Schwaner (C.).

d. 1, (alc.) Sumatra, Padang. M. E. Büttikofer (P.).

e. 2, (alc.) Bornéo, Pleihari. M. Semmelink, 1866 (C.).

f. 1, (alc.) Variété. Patrie inconnue.

Melania Brookei, var. *sparsimnodosa* von dem Busch.

a. 11, Bornéo occidental, Goenoeng Kenepai. Expédition scientifique de Bornéo, 1893—94.

Melania sp.

a. 1, Inde, Pegu?

Melania torquata von dem Busch.

a. 1, (alc.) Variété. Java.

Melania borneensis Schepman.

a. 1, Bornéo. M. Schwaner (C.). Type de l'espèce.

Melania Zollingeri Brot.

a. 3, Sumatra, Bedar Alam. Expédition scientifique de Sumatra, 1877—79.

Melania subplicata Schepman.

a. 4, Sumatra, Bedar Alam. Expédition scientifique de Sumatra, 1877—79. Types de l'espèce.

Melania Schwaneri Schepman.

a. 4, Bornéo méridional. M. Schwaner (C.). Types de l'espèce.

Digitized by Google

MELANIA.

Melania crenulata Deshayes.

a. 5, Java. M. Junghuhn (C.).
b. 1, La Nouvelle-Guinée.
c. 1, Céram, Ajer Besar. M. le Prof. K. Martin, 1892 (C.).
d. 5, Patrie inconnue.
e. 11, (alc.) Java, Bezoeki. M. Semmelink (C.).

Melania semicancellata von dem Busch.

a. 18, Java. M. Junghuhn (C.).
b. 1, Variété. Java. M. Junghuhn (C.).

Melania blatta Lea.

a. 4, Sumatra.
b. 1, Amboine. M. Hoedt (C.).
c. 3, (alc.) Padang. Expédition scientifique de Sumatra, 1877—79.

Melania uniformis Quoy et Gaimard.

a. 5, Moluques.
b. 8, (alc.) Moluques.

Melania Bernardi Brot.

a. 1, Bornéo. M. S. Müller (C.).

Melania anthracina von dem Busch.

a. 3, Java. M. Junghuhn (C.).
b. 1, Moluques.
c. 1, (alc.) Java. M. Reinwardt (C.).

Melania acutissima von dem Busch.

a. 13, Patrie inconnue. M. Newcomb (C.).
b. 1, Variété. Java. M. van Doorn (P.).

Digitized by Google

Melania hastula Lea.

a. 4, Java. M. van Doorn (P.).
b. 2, Amboine. M. von Rosenberg (C.).
c. 2, Célèbes, Gorontalo. M. von Rosenberg (C.).
d. 1, Ternate. M. Landauer.
e. 28, Timor, Koepang. M. Zijnen Wartel (C.).
f. 1, Variété. Adonara. M. Semmelink (C.).
g. 8, (alc.) Java. M. Reinwardt (C.).

Melania funiculus Quoy et Gaimard.

a. 1, Java?
b. 2, Céram, Ajer Besar. M. le Prof. K. Martin, 1892 (C.).
c. 1, Patrie inconnue.

Melania aspirans Hinds.

a. 3, Amboine. M. von Rosenberg (C.).
b. 1, Australie. M. van Doorn (P.).
c. 7, (alc.) Moluques.

Melania sp.

a. 1, Célèbes, Gorontalo. M. von Rosenberg (C.).
b. 4, (alc.) Java, Bezoeki.

Melania figurata Hinds.

a. 1, Célèbes, lac Tondano. M. van Doorn (P.).

Melania terebriformis Brot.

a. 1, Java.
b. 1, Patrie inconnue.

Melania subulata Lamarck.

a. 1, (alc.) Java, Bezoeki. M. Semmelink (C.).

? *Melania aerea* Reeve.

a. 1, Patrie inconnue.

Digitized by Google

Melania semiornata Brot.

a. 9, Java. M. Junghuhn (C.).
b. 3, (alc.) Bezoeki. M. Semmelink (C.).

Melania Snellemanni Schepman.

a. 2, Sumatra, Moeara Laboe. Expédition scientifique de Sumatra, 1877—79. Types de l'espèce.

Melania cincta Lea.

a. 1, Variété. Java. M. Junghuhn (C.).

Melania sp.

a. 1, Taïti. M. Verreaux (C.).

Melania sp.

a. 1, Cochinchine. M. Verreaux (C.).

Melania arctecava Mousson.

a. 15, Java. M. Junghuhn (C.).
b. 8, Variété. Java, Tjilatjap. M. Overdijk (C.).
c. 2, Variété. Java.
d. 8, Célèbes, Menado. M. Forsten (C.).
e. 4, Célèbes, Gorontalo. M. von Rosenberg (C.).
f. 14, Timor. M. S. Müller (C.).
g. 1, (alc.) Moluques.

Melania albescens Lea.

a. 3, Célèbes. M. Forsten (C.).
b. 7, Adonara. M. J. Semmelink, 1863 (C.).
c. 12, Timor, Koepang. M. Zijnen Wartel et M. le Dr. H. ten Kate (C.).
d. 8, Iles Aroe. M. von Rosenberg (C.).
e. 1, Patrie inconnue.
f. 3, (alc.) Iles Solor. M. Semmelink (C.).
g. 1, (alc.) Bornéo. M. Semmelink (C.).
h. 15, (alc.) Timor, Koepang. M. le Dr. H. ten Kate (C.).

Digitized by Google

Melania digitalis Mousson.

a. 5, Java, Tjilatjap. M. Overdijk (C.).
b. 2, Jeunes individus. Java, Bezoeki. M. J. Semmelink (C.).

Melania mindorensis Lea.

a. 2, Célèbes, Menado. M. Forsten (C.).

Melania laevigata Lamarck.

a. 2, Java. M.M. Boie et Macklot (C.).
b. 2, Adonara, Woereh. M. J. Semmelink (C.).

Melania pantherina von dem Busch.

a. 4, Variété. Adonara. M. J. Semmelink (C.).

Melania subpunctata Schepman.

a. 7, Java. M. S. Müller (C.). Types de l'espèce.
b. 7, (alc.) Java. M. Groen (P.).

Melania Mülleri Schepman.

a. 3, Bornéo. M. S. Müller (C.). Types de l'espèce.
b. 3, Patrie inconnue. M. S. Müller (P.).
c. 4, (alc.) Java. M. Groen (P.).

Melania clavus Lamarck.

a. 1, Soemba, environs de Waingapoe. M. le Dr. H. ten Kate (C.).
b. 1, Variété. Céram, Ajer Besar. M. le Prof. K. Martin, 1892 (C.).

Melania christobalensis Brot. aff.

a. 1, Adonara. M. Semmelink (C.).

Melania sobria Lea.

a. 3, Iles Aroe. M. von Rosenberg (C.).
b. 1, Jeune individu. Java.

Melania sobria, var. *cochlidium* Lea.

a. 1, Philippines. M. Landauer.
b. 1, Patrie inconnue.

Digitized by Google

Melania moesta Hinds.

a. 1, Java. M. Junghuhn (C.).
b. 2, Iles Aroe. M. von Rosenberg (C.).
c. 1, Timor, Koepang. M. Zijnen Wartel (C.).
d. 12, Variété. Adonara. M. Semmelink (C.).
e. 1, (alc.) Variété. Iles Solor. M. Semmelink (C.).

Melania sp.

a. 3, Iles Aroe. M. von Rosenberg (C.).

Melania sp.

a. 1, La Nouvelle Zélande? M. Verreaux (C.).

Melania costellaris Lea.

a. 2, Amboine. M. Hoedt (C.).
b. 1, Philippines. M. Landauer.
c. 1, Variété. Célèbes, Tomohon. Mission Catholique (P.).

Melania sp.

a. 1, Samoa. M. Verreaux (C.).

Melania Löbbeckii Brot.

a. 3, Japon. M. von Siebold (C.).
b. 5, Variété. Japon. M. von Siebold (C.).

? *Melania angusta* Philippi.

a. 1, Amboine. M. von Rosenberg (C.).

Melania cimelium Reeve.

a. 1, Céram. M. Verreaux (C.).

Melania amabilis von dem Busch.

a. 2, Java, Besoeki.
b. 4, (alc.) Besoeki.

Digitized by Google

STRIATELLA.

Melania Landaueri Brot.

a. 6, Iles Aroe. M. von Rosenberg (C.).

Melania Arthuri Brot.

a. 1, Flores, rivière Conga Telau. Mission catholique (P.).

Melania subexusta Mousson.

a. 1, Australie. M. van Doorn (P.).

Melania inhonesta von dem Busch.

a. 3, Banda-neira. M. Semmelink (C.).

Melania societatis Mousson.

a. 2, Iles Aroe. M. von Rosenberg (C.).
b. 1, Amboine, Noesaniva.
c. 1, Variété. Java. M. Junghuhn (C.).
d. 1, Variété. Timor, Koepang. M. Zijnen Wartel (C.)

Melania indefinita Lea.

a. 3, Iles Sandwich. M. Newcomb (C.).
b. 1, Iles de la Société. M. Cuming (C.).

Melania lancea Lea.

a. 4, Tahiti. M. Verreaux (C.).

Melania contigua Pease.

a. 5, Tahiti, Papana. M. Verreaux (C.).

Melania corporosa Gould.

a. 2, Iles Samoa, Oepoloe. M. Verreaux (C.).
b. 7, Tahiti. M. Verreaux (C.).

Melania unicolor Tryon.

a. 6, Tahiti. M. Verreaux (C.).

Melania luctuosa Hinds.

a. 1, Balaou. M. Verreaux (C.).

Digitized by Google

Melania crepidinata Reeve.

a. 29, Java. M. Junghuhn (C.).
b. 8, Célèbes. M. Forsten (C.).
c. 5, Variété. Célèbes. M. Forsten (C.).

Melania sp. affinis *M. crepidinata* Reeve.

a. 1, Céram. M. Verreaux (C.).
b. 1, Ile St. Antony, Guinée supérieure? M. Landauer (C.).
c. 1, Turane, Cochinchine. M. Verreaux (C.).
d. 8, Soemba, Waingapoe. M. le Dr. H. ten Kate, 1891 (C.).

Melania turriculus Lea.

a. 3, Indes orientales. Voyage de M. S. Müller.
b. 3, Ile Groot-bastaard. M. le Dr. H. ten Kate, 1891 (C.).

Melania Tenkatei Schepman.

a. 12, Soemba septentrional, Lentang. M. le Dr. H. ten Kate, 1891 (C.). Types de l'espèce.
b. 20, (alc.) Ile Groot-bastaard. M. le Dr. H. ten Kate, 1891 (C.).

Melania Commersoni Morelet.

a. 2, Balaou. M. Verreaux (C.).

Melania javanica von dem Busch.

a. 1, Philippines. M. Verreaux (C.).
b. 1, Célèbes. M. Forsten (C.).

Melania tuberculata Müller.

a. 6, Sénégal. M. Verreaux (C.).
b. 13, Nil. M. Clot Bey (P.).
c. 8, Alexandrie. M. Verreaux (C.).
d. 3, Sennaar. M. Sowerby.
e. 4, Beyrut. M. Liebetrut.

Digitized by Google

f. 7, Madagascar. M. Verreaux; M.M. Pollen et van Dam (C.).
g. 3, Ile de France. M. Frank.
h. 4, Réunion. M. Verreaux (C.).
i. 28, Java. M. Junghuhn (C.).
j. 7, Chine, Amoy. M. G. Schlegel (P.).
k. 1, La Nouvelle-Calédonie. M. le Dr. Philippi, 1849.
l. 2, Iles Sandwich. M. Landauer.
m. 14, Patrie inconnue.
n. 17, (alc.) Java. M. Lüdeking (C.).
o. 15, (alc.) Sumatra: Soepajang, Alahan Pandjang et Moeara Laboe. Expédition scientifique de Sumatra 1877—79.

Melania tuberculata, var. *mauriciae* Lesson.

a. 8, Ile de France. M. Verreaux (C.).

Melania sp. affinis *M. tuberculata* Müller.

a. 1, Port Natal.
b. 1, Cochinchine. M. Verreaux (C.).
c. 1, Soemba, partie occidentale. M. le Dr. H. ten Kate, 1891 (C.).
d. 2, Ile Groot-bastaard. M. le Dr. H. ten Kate, 1891 (C.).
e. 2, Java.
f. 6, Patrie inconnue.

? *Melania tigrina* Hutton.

a. 4, Singapore. M. Buddingh (P.).

Melania cylindracea Mousson.

a. 8, Java. M. Junghuhn (C.).

Melania lentiginosa Reeve.

a. 6, Syrie. M. Verreaux (C.).

Melania pyramis Benson.

a. 4, Java.
b. 5, Individus voisins de l'espèce. Indes orientales.

Digitized by Google

PLOTIA.

Melania scabra Müller.

a. 15, Java. M. Junghuhn (C.).
b. 1, Philippines. M. Verreaux (C.).
c. 9, Variété. Soemba. M. le Dr. H. ten Kate, 1891 (C.).
d. 10, (alc.) Bezoeki. M. Semmelink (C.).
e. 3, (alc.) Variété. Soemba, Waingapoe. M. le Dr. H. ten Kate (C.).

Melania scabra, var. *inermis* Schepman.

a. 1, Soepajang, Sumatra. Expédition de Sumatra, 1877—79. Type de la variété.

Melania scabra, var. *gracilis* Martens.

a. 13, Célèbes, Menado. M. Forsten (C.).

Melania scabra var. *myura* Brot. aff.

a. 26, Java. M. Junghuhn (C.).

Melania granum von dem Busch.

a. 49, Java. M. Junghuhn; M.M. Kuhl et van Hasselt; MM. Boie et Macklot (C.).
b. 25, (alc.) Java. M. Groen (C.).

Melania granum, var. *inermis* Brot.

a. 10, Java. M. Junghuhn; M.M. Kuhl et van Hasselt (C.).
b. 12, Individus voisins de la variété *inermis*. Java. M. Junghuhn (C.).
c. 25, (alc.) Java. Malang. M. Hillebrand, 1871 (C.).
d. 20, (alc.) Variété entre type et var. *inermis*. Malang. M. Hillebrand, 1871 (C.).

Digitized by Google

Melania Savinieri Brot.

a. 6, Java. M. Groen (P.).
b. 50, Patrie inconnue.
c. 100, (alc.) Java. M. Groen (P).

Melania pagoda Lea.

a. 6, Java. M.M. Boie et Macklot (C.).
b. 18, Adonara. M. Semmelink (C.).
c. 10, Timor, Koepang. M. Zijnen Wartel (C.).
d. 2, Flores, rivière Conga. Mission catholique, 1895 (P.).
e. 2, (alc.) Iles Solor. M. Semmelink, 1864 (C.).
f. 2, (alc.) Java. M.M. Kuhl et van Hasselt (C.).
g. 1, (alc.) Amboine. M. Hoedt (C.).

Melania pagoda, var. *costulata* Schepman.

a. 7, Flores, Larantoeka et Adonara. M. Semmelink (C.). Types de la variété.
b. 2, Timor, Koepang. M. Zijnen Wartel (C.).

Melania acanthica Lea.

a. 2, Java. M.M. Boie et Macklot (C.).
b. 9, Célèbes, Gorontalo. M. von Rosenberg (C.).
c. 14, Timor. M. S. Müller (C.).
d. 25, (alc.) Moluques.

Melania rudicostis Mousson.

a. 4, Amboine. M. von Rosenberg et M. Hoedt (C.).
b. 2, Iles Aroe. M. von Rosenberg (C.).

Melania bellicosa Hinds.

a. 2, Patrie inconnue. M. Newcomb (C.).

THIARA.

Melania amarula Bruguière.

a. 1, Indes orientales. Musée de Berlin (P.).
b. 3, Java?
c. 6, Patrie inconnue. M. Verreaux (C.).

Digitized by Google

Melania Moreleti Deshayes.

a. 2, Madagascar, Tananarivo. M.M. Pollen et van Dam (C.).
b. 1, Ile de France. M. Frank, 1891.
c. 11, Patrie inconnue. M. Verreaux et M. Landauer (C.).

Melania curta Philippi.

a. 9, Madagascar, M. Pollen, 1878 (C.).

Melania thiarella Lamarck.

a. 2, Java. M. Junghuhn (C.).
b. 4, Patrie inconnue. M. Verreaux (C.).

Melania diadema Lea.

a. 4, Amboine. M. Hoedt (C.).
b. 1, Java. M. Junghuhn (C.).
c. 1, Célèbes, lac de Tondano. M. van Doorn (P).
d. 1, (alc.) Patrie inconnue.

Melania villosa Philippi.

a. 3, Moluques.
b. 4, (alc.) Moluques.

Melania cybele Gould.

a. 2, Java. M. Junghuhn (C.).
b. 1, (alc.) Sumatra, Padang.
c. 2, (alc.) Java. M.M. Kuhl et van Hasselt (C.).

Melania setosa Swainson.

a. 9, Amboine. M. Hoedt et M. von Rosenberg (C.).
b. 1, Jeune individu. Célèbes, lac de Tondano. M. van Doorn (P.).
c. 1, Philippines. M. Landauer.
d. 15, (alc.) Moluques.

Melania setigera Brot.

a. 11, Java. M. Junghuhn (C.).
b. 2, (alc.) Java. M. Reinwardt (C.).

Digitized by Google

THIAROPSIS.

Melania Winteri von dem Busch.

a. 4, Java. M. Junghuhn (C.).
b. 2, (alc.) Java. M.M. Kuhl et van Hasselt (C.).

Melania collistricta Reeve.

a. 2, Patrie inconnue. M. Verreaux (C.).

Melania dimidiata Menke.

a. 1, Indes orientales. M. Landauer.

Melania Herklotsi Petit.

a. 3, Java. M. Junghuhn (C.). Types de l'espèce.
b. 12, (alc.) Java. M. Junghuhn (C.).

Melania rudis Lea.

a. 1, Patrie inconnue.

Melania semicostata Philippi.

a. 14, (alc.) Java.

Melania armillata Lea.

a. 4, Soemba, Waingapoe. M. le Dr. H. ten Kate, 1891 (C.).

TAREBIA.

Melania celebensis Quoy et Gaimard.

a. 4, Célèbes, Menado. M. Forsten (C.).
b. 3, Célèbes, Gorontalo. M. von Rosenberg (C.).
c. 6, Amboine. M. von Rosenberg (C.).
d. 1, Jeune individu. Timor. M. S. Müller (C.).
e. 4, Java. M. S. Müller (C.).
f. 3, Variété. Indes orientales. M. S. Müller (C.).
g. 3, (alc.) Moluques.

Digitized by Google

Melania invicta Mousson.

a. 6, Amboine. M. Forsten (C.).
b. 8, (alc.) Amboine. M. Forsten (C.).

Melania verrucosa Hinds.

a. 22, Java. M. S. Müller (C.).
b. 6, Patrie inconnue.

Melania spectabilis Brot.

a. 1, Patrie inconnue. Collection Dalen.

Melania lateritia Lea.

a. 9, Célèbes, Amoerang. M. Semmelink, 1881 (C.).
b. 14, Soemba, Waingapoe. M. le Dr. H. ten Kate, 1891 (C.).

Melania granifera Lamarck.

a. 1, Java. M. Boie (C.).

Melania mauiensis Lea.

a. 21, Soemba: Massoe, Melolo, Waingapoe et rivière Karita. M. le Dr. H. ten Kate, 1891 (C.).
b. 1, (alc.) Soemba, Waingapoe. M. le Dr. H. ten Kate, 1891 (C.).

Melania sp.

a. 1, Soemba, Waingapoe. M. le Dr. H. ten Kate, 1891 (C.).
b. 1, Timor, Koepang. M. Zijnen Wartel (C.).

Melania lirata Benson.

a. 42, Java. M. Junghuhn (C.).
b. 3, Variété. Patrie inconnue.
c. 14, (alc.) Java. M. Reinwardt et M. Groen (C.).
d. 11, (alc.) Java, Malang. M. Hillebrand (P.).

Melania lirata, var. *asperula* Brot. aff.

a. 5, Java. M. Junghuhn (C.).
b. 1, Patrie inconnue.

Digitized by Google

SERMYLA.

Melania tornatella Lea.

a. 1, Iles Aroe. M. von Rosenberg (C.).
b. 1, Patrie inconnue. M. Landauer.

Melania Riqueti Grateloup.

a. 30, Java. Intestins d'un Arius.
b. 100, (alc.) Java.

PARAMELANIA.

Melania grandis Bourguignat.

a. 1, Lac Tanganyika. M. G. B. Sowerby.

DORYSSA.

Doryssa atra Richard.

a. 1, Patrie inconnue. M. Férussac (C.).

Doryssa lamarckiana Brot.

a. 4, Surinam. M. le Dr. H. ten Kate (C.).
b. 9, (alc.) Surinam. M. le Dr. H. ten Kate (C.).

? *Doryssa transversa* Lea.

a. 1, Jeune individu. Rivière Amazone. M. Verreaux (C.).

? *Doryssa inconspicua* Brot.

a. 2, Jeunes individus. Rivière Amazone. M. Verreaux (C.).

Doryssa aquatilis Reeve.

a. 1, Patrie inconnue.

Doryssa macapa Moricand.

a. 3, Patrie inconnue. M. Landauer.

Digitized by Google

CLAVIGER.

Claviger byronensis Gray.

a. 6, Libéria, rivière St. Paul. M.M. Büttikofer et Sala, 1880 (C.).

Claviger auritus Müller.

a. 3, Sénégal. M. Verreaux (C.).
b. 2, Libéria, Junk-river. M. Stampfli, 1884 (C.).
c. 4, Patrie inconnue. Cabinet Dalen et Collection Hoogeveen (P.).

Claviger auritus, var. *subauritus* Brot.

a. 3, Congo. M. P. Kamerman, 1879 (P.).

Claviger Matoni Gray.

a. 7, Sénégal. M. Verreaux (C.).

Claviger Matoni, var. *loricatus* Reeve.

a. 21, Libéria, Grand Cape Mount. M. J. Büttikofer, 1881 (C.).

SEMISINUS.

SEMISINUS.

Semisinus lineolatus Gray.

a. 1, Jamaica. M. Landauer.

Semisinus ornatus Poey.

a. 9, Cuba, rivière Tacotaea, lac Guajaobon. M. Landauer.

Semisinus pallidus Gundlach.

a. 2, Cuba, Rancho Lucas. M. Landauer.

Semisinus brasiliensis Moricand.

a. 1, Brésil. M. Verreaux (C.).
b. 1, Bahia. M. Landauer.

Semisinus bicinctus Reeve.

a. 1, Brésil. M. Verreaux (C.).

Digitized by Google

Semisinus guayaquilensis Petit.

a. 3, Mazatlan. M. Verreaux (C.).

VERENA.

Semisinus crenocarina Moricand.

a. 1, Bahia.

FAUNUS.

FAUNUS.

Faunus ater Linné.

a. 2, Java. M. Junghuhn (C.).
b. 11, Amboine. M. Hoedt (C.).
c. 1, Boeroe. M. Semmelink, 1880 (C.).
d. 1, Célèbes septentrional, Kema. M. Semmelink, 1880 (C.).
e. 5, (alc.) Java. M. Reinwardt (C.).
f. 4, (alc.) Moluques.

MELANATRIA.

Faunus madagascariensis Grateloup.

a. 1, Variété. Nossi-Bé. M. Verreaux (C.).

Faunus spinosus Lamarck.

a. 3, Madagascar, Tananarivo. M.M. Pollen et van Dam (C.).
b. 1, Madagascar. M. Férussac (C.).

Faunus flumineus Brot.

a. 1, Madagascar. M. Férussac (C.).
b. 1, Patrie inconnue. M. Landauer.
c. 1, Variété. Madagascar. M. Férussac (C.).

Faunus debeauxianus Crosse.

a. 1, Jeune individu. Patrie inconnue. M. Verreaux (C.).

Digitized by Google

MELANOPSIS.

MELANOPSIS.

Melanopsis praerosa Linné.

a. 2, Smyrne. M. Marmin.

Melanopsis buccinoidea Olivier.

a. 14, Archipel grec. M. Pfeiffer.
b. 2, Rhodos. M. Heldreich (C.).
c. 2, Cypre. M. Liebetrut (C.).
d. 2, Palestine. M. Liebetrut (C.).
e. 3, Mont Taunus, eaux thermales du Tchifti-Khan. M. Heldreich (C.).
f. 20, Oran, eaux thermales près de Tlemcen.
g. 3, Sevilla. M. de Grateloup, 1850 (C.).
h. 6, Espagne, Puerto de la Cadena. M. Rossmässler (C.).
i. 2, Patrie inconnue. M. Landauer.

Melanopsis buccinoidea, var. *brevis* Parreyss.

a. 2, Syrie, Baalbek. M. Liebetrut (C.).

Melanopsis laevigata Lamarck.

a. 4, Espagne, Puerto de la Cadena. M. Landauer.
b. 3, Murcie. M. Rossmässler, 1852 (C.).

Melanopsis tingitana Morelet.

a. 2, Smyrne. M. Landauer.

Melanopsis trifasciata Gray.

a. 4, La Nouvelle Zélande, ile méridionale, Kenepuru. M. H. Suter, 1894.

CANTHIDOMUS.

Melanopsis costata Olivier.

a. 4, Syrie, Orontes. M. Férussac (C.).

Digitized by Google

b. 1, Lac Tennesavel. M. Liebetrut (C.).
c. 1, Gallicie.

Melanopsis costata, var. *Chantrei* Locard.

a. 1, Syrie. M. Férussac (C.).
b. 1, Smyrne. M. Landauer.

Melanopsis costata, var. *jordanica* Roth.

a. 2, Lac Tennesavel. M. Liebetrut (C.).

Melanopsis cariosa Linné.

a. 10, Espagne. M. Verreaux (C.).
b. 3, Espagne, rio de Guadeira. M. de Grateloup, 1850 (C.).
c. 5, Cordova. M. de Charpentier (C.).

Melanopsis cariosa, var. *sevillensis* Grateloup.

a. 2, Espagne, rio de Guadeira. M. de Grateloup, 1850 (C.).

Melanopsis cariosa, var. *costellata* Férussac.

a. 7, Les aqueducs de Sevilla. M. de Grateloup, 1850 (C.).
b. 4, Guadalquivir près de Sevilla. M. Rossmässler (C.).

Melanopsis cariosa, var. *Rossmässleri* Bourguignat.

a. 2, Espagne. M. Landauer. (C.).

Melanopsis cariosa, var. *turrita* Rossmässler.

a. 3, Sevilla. M. de Grateloup, 1850 (C.).
b. 1, Valence. M. de Grateloup, 1850 (C.).

Melanopsis Dufourii Férussac.

a. 2, Murcie. M. Rossmässler (C.).
b. 8, Espagne, Fumilla. M. Rossmässler, 1852 (C.).
c. 4, Patrie inconnue. M. Férussac (C.).

Melanopsis Dufourii, var. *subgraellsiana* Bourguignat.

a. 1, Valence, lac Albufera. M. Landauer (C.).
b. 1, Espagne. M. Pfeiffer (C.).
c. 2, Patrie inconnue. M. Landauer.

Digitized by Google

Melanopsis Graellsii Villa.

a. 10, Valence, San Felipe de Fativa. M. Rossmässler (C.).

Melanopsis lorcana Guirao.

a. 8, Espagne, Lorca. M. Rossmässler (C.).
b. 6, Grenada, Sierra de Mijas. M. Willkomm (C.).

MICROCALPIA.

Melanopsis acicularis Férussac.

a. 2, Podolie, Dnjestr.
b. 2, Carinthie. M. Landauer.
c. 2, Cettinje. M. Küster, 1848 (C.).
d. 4, Hongrie. M. Pfeiffer (C.).
e. 2, Variété. Archipel grec. M. Pfeiffer (C.).

Melanopsis acicularis, var. *cornea* von Mühlfeldt.

a. 5, Podolie, rivière Bug.
b. 6, Danube. M. Pfeiffer (C.).

FAGOTIA.

Melanopsis Esperi Férussac.

a. 4, Russie méridionale, rivière Bug.
b. 6, Carinthie. M. Landauer.
c. 2, Italie. M. Pfeiffer (C.).

Melanopsis Esperi, var. *turgida* Parreyss.

a. 2, Carniole. M. Landauer.

Melanopsis Esperi, var. *subtilis* Parreyss aff.

a. 5, Carniole. M. Schmidt, 1848 (C.).

TYPHOBIA.

Typhobia Horei E. A. Smith.

a. 2, Lac Tanganyika. M. G. B. Sowerby.

Digitized by Google

PALUDOMUS.

PALUDOMUS.

Paludomus stephanus Benson.

a. 2, Inde. M. Damon.

Paludomus conicus Gray.

a. 3, Gange. M. Cuming (C).

b. 9, Bornéo, pied du Goenong Kenepai. Expédition de Bornéo, 1893—94.

c. 4, Bornéo, Singangi. Expédition de Bornéo, 1893—94.

Paludomus chilinoides Reeve.

a. 5, Ceylon. M. Cuming et Collection Dalen.

Paludomus tanjoriensis Blanford.

a. 5, Inde méridional. M. Landauer.

PHILOPOTAMIS.

Paludomus sulcatus Reeve.

a. 2, Ceylon. M. Damon.

Paludomus nigricans Reeve.

a. 2, Ceylon. M. Damon.

TANALIA.

Paludomus loricatus Reeve.

a. 2, Ceylon. M. Verreaux (C.).

Paludomus loricatus, var. *aerea* Reeve.

a. 1, Ceylon. M. Verreaux (C.).

Paludomus loricatus, var. *similis* Layard.

a. 1, Ceylon. M. Damon.

Digitized by Google

Paludomus neritoides Reeve.

a. 2, Ceylon. M. Cuming et M. Damon.

Paludomus neritoides, var. *Tennantii* Reeve.

a. 1, Ceylon. M. Verreaux (C.).

Paludomus neritoides, var. *dilatata* Reeve.

a. 1, Ceylon. M. Verreaux (C.).

Paludomus Thwaitesi Layard.

a. 2, Ceylon. M. M. M. Schepman.

PLEUROCERIDAE.

PLEUROCERA.

PLEUROCERA.

Pleurocera alveare Conrad.

a. 1, Ohio. M. Landauer.

Pleurocera undulatum Say.

a. 10, Cumberland river. M. Troost (C.).
b. 2, Columbie. M. Landauer.
c. 1, Ohio. M. Landauer, 1851.

Pleurocera excuratum Conrad.

a. 2, Illinois. M. J. Menke, 1851 (C.).

Pleurocera canaliculatum Say.

a. 15, Cumberland river. M. Troost (C.).
b. 2, Variété. Ohio. M. Troost (C.).

Pleurocera filum Lea.

a. 1, Ohio. M. Landauer.

Digitized by Google

Pleurocera Troosti Lea.

a. 1, Ohio. M. Landauer.

Pleurocera unciale Haldeman.

a. 6, Wisconsin. M. T. Kumlin (C.).

Pleurocera subulare Lea.

a. 1, Lac Ontario.
b. 1, Orénoque. M. Landauer.

Pleurocera annuliferum Conrad.

a. 2, Philadelphie. M. Landauer.

Pleurocera Conradi Tryon.

a. 1, Patrie inconnue.

Pleurocera labiatum Lea.

a. 2, Jamaïque. M. Landauer.

Pleurocera vestitum Conrad.

a. 1, Amérique boréale. M. Landauer.
b. 2, Patrie inconnue. M. Landauer.

Pleurocera sp.

a. 2, Ohio, rivière St. Clair. M. Landauer.

10.

Pleurocera spinosum Lea.

a. 3, Tennessee. M. Troost (C.).

Pleurocera fluviale Say.

a. 1, Tennessee. M. Verreaux (C.).

ANGITREMA.

Pleurocera geniculatum Haldeman.

a. 3, Ohio. M. Landauer.

Digitized by Google

Pleurocera armigerum Say.

a. 20, Cumberland river. M. Troost (C.).

? *Pleurocera stygia* Say.

a. 2, Cumberland river. M. Troost (C.).

Pleurocera lima Conrad.

a. 1, Tennessee. M. Landauer, 1849.

Pleurocera verrucosum Rafinesque.

a. 14, Ohio. M. Troost (C.).

LITHASIA.

Pleurocera obovatum Say.

a. 6, Ohio. M. Troost (C.).

b. 1, Tennessee. M. Troost (C.).

GONIOBASIS.

Goniobasis Hydei Conrad.

a. 2, Alabama. M. Landauer.

Goniobasis occata Hinds.

a. 1, Patrie inconnue.

Goniobasis carinifera Lamarck.

a. 5, Ohio. M. Landauer.

Goniobasis vittata Anthony.

a. 1, Variété ? Tennessee. M. Landauer.

Goniobasis laqueata Say.

a. 18, Cumberland river. M. Troost (C.).

Goniobasis gracilis Lea.

a. 2, États-Unis. M. Verreaux (C.).

Digitized by Google

Goniobasis nodulosa Lea.

a. 2, Tennessee. M. Landauer.

Goniobasis crebricostata Lea.

a. 4, Amérique boréale. M. Landauer.

Goniobasis baculum Anthony.

a. 1, Amérique boréale. M. Landauer.

? *Goniobasis concinna* Lea.

a. 1, Amérique boréale. M. Landauer.

Goniobasis teres Lea.

a. 13, Cumberland river. M. Troost (C.).

Goniobasis livescens Menke.

a. 1, Ohio. M. Landauer, 1841.

Goniobasis livescens, var. *niagarensis* Lea.

a. 4, Niagara.

Goniobasis warderiana Lea.

a. 1, Amérique boréale. M. Landauer.

Goniobasis infantula Lea.

a. 4, États-Unis. M. Verreaux (C.).

Goniobasis pulchella Anthony.

a. 1, Tennessee. M. Landauer.

Goniobasis semicarinata Say.

a. 2, Niagara. M. Landauer.
b. 8, États-Unis. M. Verreaux (C.).

Goniobasis virginica Gmelin.

a. 4, Pennsylvanie. M. W. Hyde (C.).
b. 3, Géorgie. M. Tarbé et M. le Dr. von dem Busch, 1856 (C.).

Digitized by Google

c. 3, Virginie. M. Landauer.
d. 3, Delaware et Schuylkill. M. Tarbé.
e. 9, États-Unis. M. Newcomb (C.).

Goniobasis virginica, var. *multilineata* Say.

a. 1, Orénoque. M. Landauer.
b. 2, Potomac. M. Tarbé.
c. 6, États-Unis. M. Landauer et M. Verreaux.
d. 1, Géorgie. M. Tarbé.

Goniobasis troostiana Lea.

a. 1, Amérique boréale. M. Landauer.

Goniobasis haysiana Lea.

a. 1, Tennessee. M. Verreaux (C.).

Goniobasis sp.

a. 2, Lac Ontario.

Goniobasis sp.

a. 4, Tennessee. M. Landauer.

Goniobasis sp.

a. 1, Ohio. M. Landauer.

Goniobasis sp.

a. 5, États-Unis.

ANCYLOTUS.

Ancylotus praerosus Say.

a. 8, Ohio. M. Troost (C.).
b. 2, Tennessee. M. Troost et M. Landauer.
c. 1, Alabama. M. Landauer.
d. 4, Amérique septentrionale. M. Landauer.

Digitized by Google

GYROTOMA.

Gyrotoma pyramidata Shuttleworth.

a. 2, Tennessee. M. Verreaux (C.).

Gyrotoma ovoidea Shuttleworth.

a. 1, Philadelphie. M. Landauer.

LITTORINIDAE.

LITTORINA.

Littorina littorea Linné.

a. 14, Côte de la Hollande. Collection Dalen.
b. 9, Norvège, Porsanger-fjord. M. T. A. Verkrüzen, 1874 (C.).
c. 4, Norvège, Hardanger-fjord. M. T. A. Verkrüzen, 1874 (C.).
d. 2, Côte du Danemarc. M. Mörch (P.).
e. 3, Méditerranée.
f. 5, (alc.) Massachusetts, Gloucester. Smithsonian Institution (P.).
g. 7, (alc.) Pays-Bas, Walcheren. M. le Dr. Herklots et M. le Dr. Burgersdijk (C.).
h. 1, (alc.) Iles Shetland, Lerwick. M. C. J. Bottemanne (C.).

Littorina varia Sowerby.

a. 1, Pérou. M. Cuming (C.).
b. 1, Golfe de Californie. M. Newcomb (C.).

Littorina rugosa Menke.

a. 3, Patrie inconnue. Ancien Cabinet.

Littorina pulchra Sowerby.

a. 2, Pérou. M. Cuming (C.).
b. 1, Panama. M. Newcomb (C.).
c. 1, Patrie inconnue. Collection Dalen.

Digitized by Google

Littorina planaxis Philippi.

a. 12, Californie. M. Newcomb (C.).

Littorina brevicula Philippi.

a. 3, Japon. M. von Siebold (C.).
b. 4, Chine, Amoy. M. G. Schlegel (C.).
c. 6, Jeunes individus. Amoy. M. Buddingh (P.).

Littorina rudis Maton.

a. 13, Côte d'Angleterre, Cornouailles. M. T. A. Verkrüzen (C.).
b. 4, Ile de Guernsey.
c. 5, Norvège, Christiania-fjord. M. T. A. Verkrüzen (C.).
d. 25, Norvège, Hardanger-fjord. M. T. A. Verkrüzen, 1874 (C.).
e. 4, Groënland. M. Mörch (C.).
f. 3, Amérique, Massachusetts. M. T. A. Verkrüzen (C.).
g. 25, (alc.) Pays-bas, Walcheren. M. le Dr. Herklots (C.).
h. 5, (alc.) Iles Shetland, Lerwick. M. C. J. Bottemanne (C.).

Littorina rudis, var. *groenlandica* Menke.

a. 12, Groënland. M. Israël, M. Mörch et M. T. A. Verkrüzen (C.).
b. 5, Norvège, Hammerfest. M. T. A. Verkrüzen (C.).
c. 6, Islande, Reikiavik. M. T. A. Verkrüzen (C.).
d. 16, (alc.) Côte orientale d'Islande. M. C. J. Bottemanne (C.).

Littorina rudis, var. *obligata* Say.

a. 24, Norvège, Hardanger-fjord. M. T. A. Verkrüzen (C.).
b. 16, Islande, Reikiavik. M. T. A. Verkrüzen (C.).
c. 13, Amérique, Fundy-bay. M. T. A. Verkrüzen, 1877 (C.).
d. 2, Groënland. M. Mörch (C.).
e. 20, (alc.) Côte orientale d'Islande. M. C. J. Bottemanne (C.).

Littorina rudis, var. *vestita* Say.

a. 2, Labrador.

Digitized by Google

Littorina rudis, var. *jugosa* Montagu.

a. 4, Angleterre, Scarborough.
b. 3, Islande, Reikiavik. M. T. A. Verkrüzen (C.).
c. 3, Groënland. M. Israël.

Littorina rudis, var. *sulcata* Leach.

a. 2, Angleterre. Milford.
b. 4, Ile de Guernsey.

Littorina rudis, var. *tenebrosa.*

a. 20, (alc.) Casco-bay, Maine. Smithsonian Institution (P.).

Littorina sitchana Philippi.

a. 6, Amérique boréale. M. H. Dohrn (C.).

Littorina arctica Möller.

a. 6, Groënland. M. Israël et M. Mörch.

Littorina palliata Say.

a. 9, Casco-Bay, Maine. Smithsonian Institution, 1880 (P.).
b. 8, (alc.) Gloucester, Massachusetts. Smithsonian Institution (P.).

Littorina limata Lovén.

a. 17, Vadsö. M. T. A. Verkrüzen, 1874 (C.).
b. 3, (alc.) Côte orientale d'Islande. M. C J. Bottemanne, 1872 (C.).

Littorina obtusata Linné.

a. 27, Islande, Reikiavik. M. T. A. Verkrüzen (C.).
b. 1, Vadsö. M. T. A. Verkrüzen (C.).
c. 3, Danemarc. M. Mörch (C.).
d. 11, Pays-Bas, Walcheren et Scheveningue. M. le Dr. Herklots (C.).
e. 17, Méditerranée. M. Cantraine (C.).
f. 4, Variété. Côtes d'Angleterre.
g. 5, Variété. Islande, Reikiavik. M. T. A. Verkrüzen (C.).
h. 9, (alc.) Pays-Bas, Walcheren. M. le Dr. Herklots (C.).

Digitized by Google

Littorina obtusata, var. *ornata* Jeffreyss.

a. 6, Islande, Reikiavik. M. T. A. Verkrüzen (C.).
b. 5, Côtes d'Angleterre.
c. 1, Patrie inconnue.

Littorina obtusata, var. *citrina* Dautzenberg.

a. 3, Islande, Reikiavik. M. T. A. Verkrüzen (C.).
b. 7, Haïti. M. Ricord.

Littorina obtusata, var. *aurantia* Dautzenberg.

a. 11, Christiania-fjord. M. T. A. Verkrüzen (C.).

Littorina columellaris d'Orbigny.

a. 2, Brésil. M. Christofori.
b. 8, (alc.) Surinam, embouchure du Maroni. M. le Dr. H. ten Kate (C.).

Littorina striata, var. *granosa* Philippi.

a. 30, Libérie, Grand Cape Mount. M. J. Büttikofer, 1881 (C.).
b. 7, Libérie, Cap Palmas. M. J. Büttikofer (C.).
c. 11, (alc.) Libérie, Cap Palmas. M. J. Büttikofer (C.).
d. 1, (alc.) Côte de Guinée. M. Pel (P.).

Littorina africana Krauss.

a. 2, Baie d'Algoa.

Littorina knysnaënsis Krauss.

a. 6, Afrique méridionale, Knysna. M. Krauss (C.).
b. 4, Cap.

Littorina neritoides Linné.

a. 9, Côtes d'Angleterre.
b. 4, Iles de la Manche.
c. 5, Syracuse. M. Cantraine (C.).
d. 20, Adriatique, Ancone. M. Cantraine (C.).
e. 14, Tripoli. M. Cantraine (C.).
f. 25, (alc.) Méditerranée. M. Cantraine (C.).

Digitized by Google

Littorina decollata Krauss.

a. 6, Côte de Natal. M. Krauss (C.).

Littorina obesa Sowerby.

a. 1, Philippines. M. Cuming (C.).

Littorina glabrata Philippi.

a. 1, Côte de Natal. M. Krauss. (C.).

Littorina mauritiana Lamarck.

a. 4, Ile de France.
b. 3, Australie méridionale. M. H. Suter, 1897.
c. 3, (alc.) Variété. Japon. M. von Siebold (C.).

Littorina carinata d'Orbigny.

a. 7, Curaçao. M. A. J. van Koolwijk (C.).
b. 3, Mexique. Ancien Cabinet.

Littorina jamaicensis C. B. Adams.

a. 25, Curaçao. M. A. J. van Koolwijk (C.).
b. 3, Golfe de Mexique. Ancien Cabinet.

Littorina ziczac Chemnitz.

a. 1, Golfe de Mexique. Ancien Cabinet.
b. 2, St. Thomas. M. le Dr. F. van Calker (C.).
c. 1, Variété. Curaçao. M. A. J. van Koolwijk (C.).
d. 7, (alc.) Indes occidentales. M. J. R. H. Neervoort van de Poll (P.).
e. 1, (alc.) Curaçao. M. le Dr. Epp (C.).

Littorina ziczac, var. *floccosa* Mörch.

a. 2, Patrie inconnue. Collection Hoogeveen (P.).

Littorina debilis Philippi.

a. 2, Ile de France.

Digitized by Google

Littorina peruviana Lamarck.

a. 2, Pérou. M. Newcomb.
b. 2, Valparaiso. M. Cuming (C.).

Littorina punctata Gmelin.

a. 8, Côte de Guinée. M. Pel (P.).
b. 16, Libérie, Grand Cape Mount. M. J. Büttikofer, 1881 (C.).
c. 14, (alc.) Côte de Guinée. M. Pel (P.).

Littorina guttata Philippi.

a. 13, Surinam.
b. 8, Indes occidentales, Possessions Danoises. M.M. Kraepelin et Holm.

Littorina scutulata Gould.

a. 17, Californie. M. Newcomb et M. Stearns.

Littorina undulata Gray.

a. 33, Java. M. Junghuhn (C.).
b. 21, Tjilatjap. M. Overdijk (C.).
c. 2, Détroit de Larantoeka. M. le Dr. J. Semmelink (C.).
d. 1, Adonara. M. le Dr. J. Semmelink (C.).
e. 1, Samao. M. le Dr. H. ten Kate, 1891 (C.).
f. 4, Ternate. M. le Dr. J. Semmelink (C.).
g. 4, Macassar. M. le Dr. J. Semmelink, 1881 (C.).
h. 10, (alc.) Japon. M. von Siebold (C.).
i. 4, (alc.) Java.
j. 8, (alc.) Iles Banda. M. le Dr. J. Semmelink (C.).

Littorina picta Philippi.

a. 3, Chine, Amoy. M. Buddingh (P.).

Littorina pintado Wood.

a. 2, Iles Sandwich. M. H. Dohrn. (C.).

Digitized by Google

Littorina fasciata Gray.

a. 2, Panama. M. Newcomb.
b. 2, Pérou. M. Cuming (C.).

Littorina melanostoma Gray.

a. 8, Chine, Amoy. M. Buddingh (P.).

Littorina angulifera Lamarck.

a. 8, Océan Indien? M.M. Kuhl et van Hasselt (C.).
b. 10, Curaçao. M. le Dr. Epp, 1888 (P.).
c. 3, St. Thomas. M. le Dr. F. van Calker, 1866 (P.).
d. 5, Congo.
e. 4, Patrie inconnue. Collection Dalen.
f. 7, (alc.) Curaçao. M. le Dr. Epp (P.).

Littorina scabra Linné.

a. 14, Océan Indien.
b. 5, Amboine. M. Hoedt (C.).
c. 1, Halmaheira. M. Bernstein, 1866 (C.).
d. 8, Détroit de Larantoeka. M. le Dr. J. Semmelink (C.).
e. 3, Adonara. Mission Catholique, 1895 (P.).
f. 6, Célèbes, Gorontalo. M. von Rosenberg (C.).
g. 2, Variété. Poeloe Lemoekoetan. Expédition scientifique de Bornéo, 1893—94.
h. 3, Patrie inconnue. Collection Dalen.
i. 6, (alc.) Côtes de Java. M.M. Kuhl et van Hasselt et M. le Dr. J. Semmelink (C.).
j. 2, (alc.) Iles Solor. M. le Dr. J. Semmelink (C.).

Littorina scabra, var. *punctata* Philippi.

a. 1, Océan Indien. M.M. Kuhl et van Hasselt (C.).

Littorina scabra, var. *lutea* Philippi.

a. 10, Java.

Digitized by Google

Littorina intermedia Philippi.

a. 9, Océan Indien.
b. 7, Batavia, embouchure de la Tjiliwong. M. le Dr. J. Semmelink (C.).
c. 2, Détroit de Larantoeka. M. le Dr. J. Semmelink (C.).
d. 3, Macassar. M. le Dr. J. Semmelink, 1881 (C.).
e. 4, Mer Rouge. M. Forskål (C.).
f. 2, Côte de Natal. M. Krauss (C.).
g. 10, (alc.) Batavia, rivière Tjiliwong. M. le Dr. J. Semmelink (C.).

Littorina Newcombi Reeve.

a. 10, Iles Sandwich. M. Newcomb (C.).

Littorina arboricola Reeve.

a. 5, Océan Indien.
b. 2, Détroit de Larantoeka. M. le Dr. J. Semmelink (C.).
c. 1, (alc.) Iles Solor. M. le Dr. J. Semmelink (C.).

Littorina filosa Sowerby, aff.

a. 1, St. Thomas? M. le Dr. F. van Calker (P.).

Littorina filosa, var. *pallescens* Philippi.

a. 1, Iles Sandwich. M. H. Dohrn (C.).
b. 3, Patrie inconnue. M. van Doorn (P.).

Littorina sp.

a. 1, Jeune individu. Côte de l'Amérique, Caroline.

TECTARIUS.

Tectarius pagodus Linné.

a. 7, Océan Indien. Collection Dalen.
b. 4, Côte de Java.
c. 3, Misool.
d. 9, Timor. M. Wienecke et M. Zijnen Wartel (C.).

Digitized by Google

Tectarius bullatus Martyn.

a. 15, Java.
b. 1, Variété. Océan Indien.
c. 3, (alc.) Océan Indien. M. Reinwardt (C.).

Tectarius bullatus, var. *elegans* Philippi.

a. 1, Océan Indien. Ancien Cabinet.

Tectarius bullatus, var. *rustica* Philippi.

a. 10, Timor. M. Wienecke et M. Zijnen Wartel (C.).
b. 1, Amboine. M. Hoedt (C.).
c. 1, Batjan. M. Bernstein (C.).
d. 4, (alc.) Océan Indien. M. Reinwardt (C.).

Tectarius tectum persicum Linné.

a. 14, Java.
b. 8, Océan Indien. Cabinet Dalen.

Tectarius dilatatus d'Orbigny.

a. 1, Patrie inconnue.

Tectarius thiarella Anton.

a. 12, Curaçao. M. A. J. van Koolwijk (P.).

Tectarius vilis Philippi.

a. 1, Côte de Natal. M. Krauss (C.).
b. 1, Chine, Amoy. M. G. Schlegel (P.).

Tectarius natalensis Krauss.

a. 3, Côte de Natal. M. Krauss (C.).

Tectarius subnodosus Philippi.

a. 9, Mer Rouge. M. Ruyssenaers (P.).

Tectarius millegranum Philippi.

a. 1, Mer Rouge. M. Ruyssenaers (P.).

Digitized by Google

Tectarius muricatus Linné.

a. 5, Surinam. Cabinet Dalen.
b. 10, Indes occidentales. Possessions Danoises. M.M. Kraepelin et Holm.
c. 4, St. Thomas. M. le Dr. F. van Calker (P.).
d. 1, Cuba, Havana. M. E. Deyrolle.
e. 1, (alc.) Curaçao. M. le Dr. Epp (P.).

ECHINELLA.

ECHINELLA.

Echinella coronaria Lamarck.

a. 2, Ile Lord Hood (Marutea). M Cuming (C.).

NINA.

Echinella Cumingi Philippi.

a. 4, Java.
b. 6, (alc.) Java. M.M. Kuhl et van Hasselt (C.).

RISELLA.

Risella nana Lamarck.

a. 4, Australie, Sydney. M. H. Suter (C.).
b. 4, Océan pacifique.

Risella tantilla Gould.

a. 3, Iles Sandwich. M. H. Dohrn (C.).

LACUNA.

Lacuna divaricata Fabricius.

a. 2, Groënland. M. Mörch (C.).
b. 3, Terre Neuve. M. Prevost.
c. 3, Iles Faröer. M. Mörch (C.).
d. 8, (alc.) Côte orientale d'Islande. M. C. J. Bottemanne, 1872 (C.).

Digitized by Google

Lacuna divaricata, var. *canalis* Montagu.

a. 9, Groënland. M. Mörch et M. Israël (C.).
b. 4, Terre Neuve. M. Prevost.
c. 7, (alc.) Gloucester, Massachusetts. Smithsonian Institution (P.).

FOSSARIDAE.

FOSSARUS.

Fossarus costatus Brocchi.

a. 1, Japon. M. H. Dohrn (C.).

SOLARIIDAE.

SOLARIUM.

SOLARIUM.

Solarium perspectivum Linné.

a. 6, Océan Indien. M. Reinwardt (C.).
b. 1, Côte de Java, Besoeki. M. le Dr. J. Semmelink (C.).
c. 3, Banka. M. van den Bossche (P.).
d. 1, Biliton.
e. 3, Amboine. M. Hoedt (C.).
f. 6, Timor. M. Zijnen Wartel (C.).
g. 1, Batjan. M. Bernstein (C.).
h. 2, Misool.
i. 1, Waigéoe. M. Bernstein (C.).
j. 1, Nossi-Bé. M.M. Pollen et van Dam (C.).
k. 3, Océan Pacifique, Valparaiso et Tahiti. M. Cuming (C.).
l. 1, (alc.) Amboine. M. Forsten (C.).

Solarium modestum Philippi.

a. 4, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 2, Variété. Océan Indien. M. Reinwardt (C.).

Digitized by Google

c. 1, Amboine. M. Hoedt (C.).
d. 1, Flores, Larantoeka. M. le Dr. J. Semmelink (C.).
e. 1, Timor. M. Zijnen Wartel (C.).
f. 1, (alc.) Amboine. M. Forsten (C.).

Solarium pictum Philippi.

a. 4, Océan Indien. Collection Dalen.
b. 1, Banka. M. van den Bossche (C.).
c. 1, Célèbes, Badjoa. M. Moens (P.).

Solarium perdix Hinds.

a. 1, Océan Indien.

Solarium laevigatum Lamarck.

a. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 2, Karachi. M. G. B. Sowerby, 1896.
c. 2, Patrie inconnue.

Solarium maximum Philippi.

a. 1, Patrie inconnue. Collection Dalen.

Solarium Taylori Hanley.

a. 1, Patrie inconnue. Collection Dalen.

Solarium granulatum Lamarck.

a. 5, Surinam. Collection Dalen.
b. 1, Congo.
c. 3, Patrie inconnue. Collection Hoogeveen (P.).

PHILIPPIA.

Solarium cingulum Kiener.

a. 3, Océan Indien. M. Boie (C.).

Solarium cingulum, var. *subconcolor* Martens.

a. 1, Flores, Larantoeka. M. le Dr. J. Semmelink (C.).

Digitized by Google

Solarium hybridum Lamarck.

a. 3, Océan Indien.
b. 1, Banda-neira. M. le Dr. J. Semmelink (C.).
c. 2, Patrie inconnue. Collection Hoogeveen (P.).

Solarium hybridum, var. *undata* Hanley.

a. 2, Océan Indien.

Solarium conulus Weinkauff.

a. 8, Messine. M. Cantraine (C.).

Solarium luteum Lamarck.

a. 1, Australie. M. Cuming (C.).

TORINIA.

Torinia perspectiviuncula Chemnitz.

a. 12, Timor. M. Zijnen Wartel (C.).
b. 6, Surinam. Ancien Cabinet.
c. 1, Mexique. M. Cuming (C.).
d. 2, (alc.) Java. M.M. Kuhl et van Hasselt (C.).

Torinia perspectiviuncula, var. *planulata* Hanley.

a. 2, Timor. M. Zijnen Wartel (C.).
b. 1, Banda-neira. M. le Dr. J. Semmelink (C.).
c. 1, Patrie inconnue. Ancien Cabinet.

Torinia straminea Gmelin.

a. 1, Océan Indien. Voyage des M.M. Boie et Macklot (C.).

Torinia crenella Linné.

a. 1, Patrie inconnue. Collection Voigt.

Digitized by Google

SKENEIIDAE.

SKENEIA.

Skeneia planorbis Fabricius.

a. 12, Angleterre. M. Damon.

JEFFREYSIIDAE.

JEFFREYSIA.

Jeffreysia globularis Jeffreys.

a. 7, Jeunes individus. Angleterre. M. Damon.

LITIOPIDAE.

LITIOPA.

LITIOPA.

Litiopa bombyx Kiener.

a. 20, Océan Atlantique.

Litiopa sp.

a. 25, Patrie inconnue.

DIALA.

Litiopa monilis A. Adams.

a. 3, Côte orientale de Tasmanie. M. H. Suter, 1897.

RISSOIDAE.

RISSOA.

RISSOA.

Rissoa grossa Michaud.

a. 4, France, St. Chamas, Étang de Berre. M. Ph. Dautzenberg, 1897 (P.).

Digitized by Google

Rissoa elata Philippi.

a. 4, Toulon, la Seyne. M. Ph. Dautzenberg, 1897 (P.).

Rissoa ventricosa Desmarest.

a. 13, Marseille. M. Ph. Dautzenberg, 1897 (P.).
b. 5, Alger. M. Joly (C.).

Rissoa membranacea Adams.

a. 25, France, St. Lunaire. M. Ph. Dautzenberg, 1897 (P.).
b. 3, Ile Herm. M. T. A. Verkrüzen (C.).
c. 2, Dalmatie, Zara.
d. 2, Bergen.
e. 2, Christians-fjord, Dröbak. M. T. A. Verkrüzen (C.).
f. 3, Angleterre, Weymouth. M. von Maltzan (P.).
g. 4, Wales, Tenby. M. von Maltzan (P.).
h. 3, Variété. Danemarc, Rudkjöbing.
i. 3, Variété. Danemarc. M. Mörch.

Rissoa membranacea, var. *labiosa* Montagu.

a. 25, France, Arcachon. M. Ph. Dautzenberg, 1897 (P.).

Rissoa membranacea, var. *minor* Jeffreys.

a. 13, Wales, Tenby. M. T. A. Verkrüzen (C.).

Rissoa membranacea, var. *cornea* Lovén.

a. 8, Baltique, Wismar.
b. 4, Norvège, Hardanger-fjord. M. T. A. Verkrüzen (C.).

Rissoa membranacea, var. *elata* Jeffreys.

a. 1, Angleterre. M. Damon.

Rissoa octona Nilson.

a. 3, Baltique, Wismar. M. T. A. Verkrüzen, 1874 (C.).

Digitized by Google

Rissoa lineolata Michaud.

a. 15, France, St. Chamas, Étang de Berre. M. Ph. Dautzenberg, 1897 (P.).
b. 5, Toscan.

Rissoa venusta Philippi.

a. 4, Méditerranée. M. Cantraine (C.).
b. 4, Adriatique, Venise. M. Ph. Dautzenberg, 1897 (P.).
c. 2, Côte de Dalmatie, Zara.

Rissoa splendida Eichwald.

a. 5, Mer noire, Sebastopol. M. Ph. Dautzenberg, 1897 (P.).
b. 6, Côte de Dalmatie, Zara.

Rissoa variabilis von Mühlfeldt.

a. 12, Italie, Toscan.
b. 6, Adriatique, Triest. M. Stossic (C.).
c. 16, Cannes. M. Ph. Dautzenberg, 1897 (P.).
d. 23, Variété. Méditerranée. M. Cantraine (C.).

Rissoa variabilis, var. *brevis* Monterosato.

a. 13, France, Pyrénées orientales. M. Ph. Dautzenberg, 1897 (P.).
b. 6, Méditerranée. M. Cantraine (C.).

Rissoa pinnae Krauss.

a. 2, Afrique, baie de Knysna. M. Krauss (C.).

APICULARIA.

Rissoa similis Scacchi.

a. 7, Méditerranée. M. Férussac.
b. 11, Corse, Ajaccio. M. Ph. Dautzenberg, 1897 (P.).
c. 1, Cannes.

Digitized by Google

Rissoa similis, var. *striata* Monterosato.

a. 4, Alger.

Rissoa Guerini Recluz.

a. 7, Côte de Toscan.
b. 15, Cannes.
c. 25, St. Lunaire. M. Ph. Dautzenberg, 1897 (P.).
d. 1, Océan Atlantique, Biarritz.
e. 10, Falmouth. M. T. A. Verkrüzen, 1873 (C.).
f. 2, Variété. Côte de Toscan.
g. 5, Alger. M. Ph. Dautzenberg, 1897 (P.).

Rissoa decorata Philippi.

a. 8, Sicile.
b. 1, Raguse. M. Ph. Dautzenberg, 1897 (P.).

Rissoa lia Monterosato.

a. 9, France, Pyrénées orientales. M. Ph. Dautzenberg, 1897 (P.).

PERSEPHONA.

Rissoa lilacina Recluz.

a. 50, St. Lunaire. M. Ph. Dautzenberg, 1897 (P.).

Rissoa lilacina, var. *minor* Dautzenberg.

a. 25, St. Lunaire. M. Ph. Dautzenberg, 1897 (P.).

Rissoa violacea Desmarest.

a. 6, Côte de Toscan.
b. 13, Cannes. M. Ph. Dautzenberg, 1897 (P.).
c. 1, Norvège, Vadsö. M. T. A. Verkrüzen, 1874 (C.).
d. 3, Angleterre, Falmouth. M. T. A. Verkrüzen, 1873 (C.).

Digitized by Google

Rissoa violacea, var. *porifera* Lovén.

a. 2, Angleterre, Weymouth.
b. 2, Écosse, île Skye. M. Gwyn Jeffreys.

SCHWARZIA.

Rissoa monodonta Bivona.

a. 3, Alger.
b. 4, Italie, Naples. M. von Maltzan (P.).
c. 5, Corse. M. Ph. Dautzenberg, 1897 (P.).

ZIPPORA.

Rissoa spongicola Monterosato.

a. 2, Tunisie, Golfe de Gabès. M. Ph. Dautzenberg, 1897 (P.).

Rissoa paradoxa Monterosato.

a. 2, Tunisie, Sfax. M. Ph. Dautzenberg, 1897 (P.).

Rissoa auriscalpium Linné.

a. 8, Alger.
b. 3, Côte de Toscan.
c. 16, Cannes.

Rissoa oblonga Desmarest.

a. 20, Méditerranée. M. Cantraine (C.).
b. 10, Côte de Toscan.
c. 2, Syracuse, embouchure de l'Anapo. M. Ph. Dautzenberg, 1897 (P.).

SABANEA.

Rissoa seminuda Dautzenberg.

a. 5, Tunisie, Golfe de Gabès. M. Ph. Dautzenberg, 1897 (P.).

Digitized by Google

Rissoa radiata Philippi.

a. 2, Alger. M. Ph. Dautzenberg, 1897 (P.).

Rissoa marginata Michaud.

a. 4, France, St. Chamas, étang de Berre. M. Ph. Dautzenberg, 1897 (P.).

Rissoa parva Da Costa.

a. 50, France, St. Lunaire. M. Ph. Dautzenberg, 1897 (P.).
b. 1, Océan Atlantique, Biarritz.
c. 9, La Manche, île Herm.
d. 13, Angleterre, Falmouth. M. T. A. Verkrüzen, 1873 (C.).
e. 2, Cornouailles, Hayle.
f. 1, Variété. Cannes.

Rissoa parva, var. *fuscata* Brown.

a. 25, France, St. Lunaire. M. Ph. Dautzenberg, 1897 (P.).
b. 8, Angleterre, Falmouth. M. T. A. Verkrüzen, 1873 (C.).

Rissoa parva, var. *interrupta* Adams.

a. 7, France, St. Servan, embouchure de la Rance. M. Ph. Dautzenberg, 1897 (P.).
b. 3, Écosse, Oban.
c. 8, Irlande, Bundoran, Donegalbay. Expédition du „Porcupine" (C.).
d. 9, Angleterre, Falmouth.
e. 2, Norvège, Christians-fjord.

Rissoa parva, var. *exilis* Jeffreys.

a. 5, Iles Shetland. M. Gwyn Jeffreys.

Rissoa inconspicua Alder.

a. 5, Danemarc, Strib. M. Ph. Dautzenberg, 1897 (P.).
b. 4, Angleterre. Weymouth.

Digitized by Google

Rissoa inconspicua, var. *variegata* Schwarz von Mohrenstern.

a. 2, Cornouailles. M. T. A. Verkrüzen (C.).
b. 4, Angleterre, Falmouth. M. T. A. Verkrüzen (C.).

Rissoa rufilabris Alder.

a. 2, Norvège, Christians-fjord. M. T. A. Verkrüzen (C.).
b. 3, Danemarc, Joòr. M. Ph. Dautzenberg, 1897 (P.).
c. 6, Écosse, Skye.
d. 6, Angleterre, Falmouth. M. T. A. Verkrüzen (C.).

Rissoa albella Lovén.

a. 3, Norvège, Christiania-fjord. M. T. A. Verkrüzen (C.).

Rissoa albella, var. *Sarsi* Lovén.

a. 2, Angleterre. M. Damon.
b. 5, Iles Shetland. M. Damon.
c. 1, Norvège, Hardanger-fjord. M. T. A. Verkrüzen, 1874 (C.).

PUSILLINA.

Rissoa pusilla Philippi.

a. 5, Méditerranée.
b. 6, Cannes.

MANZONIA.

Rissoa costata Adams.

a. 1, Adriatique.
b. 5, Méditerranée.
c. 25, France, Pouliguen. M. Ph. Dautzenberg, 1897 (P.).
d. 5, Iles de la Manche.
e. 6, Angleterre, Devonport.

Rissoa zetlandica Montagu.

a. 6, Iles de la Manche et Hébrides. Expédition du „Porcupine".
b. 3, Norvège, Hardanger-fjord. M. T. A. Verkrüzen (C.).

Digitized by Google

ONOBA.

Rissoa Moreleti Dautzenberg.

a. 3, Açores, 1287 M. de profondeur. M. Ph. Dautzenberg, 1897 (P.).

Rissoa arenaria Adams.

a. 50, Terre neuve, St. Johns. M. T. A. Verkrüzen, 1876 (C.).
b. 5, Détroit de Davis.
c. 4, Iles Shetland, Balta Sound.

Rissoa striata Montagu.

a. 7, Cannes.
b. 17, France, le Croisic. M. Ph. Dautzenberg, 1897 (P.).
c. 8, La Manche.
d. 20, Cornouailles.
e. 6, Islande, Reikiavik. M. T. A. Verkrüzen (C.).
f. 8, Norvège, Hardanger-fjord. M. T. A. Verkrüzen, 1874 (C.).

Rissoa aculeus Gould.

a. 10, Norvège, Vadsö. M. T. A. Verkrüzen, 1874 (C.).
b. 1, Amérique, Massachusetts.
c. 8, Groenland. Musée de Copenhague (P.).
d. 8, Terre-neuve, St. Johns. M. T. A. Verkrüzen (C.).

Rissoa castanea Möller.

a. 4, Norvège, Vadsö. M. T. A. Verkrüzen, 1874 (C.).
b. 3, Corse.

Rissoa mundula Adams.

a. 1, Japon. M. Dohrn.

Rissoa procera Adams.

a. 1, Japon. M. Dohrn.

Digitized by Google

HYALA.

Rissoa proxima Alder.

a. 6, France, Arcachon. M. Ph. Dautzenberg, 1897 (P.).

Rissoa vitrea Montagu.

a. 12, France, Arcachon. M. Ph. Dautzenberg, 1897 (P.).
b. 1, Norvège, Christians-fjord. M. T. A. Verkrüzen (C.).
c. 5, Angleterre, Falmouth et Southport.
d. 2, Hébrides. Expédition du „Porcupine".

ALVANIA.

Rissoa lineata Risso.

a. 6, Alger.
b. 25, France, Paulilles. M. Ph. Dautzenberg, 1897 (P.).

Rissoa Montagui Payraudeau.

a. 1, Tripoli.
b. 3, Alger.
c. 6, Toscan.
d. 6, Cannes.
e. 18, Corse, Ajaccio. M. Ph. Dautzenberg, 1897 (P.).

Rissoa algeriana Monterosato.

a. 15, Alger.

Rissoa algeriana, var. *rufula* Monterosato.

a. 8, Alger.

Rissoa Lanciae Calcara.

a. 25, France, Paulilles. M. Ph. Dautzenberg, 1897 (P.).
b. 4, Sicile, Palerme.

Rissoa hirta Monterosato, var. *minor* Dautzenberg.

a. 3, Açores, San Miguel. M. Ph. Dautzenberg, 1897 (P.).

Digitized by Google

Rissoa delosina Monterosato.

a. 5, Ile Delos. M. Ph. Dautzenberg, 1897 (P.).

Rissoa Watsoni Schwarz von Mohrenstern.

a. 4, Açores, San Miguel. M. Ph. Dautzenberg, 1897 (P.).

Rissoa aspera Philippi, var. *major* Dautzenberg.

a. 2, Tunisie, Golfe de Gabès. M. Ph. Dautzenberg, 1897 (P.).

Rissoa Poucheti Dautzenberg.

a. 2, Açores, San Miguel. M. Ph. Dautzenberg, 1897 (P.).

Rissoa badia Adams?

a. 1, Japon. M. Dohrn.

Rissoa scitula Adams?

a. 1, Japon. M. Dohrn.

ACINUS.

Rissoa cimex Linné.

a. 14, Méditerranée. M. Férussac.

Rissoa cimex, var. *zonata* Dautzenberg.

a. 2, Adriatique. M. T. A. Verkrüzen (C.).
b. 6, Cannes.
c. 11, Pyrénées orientales. M. Ph. Dautzenberg, 1897 (P.).

Rissoa cimex, var. *rufa* Dautzenberg.

a. 2, Adriatique.
b. 4, Tripoli.
c. 7, Cannes.
d. 2, Sicile.

Digitized by Google

Rissoa cimex, var. *alba* Dautzenberg.

a. 6, Méditerranée. M. Férussac.
b. 8, France, Pyrénées orientales. M. Ph. Dautzenberg, 1897 (P.).

Rissoa cimex, var. *depauperata* Monterosato.

a. 5, Alger.
b. 1, Cannes.

Rissoa reticulata Montagu.

a. 5, Italie, Porte bianche.
b. 6, France, Arcachon.
c. 4, Ile Skye.
d. 5, Irlande, baie de Bantry.
e. 15, Angleterre, Devon méridional. M. T. A. Verkrüzen (C.).

Rissoa gergonia Brusina.

a. 2, France, Pyrénées orientales. M. Ph. Dautzenberg, 1897 (P.).

Rissoa subcrenulata Schwarz von Mohrenstern.

a. 8, Adriatique.
b. 26, Cannes.

Rissoa calathus Forbes et Hanley.

a. 5, La Manche.
b. 4, France, Arcachon. M. Ph. Dautzenberg, 1897 (P.).
c. 1, Porte bianche.

Rissoa cimicoides Forbes.

a. 2, Norvège, Christianra-fjord, Dröbak. M. T. A. Verkrüzen, (C.).
b. 1, Hébrides. Expédition du „Porcupine".

Digitized by Google

c. 5, Iles Shetland.
d. 3, France, large d'Arcachon, 70 brasses. M. Ph. Dautzenberg, 1897 (P.).

Rissoa Jeffreysi Waller.

a. 7, Norvège, Vadsö. M. T. A. Verkrüzen, 1874 (C.).
b. 3, Christiania-fjord, Dröbak. M. T. A. Verkrüzen (C.).

ACINOPSIS.

Rissoa cancellata Da Costa.

a. 6, Adriatique.
b. 6, Méditerranée, Paulilles. M. Ph. Dautzenberg, 1897 (P.).
c. 5, Iles de la Manche.

MASSOTIA.

Rissoa lactea Michaud.

a. 3, Italie, côte de Toscan.
b. 14, France, St. Lunaire. M. Ph. Dautzenberg, 1897 (P.).

ALVINIA.

Rissoa Weinkauffi Schwarz von Mohrenstern.

a. 1, Sicile, Palerme. M. Ph. Dautzenberg, 1897 (P.).

Rissoa scabra Philippi.

a. 4, Alger. M. Ph. Dautzenberg, 1897 (P.).

Rissoa dictyophora Philippi.

a. 6, Alger. M. Ph. Dautzenberg, 1897 (P.).

Rissoa pagodula Bucquoy, Dautzenberg et Dollfuss.

a. 5, Sicile.
b. 10, Cannes.

Digitized by Google

GALEODINA.

Rissoa carinata Montagu.

a. 7, Iles de la Manche.
b. 18, France, St. Lunaire. M. Ph. Dautzenberg, 1897 (P.).

THAPSA.

Rissoa rudis Philippi.

a. 5, Alger.
b. 6, France, Paulilles. M. Ph. Dautzenberg, 1897 (P.).

ACTONIA.

Rissoa testae Aradas et Maggiore.

a. 3, Sicile, Palerme. M. Ph. Dautzenberg, 1897 (P.).

Rissoa abyssicola Forbes et Hanley.

a. 4, Hébrides. Expédition du „Porcupine".
b. 25, France, large d'Arcachon, par 70 brasses. M. Ph. Dautzenberg, 1897 (P.).

Rissoa punctura Montagu.

a. 25, Angleterre, île de Cambrac.
b. 6, France, le Croisic. M. Ph. Dautzenberg, 1897 (P.).
c. 5, Écosse, île Skye. M. Damon.

CINGULA.

Rissoa cingillus Montagu.

a. 25, France, embouchure de la rivière de Candernau. M. Ph. Dautzenberg, 1897 (P.).
b. 9, Angleterre, Weymouth.
c. 25, Ile Herm. M. T. A. Verkrüzen (C.).

Digitized by Google

Rissoa semistriata Montagu.

a. 4, Iles de la Manche.
b. 8, France, le Croisic. M. Ph. Dautzenberg, 1897 (P.).
c. 8, Cannes.

Rissoa semistriata, var. *pura* Jeffreys.

a. 1, Ile Herm.

SETIA.

Rissoa inflata Monterosato.

a. 1, Messine. M. Ph. Dautzenberg, 1897 (P.).

Rissoa amabilis Monterosato.

a. 2, Cannes. M. Ph. Dautzenberg, 1897 (P.).

Rissoa fusca Philippi.

a. 2, Alger. M. Ph. Dautzenberg, 1897 (P.).

Rissoa abjecta Watson.

a. 3, Açores, Fayal. M. Ph. Dautzenberg, 1897 (P.).

Rissoa pulcherrima Jeffreys.

a. 10, Angleterre, Weymouth.
b. 3, Écosse. M. Damon.

Rissoa Alderi Jeffreys.

a. 3, Angleterre, Falmouth.
b. 3, Devonshire. M. Damon.

Rissoa globulus Möller.

a. 5, Terre-neuve, St. Johns. M. T. A. Verkrüzen, 1876 (C.).

Rissoa candida Adams.

a. 2, Japon. M. Dohrn.

Digitized by Google

Rissoa Brazieri Tennison Woods.

a. 3, Tasmanie orientale. M. H. Suter, 1897.

MICROSETIA.

Rissoa fulgida Adams.

a. 25, France, St. Lunaire. M. Ph. Dautzenberg, 1897 (P.).
b. 12, Angleterre, Weymouth. M. Damon.

CINGULINA.

Rissoa obtusa Cantraine.

a. 6, Sicile, Palerme. M. Monterosato.

NODULUS.

Rissoa intorta Monterosato.

a. 4, France, Paulilles. M. Ph. Dautzenberg, 1897 (P.).

Rissoa contorta Jeffreys.

a. 4, Cannes. M. Ph. Dautzenberg, 1897 (P.).

Rissoa nigra Krauss.

a. 8, Afrique, baie d'Algoa. M. Krauss (C.).

PERINGIELLA.

Rissoa glabrata von Mühlfeldt.

a. 7, Cannes.

PISINNA.

Rissoa punctulum Philippi.

a. 9, Alger. M. Ph. Dautzenberg, 1897 (P.).
b. 6, Kabylie, port Gueydon. M. Ph. Dautzenberg, 1897 (P.).

Digitized by Google

Rissoa seminulum Monterosato.

a. 4, Kabylie, port Gueydon. M. Ph. Dautzenberg, 1897 (P.).

RISSOINA.

Rissoina Bruguierei Payraudeau.

a. 4, Adriatique.
b. 11, Cannes.
c. 10, France, Pyrenées orientales. M. Ph. Dautzenberg, 1897 (P.).

Rissoina canaliculata Schwarz von Mohrenstern.

a. 1, Japon. M. von Siebold (C.).

Rissoina myosoroides Recluz.

a. 1, Iles Sandwich. M. H. Dohrn.

Rissoina striolata Risso.

a. 1, Cannes.

Rissoina d'Orbignyi Adams.

a. 1, Timor. M. Zijnen Wartel (C.).

Rissoina nivea Angas.

a. 2, Tasmanie orientale. M. H. Suter, 1897.

Rissoina crassa Angas.

a. 2, Karachee. M. H. Fulton.

BARLEEIA.

Barleeia rubra Montagu.

a. 20, Alger. M. Ph. Dautzenberg, 1897 (P.).

HOREA.

Horea Ponsonbyi Smith.

a. 2, Lac Tanganjika. M. G. B. Sowerby.

Digitized by Google

REYMONDIA.

Reymondia horei Smith.

a. 2, Lac Tanganjika. M. G. B. Sowerby.

BAIZEA.

Baizea Giraudi Bourguignat.

a. 4, Lac Tanganjika. M. G. B. Sowerby.

HYDROBIIDAE.

POMATIOPSIS.

Pomatiopsis lapidaria Say.

a. 2, Amérique, New-Yersey. M. Hyde.

HYDROBIA.

HYDROBIA.

Hydrobia cornea Risso.

a. 50, Italie, Rimini.
b. 25, Russie méridionale, rivière Bug.

PERINGIA.

Hydrobia viridescens Risso.

a. 25, Adriatique.
b. 4, Sardaigne. M. Cantraine (C.).
c. 4, Cannes.

Hydrobia ventrosa Montagu.

a. 6, Dalmatie, Salona. M. Cantraine (C.).
b. 5, France.

Digitized by Google

c. 5, Angleterre, Essex. M. J. Ponsonby (P.).
d. 10, Patrie inconnue.

Hydrobia ventrosa, var. *elongata* Jeffreys.

a. 25, Angleterre. M. Damon.
b. 11, Sardaigne. M. Cantraine (C.).

Hydrobia procerula Paladilhe.

a. 10, Italie, Rimini.

Hydrobia ulvae Pennant.

a. 7, Pays-Bas, Veere et Scheveningue. M. le Dr. J. G. de Man et M. H. W. van der Weele (C.).

BITHINELLA.

BITHINELLA.

Bithinella Schmidtii Charpentier.

a. 8, Allemagne, Münich. M. Michaelis.

Bithinella opaca Frauenfeld.

a. 50, Sardaigne?

BELGRANDIA.

Bithinella aponensis von Martens.

a. 50, Italie septentrionale.

Bithinella gibba Draparnaud.

a. 2, France. M. Ricord.

SYRNOLOPSIS.

Syrnolopsis carinifera Smith.

a. 3, Afrique, Lac Tanganjika. M. G. B. Sowerby.

Digitized by Google

EMMERICIA.

Emmericia patula Brumati.

a. 11, Dalmatie, Salona. M. Cantraine (C.).
b. 3, La Danube.

Emmericia patula, var. *conica* Bourguignat.

a. 5, Italie septentrionale.

LITHOGLYPHUS.

LACUNOPSIS.

Lithoglyphus naticoides Férussac.

a. 3, La Danube. M. van Hall.

Lithoglyphus fluminensis Lang.

a. 7, Istrie, Castelnuovo. M. Cantraine (C.).
b. 8, Dalmatie, Salona. M. Cantraine (C.).

Lithoglyphus prasinus Kokeil.

a. 5, Sicile?

Lithoglyphus sadlerianus Schmidt.

a. 6, Patrie inconnue.

SPEKIA.

Spekia zonata Woodward.

a. 2, Afrique, lac Tanganjika. M. G. B. Sowerby.

TANGANYICIA.

Tanganyicia rufo-filosa Smith.

a. 2, Afrique, lac Tanganjika. M. G. B. Sowerby.

Digitized by Google

LIMNOTROCHUS.

Limnotrochus Kirki Smith.

a. 2, Afrique, lac Tanganjika. M. G. B. Sowerby.

AMNICOLA.

Amnicola tritonum Bourguignat.

a. 5, Grèce, Attica.

Amnicola limosa Say.

a. 3, Amérique septentrionale, rivière Delaware. M. Hyde.

Amnicola porata Say.

a. 4, Amérique septentrionale, rivière Potomac et lac Ontario. M. Tarbé.

b. 4, Rivière Delaware. M. Hyde.

BITHINIA.

Bithinia tentaculata Linné.

a. 4, Angleterre, Somersetshire. M. J. Ponsonby (P.).

b. 2, Danemarc. M. Mörch (C.).

c. 12, Hollande.

d. 10, Allemagne, Müggelsee. M. Landauer.

e. 16, Saxe, Naumburg. M. Lepsius.

f. 6, Nurnburg et Stettin. M. Dohrn (C.).

g. 3, Italie, lac Garda. M. Liebetrut.

Bithinia tentaculata, var. *gigas* Mörch.

a. 4, Pays-Bas, Rhoon. M. M. M. Schepman (C.).

Bithinia tentaculata, var. *ventricosa* Menke.

a. 2, Allemagne, Stettin. M. Dohrn (C.).

Digitized by Google

Bithinia tentaculata, var. *producta* Menke.

a. 3, Nurnburg.

Bithinia bogensis Küster.

a. 7, Russie méridionale.

Bithinia Leachi Sheppard.

a. 7, Angleterre, près de Londres. M. J. Ponsonby (P.).
b. 4, Pays-bas, Rhoon. M. M. M. Schepman (C.).

Bithinia Leachi, var. *Trocheli* Paasch.

a. 1, Stettin. M. Dohrn (C.).

Bithinia Leachi, var. *sibirica* Westerlund.

a. 6, Sibérie, riviére Ob. M. le Dr. O. Finsch, 1878 (C.).

Bithinia Leachi, var. *italica* Paulucci.

a. 4, Italie septentrionale. M. M. Crosse et Jan.

Bithinia Boissieri Charpentier.

a. 9, Rome. M. Cantraine (C.).
b. 2, Sicile.
c. 25, Sardaigne. M. Cantraine (C.).

Bithinia hellenica Kobelt.

a. 2, Grèce. M. Heldreich.

Bithinia truncata Eydoux et Souleyet.

a. 5, Java. M. Groen (C.).
b. 4, Marais près de Batavia. Mr. le Dr. J. Semmelink, 1881 (C.).
c. 2, Célèbes. M. Forsten (C.).

Digitized by Google

STENOTHYRA.

Stenothyra ventricosa Quoy et Gaimard.

a. 1, Célèbes, lac de Tondano. M. le Prof. K. Martin, 1892 (C.).

PALUDINIDAE.

PALUDINA.

PALUDINA.

Paludina contecta Millet.

a. 2, Angleterre. M. J. Ponsonby (P.).
b. 7, Pays-bas. Hollande méridionale.
c. 7, Allemagne, Osnabrück, Stettin, Berlin. M. Landauer et M. Dohrn (C.).
d. 15, Italie, Livourne. M. Cantraine (C.).

Paludina contecta, var. *lacustris* Beck.

a. 2, Danemarc. M. Mörch (C.).

Paludina vivipara Linné.

a. 3, Angleterre, Paddington canal. M. J. Ponsonby, 1884 (C.).
b. 2, Suède. M. Mörch (C.).
c. 6, Allemagne, Stettin et rivière Weser. M. Dohrn et M. Landauer.
d. 6, Allemagne, Neumark, Crossen. M. W. Dunker, 1829 (C.).
e. 6, Italie, la Kerka. M. Cantraine (C.).
f. 5, Jeunes individus. Patrie inconnue.

Paludina pyramidalis de Cristofori et Jan.

a. 1, Italie septentrionale. M. M. de Cristofori et Jan (C.).
b. 2, Patrie inconnue. Collection Dalen.

Digitized by Google

? *Paludina atra* de Cristofori et Jan.

a. 1, Jeune individu. Italie septentrionale. M. M. de Cristofori et Jan (C.).

Paludina contectoides Binney.

a. 1, Amérique, Potomac. M. Tarbé.

Paludina georgiana Lea.

a. 2, Amérique, Géorgie. M. Landauer.

Paludina subpurpurea Say.

a. 13, Amérique, rivières Cumberland et Wabash. M. Troost (C.).
b. 1, Patrie inconnue. M. Landauer.

Paludina Costae Heldreich.

a. 1, Constantinople. M. Heldreich.

Paludina unicolor Olivier.

a. 8, Nil. M. Clot Bey (P.).
b. 5, Sénégal. M. Petit (C.).
c. 1, Gaboon. M. von Heuglin, 1865 (C.).

Paludina japonica von Martens.

a. 4, Japon. M. von Siebold (C.).

Paludina stelmaphora Bourguignat.

a. 1, Japon. M. von Siebold (C.).
b. 1, (alc.) Sans coquille. Japon. M. von Siebold (C.).

Paludina stelmaphora, var. *malleata* Reeve.

a. 1, Japon. M. von Siebold (C.).

Paludina laeta von Martens.

a. 3, Japon. M. von Siebold (C.).

Digitized by Google

Paludina chinensis Gray.

a. 2, Chine. M. Landauer.
b. 9, Patrie inconnue.

Paludina bengalensis Lamarck.

a. 2, Bengale. M. Férussac et M. Landauer.

Paludina polyzonata Frauenfeld.

a. 1, Hongkong. M. Landauer.
b. 1, Jeune individu. Patrie inconnue. M. Marguier.

Paludina dissimilis Müller.

a. 1, Patrie inconnue. M. Ricord.
b. 1, Variété. Côte de Malabar, Mahé. M. Landauer.

Paludina Swainsoni Mörch.

a. 1, Hongkong. M. le Dr. Lorrain (C.).
b. 1, Chine, Amoy. M. G. Schlegel (C.).

Paludina crassa Hutton.

a. 2, Bombay. M. Landauer.

Paludina angularis Müller.

a. 18, Chine, Amoy. M. G. Schlegel (C.).

Paludina ingallsiana Reeve.

a. 8, Siam.
b. 15, (alc.) Siam. M. Winckel, 1877 (P.).

Paludina sumatrensis Dunker.

a. 3, Sumatra méridional, Soekadana. M. M. M. Schepman (P.).
b. 6, Bornéo, Nanga Mandai. Expédition scientifique de Bornéo, 1893—94.
c. 13, Variété. Java, Tjilatjap. M. Overdijk (C.).
d. 15, (alc.) Variété. Java. M. Groen (C.).

Digitized by Google

Paludina javanica von dem Busch.

a. 27, Java. M. Junghuhn (C.).
b. 5, Java, Tjilatjap. M. Overdijk (C.).
c. 13, Java, kampong Macassar. M. Groen (C.).
d. 11, Bornéo, Pleyharie. M. Schwaner et M. le Dr. J. Semmelink, 1866 (C.).
e. 12, (alc.) Java. M. Groen (C.).
f. 2, (alc.) Bornéo, Pleyharie. M. le Dr. J. Semmelink, 1866 (C.).

Paludina javanica, var. *Moussoni* von Martens.

a. 11, Java, kampong Macassar. M. Groen, 1861 (C.).
b. 2, Java. M. M. Boie et Macklot (C.).
c. 9, Littoral méridional de Java.

Paludina costata Quoy et Gaymard.

a. 10, Célèbes, Menado. M. Forsten (C.).
b. 9, Célèbes, lac de Tondano. M. le Prof. K. Martin, 1892 (C.).
c. 3, Célèbes, Minahassa. M. Tendeloo et M. Bolsius (C.).
d. 2, Bornéo.
e. 2, (alc.) Java.

Paludina Hamiltoni Metcalfe.

a. 5, Bornéo occidental, Nanga Mandai et rivière Sai. Expédition scientifique de Bornéo, 1893—94.
b. 5, (alc.) Sintang. Expédition scientifique de Bornéo, 1893—94.

Paludina bermondiana d'Orbigny.

a. 3, Amérique septentrionale, rivière Cumberland. M. Troost (C.).
b. 2, Iles Bermuda. M. Landauer.
c. 1, Amérique septentrionale, rivière Hanabana. M. Landauer.
d. 4, Patrie inconnue.

Paludina liberiana Schepman.

a. 13, Libéria, rivière St. Paul. M. J. Büttikofer (C.). Types de l'espèce.

Digitized by Google

CLEOPATRA.

Cleopatra bulimoides Olivi.

a. 21, Nil. M. Landauer et M. Clot Bey (P.).
b. 1, Sennaar. M. Sowerby.

Cleopatra bulimoides, var. *nigra* Caillaud.

a. 1, Egypte. M. Liebetrut.

MELANTHO.

Melantho ponderosa Say.

a. 9, Ohio. M. Troost (C.).
b. 4, Jeunes individus. Lacs Ontario et Huron. M. Tarbé.

Melantho decisa Say.

a. 4, Niagara, Potomac et Schuylkill. M. Tarbé.
b. 4, Massachusetts et lac Erie. M. Landauer.

Melantho decisa, var. *integra* Say.

a. 2, Amérique septentrionale. M. Landauer.
b. 4, Wisconsin. M. T. Kumlin.
c. 5, Ohio et Illinois. M. Landauer.
d. 2, Rivière Wingotoking. M. Tarbé.
e. 3, Pensylvanie. M. Hyde.

TYLOTOMA.

Tylotoma magnifica Conrad.

a. 1, Amérique septentrionale, Albany. M. Landauer.

Digitized by Google

LIOPLAX.

Lioplax subcarinata Say.

a. 4, Amérique septentrionale, rivière Susquehanna. M. Hyde.
b. 3, Delaware. M. Tarbé et M. Landauer.
c. 2, Cincinnati et Pensylvanie. M. Landauer.

VALVATA.

VALVATA.

Valvata cristata Müller.

a. 4, Pays-bas, Hollande méridionale. M. le Dr. Herklots (C.).
b. 9, Allemagne, Prusse, Stettin et Cassel. M. Dohrn et M. Pfeiffer (P.).
c. 4, Angleterre, Hertsfortshire. M. J. Ponsonby (P.).

CINCINNA.

Valvata piscinalis Müller.

a. 4, Hollande méridionale, Rhoon. M. M. M. Schepman (C.).
b. 14, Prusse, Stettin. M. Dohrn (P.).
c. 5, Angleterre, Kent. M. J. Ponsonby (P.).
d. 2, Italie septentrionale. M. M. Crosse et Jan.

Valvata antiqua Sowerby.

a. 4, Patrie inconnue.

TROPIDINA.

Valvata tricarinata Say.

a. 2, Lac Ontario. M. Tarbé.
b. 1, Wisconsin. M. T. Kumlin.

Valvata macrostoma Steenbuch.

a. 2, Allemagne, Stettin. M. H. Dohrn (C.).
b. 2, Danemarc. M. Mörch (C.).

Digitized by Google

AMPULLARIIDAE.

AMPULLARIA.

AMPULLARIA.

Ampullaria urceus Müller.

a. 2, Venézuela. M. van Lansberge.
b. 2, Guyane, Guadeloupe.

Ampullaria canaliculata Lamarck.

a. 4, Guyane, Berbice, New-Amsterdam. M. le Dr. Young (C.).
b. 2, Variété. Brésil. M. d'Orbigny (C.).

Ampullaria insularum d'Orbigny.

a. 1, Patrie inconnue. M. Kramer.

Ampullaria scalaris d'Orbigny.

a. 1, Bolivia. M. Newcomb (C.).
b. 1, Patrie inconnue. Collection Dalen.

Ampullaria Castelloi Sowerby.

a. 1, Columbia, rivière Meta. M. G. B. Sowerby, 1896.

Ampullaria decussata Moricand.

a. 2, Brésil.

Ampullaria elegans d'Orbigny.

a. 1, Bolivia. M. Newcomb (C.).

Ampullaria Cumingi King.

a. 2, Panama. M. Cuming (C.).

Ampullaria columbiensis Sowerby.

a. 2, Columbia. M. Cuming (C.).

Digitized by Google

Ampullaria Chemnitzii Philippi.

a. 4, Environs de Paramaribo, plantage Catharina Sophia.
b. 1, Patrie inconnue.

Ampullaria malleata Jonas.

a. 1, Mexique. Musée de Copenhague.

Ampullaria reflexa Swainson.

a. 1, Variété. Cuba, Ciènega Zapata. M. E. Deyrolle.

POMELLA.

Ampullaria megastoma Sowerby.

a. 1, Patrie inconnue.

CERATODES.

Ampullaria luteostoma Swainson.

a. 5, Venézuela. M. van Lansberge.
b. 2, Patrie inconnue.

Ampullaria glauca Linné.

a. 3, Antilles. Ancien Cabinet et Collection Dalen.

Ampullaria geveana Deshayes.

a. 1, Antilles. Ancien Cabinet.

PACHYLABRA.

Ampullaria globosa Swainson.

a. 1, Allahabad. M. le Col. Worthington Wilmer (P.).
b. 1, Patrie inconnue.
c. 6, (alc.) Siam. M. Winckel, 1877 (C.).

Ampullaria globosa, var. *carinata* Swainson.

a. 2, Patrie inconnue. M. Ricord (P.).

Digitized by Google

Ampullaria polita Deshayes.

a. 6, Java, Tjilatjap. M. Overdijk (C.).
b. 1, Java. M. M. Boie et Macklot (C.).

Ampullaria ampullacea Linné.

a. 3, Java. M. M. Boie et Macklot (C.).
b. 14, Java. M. Junghuhn et M. Groen (C.).
c. 5, Sumatra. Expédition scientifique de Sumatra, 1880.
d. 6, Bornéo méridional, Pleyharie. M. le Dr. J. Semmelink, 1867, (C.).
e. 9, Célèbes, Menado. M. Forsten (C.).
f. 2, Célèbes, Amoerang. M. le Dr. J. Semmelink (C.).
g. 4, Célèbes, lac de Limbotto. M. von Rosenberg (C.).
h. 6, Amboine. M. Forsten et M. Hoedt (C.).
i. 2, Madagascar, Tananarivo. M. M. Pollen et van Dam (C.).
j. 4, (alc.) Java. M. Reinwardt (C.).
k. 8, (alc.) Sumatra. Expédition scientifique de Sumatra, 1880.

Ampullaria scutata Mousson.

a. 10, Java. M. Junghuhn, M. Blume et M. Groen (C.).
b. 5, Côte méridionale de Java, Tjilatjap. M. Overdijk (C.).
c. 5, Variété. Java, Malang. M. Hillebrandt, 1870 (C.).
d. 7, Bornéo. M. Schwaner (C.).
e. 4, Célèbes, Gorontalo. M. von Rosenberg, 1864 (C.).
f. 1, Célèbes, Menado. M. Bernstein (C.).
g. 1, Variété. Poeloe Kambing. M. A. Vorderman (C.).
h. 4, Amboine. M. von Rosenberg, 1864 et M. Forsten (C.).
i. 10, Indes orientales.
j. 12, (alc.) Java. M. Reinwardt et M. Hillebrandt, 1871 (C.).

Ampullaria ovata Olivier, var. *kordofana* Parreyss.

a. 9, Nil. M. Clot Bey (P.).
b. 3, Alexandrie. M. Sowerby.

Digitized by Google

Ampullaria Wernei Philippi.

a. 1, Congo.

Ampullaria madagascariensis Smith.

a. 1, Madagascar, Tananarivo. M. M. Pollen et van Dam (C.).

Ampullaria sp.

a. 1, Jeune individu. Maurice. M. Frank.

SAULEA.

Ampullaria vitrea Born.

a. 10, Libéria, Grand Cape Mount. M. J. Büttikofer, 1881 (C.).
b. 2, Libéria, Junk-river. M. Stampfli, 1884—86 (C.).

Ampullaria balanoidea Gould.

a. 10, Libéria, Grand Cape Mount. M. J. Büttikofer, 1887 (C.).
b. 3, Libéria, rivière St. Paul. M. M. Büttikofer et Sala, 1880 (C.).

LANISTES.

LANISTES.

Lanistes carinatus Olivier.

a. 7, Nil. M. Clot Bey (P.).

Lanistes libycus Morelet.

a. 12, Côte de Guinée. M. Pel (P.).
b. 4, (alc.) Côte de Guinée. M. Pel (P.).

Lanistes ovum Peters.

a. 1, Jeune individu. Congo.

Lanistes intortus Lamarck.

a. 1, Congo.

Digitized by Google

Lanistes congicus Boettger.

a. 16, Variété. Afrique, Landana.

MELADOMUS.

Lanistes purpureus Jonas.

a. 1, Mozambique.

b. 2, Patrie inconnue. Cabinet Dalen.

ASSIMINEIDAE.

ASSIMINEA.

Assiminea grayana Leach.

a. 6, Tamise. M. J. Ponsonby (P.).

Assiminea littorina delle Chiaje.

a. 2, Angleterre, Weymouth. M. J. Ponsonby (P.).

Assiminea brevicula Pfeiffer.

a. 3, Philippines, Zebu.

GEOMELANIDAE.

GEOMELANIA.

Geomelania minor Adams.

a. 3, Jamaïque. M. Damon.

SCALATELLA.

Scalatella greyana Adams.

a. 4, Jamaïque. M. Damon.

Scalatella pygmaea Adams.

a. 20, Jamaïque. M. Damon.

Scalatella filicosta Gundlach.

a. 2, Cuba. M. Landauer.

Digitized by Google

TRUNCATELLIDAE.

TRUNCATELLA.

Truncatella truncata Montagu.

a. 4, Gênes. M. M. Cristofori et Jan.
b. 25, (alc.) Méditerranée. M. Cantraine (C.).
c. 3, Côte méridionale de la France. M. M. Cristofori et Jan.

Truncatella truncata, var. *laevigata* Risso.

a. 3, Angleterre. M. Damon.
b. 11, Gênes. M. Cantraine (C.).
c. 3, Illyrie. M. M. Cristofori et Jan.

Truncatella tessellata Boettger.

a. 2, Iles Bismarck.

Truncatella costellata Bridel.

a. 1, Iles Sandwich.

Truncatella bilabiata Pfeiffer.

a. 3, Florida, Key West.
b. 7, Cuba. M. Landauer.

Truncatella semicostata Montrouzier.

a. 2, Patrie inconnue. Collection Dalen.

Truncatella Pfeifferi Martens.

a. 1, Japon. M. von Siebold (C.).
b. 3, Patrie inconnue. Collection Dalen.

Truncatella sp.

a. 1, Japon. M. von Siebold (C.).

TOMICHIA.

Tomichia ventricosa Sowerby.

a. 3, Cap, Zoetendals-vallei. M. Krauss (C.).

Digitized by Google

CYCLOPHORIDAE.

LEPTOPOMA.

LEPTOPOMA.

Leptopoma vitreum Lesson.

a. 4, Philippines. M. Cuming et M. H. Dohrn (C.).
b. 2, Célèbes, Gorontalo. M. von Rosenberg (C.).
c. 3, Amboine. M. Forsten (C.).
d. 5, Batjan. M. Bernstein (C.).
e. 2, Misool. M. Hoedt (C.).
f. 2, La Nouvelle-Guinée. M. S. Müller (C.).
g. 2, Waigéoe? M. Bernstein (C.).
h. 3, Variété. Halmaheira. M. Bernstein (C.).
i. 2, (alc.) Moluques.

Leptopoma vitreum, var. *cinctella* Pfeiffer.

a. 3, Ternate. M. Bernstein (C.).
b. 4, Halmaheira méridionale. M. Bernstein (C.).

Leptopoma vitreum, var. *bicolor* Pfeiffer.

a. 2, Amboine. M. Forsten (C.).
b. 4, Céram occidentale, Honititoe. M. le Prof. K. Martin, 1892 (C.).

Leptopoma vitreum, var. *pellucida* Grateloup.

a. 5, Philippines, Palawan, M. Cuming et Cabinet Dalen.
b. 2, Ile Banguey. M. H. Rolle.
c. 2, Ile Tiga. M. H. Rolle.
d. 2, Bornéo. M. Schwaner (C.).

Leptopoma vitreum, var. *minor* Martens.

a. 6, Iles Aroe. M. von Rosenberg (C.).
b. 10, Boeroe, Kajeli. M. le Prof. K. Martin, 1892 (C.).
c. 3, Saparoea, Goenong Rila. M. le Prof. K. Martin, 1892 (C.).

Leptopoma latilabre Martens.

a. 20, Céram occidentale, Honititoe. M. le Prof. K. Martin, 1892 (C.).

Digitized by Google

b. 5, Morotai. M. Bernstein (C.).

Leptopoma intermedium Pfeiffer.

a. 3, Boeroe, Kajeli. M. le Prof. K. Martin, 1892 (C.).

b. 1, Jeune individu. Amboine. M. Forsten (C.).

Leptopoma crenilabre Strubell et Boettger.

a. 1, Halmaheira méridionale. M. Bernstein (C.).

b. 4, Gébéh.

Leptopoma pulchellum Quadras et Möllendorff.

a. 2, Philippines, Calamianes. M. le Dr. von Möllendorff (C.).

Leptopoma callichloros Tapparone Canefri.

a. 2, La Nouvelle-Guinée, Sekroe. M. K. Schädler, 1897 (C.).

Leptopoma achatinum Crosse.

a. 1, Luzon, Casiguran. M. le Dr. von Möllendorff (C.).

Leptopoma Kükenthali Kobelt.

a. 2, Waigéoe? M. Bernstein (C.).

Leptopoma halmahericum Strubell et Boettger.

a. 3, Halmaheira. M. B. Strubell (C.).

b. 7, Waigéoe? M. Bernstein (C.).

c. 1, Variété. Halmaheira méridionale. M. Bernstein (C.).

Leptopoma nigricans Pfeiffer.

a. 6, Célèbes.

b. 2, Célèbes, Menado et Amoerang. M. Forsten et M. le Dr. J. Semmelink (C.).

LEUCOPTYCHIA.

Leptopoma scalare Adams.

a. 1, Halmaheira et Kaioe. M. Bernstein, 1866 (C.).

TROCHOLEPTOPOMA.

Leptopoma sericatum Pfeiffer.

a. 6, Bornéo occidental, Ketungau, Dadap, Liang-Koeboeng. Expédition de Bornéo, 1893—'94.

Digitized by Google

b. 2, Ile Tiga. M. H. Fulton.

Leptopoma subalatum Quadras et Möllendorff.

a. 1, Cùcayan. M. le Dr. von Möllendorff (C.).

Leptopoma manadense Pfeiffer, var. *obsoleta* Schepman.

a. 20, Célèbes, Gorontalo. M. von Rosenberg (C.). Types de la variété.

Leptopoma maculatum Lea.

a. 5, Philippines. M. Cuming (C.).

Leptopoma Mathildae Dohrn.

a. 2, Mindanao. M. le Dr. von Möllendorff (C.).

Leptopoma fibulinum Quadras et Möllendorff.

a. 1, Philippines, Busuanga. M. le Dr. von Möllendorff (C.).

Leptopoma natunense Smith.

a. 1, (alc.) Iles Natuna. M. A. L. van Hasselt (C.).

Leptopoma fibula Sowerby.

a. 3, Philippines. M. Cuming et Cabinet Dalen.

Leptopoma roseum Möllendorff.

a. 1, Philippines, Morong. M. le Dr. von Möllendorff (C.).

Leptopoma varians Möllendorff.

a. 2, Luzon central. M. le Dr. von Möllendorff (C.).

Leptopoma polyzonatum Möllendorff.

a. 2, Chine, Hainan. M. le Dr. van Möllendorff (C.).

Leptopoma helicoides Grateloup.

a. 2, Zebu.

b. 4, Variété. Philippines. M. Cuming, Collection Dalen et Muséum d'Histoire naturelle de Paris.

Leptopoma pileus Sowerby.

a. 2, Philippines. M. Cuming et Collection Dalen.

Leptopoma atricapillum Sowerby.

a. 4, Iles Soeloe. M. G. B. Sowerby.

Digitized by Google

Leptopoma goniostoma Sowerby.

a. 2, Mindanao. M. G. B. Sowerby.

Leptopoma leucoraphe Martens.

a. 1, Halmaheira méridionale. M. Bernstein (C.).
b. 1, Waigéoe? M. Bernstein (C.).

Leptopoma Caroli Dohrn.

a. 2, Luzon et Palawan. M. le Dr. von Möllendorff (C.).

Leptopoma pyramis Kobelt.

a. 1, Mindanao. M. le Dr. von Möllendorff (C.).

Leptopoma geotrochiforme Smith.

a. 1, Bornéo septentrional, Rabong. M. von Martens (C.).

ENTOCHILUS.

Leptopoma panayense Sowerby.

a. 2, Samar. M. le Dr. von Möllendorff (C.).

LAGOCHILUS.

LAGOCHILUS.

Lagochilus trochulum Mousson.

a. 9, Java. M. Junghuhn (C.).
b. 3, (alc.) Java. M. S. Müller (C.).

Lagochilus natunense Smith.

a. 2, Iles Natuna.

Lagochilus rabongense Smith.

a. 2, Bornéo septentrional, Rabong.

Lagochilus bellulum Martens.

a. 1, Bornéo Central, Boegan, Ketoengau. Expédition de Bornéo 1893—'94.

Lagochilus grandipilum Boettger.

a. 1, Java. M. Müller.

Digitized by Google

Lagochilus ciliferum Mousson.

a. 11, Java. M. Junghuhn (C.).

Lagochilus guimarasense Sowerby.

a. 2, Philippines, Guimares. M. le Dr. von Möllendorff (C.).

Lagochilus simile Smith.

a. 2, Balabak.

JAPONIA.

Lagochilus glabratum Möllendorff.

a. 2, Chine, Hainan. M. le Dr. von Möllendorff (C.).

Lagochilus hungerfordianum Möllendorff.

a. 2, Canton. M. le Dr. von Möllendorff (C.).

CYTORA.

Lagochilus cytora Gray.

a. 1, La Nouvelle-Zélande. M. H. Suter.

CRASPEDOTROPIS.

Craspedotropis cuspidata Benson.

a. 2, Inde méridionale. M. R. H. Beddome (C.).

LEPTOPOMATIOIDES.

Leptopomatioides halophilus Benson.

a. 1, Ceylan.

Leptopomatioides valvatus Blanford.

a. 2, Inde méridionale. M. R. H. Beddome (C.).

MICRAULAX.

Micraulax scaber Theobald.

a. 3, Inde méridionale. M. R. H. Beddome (C.).

Micraulax coeloconus Benson.

a. 2, Inde méridionale. M. R. H. Beddome (C.).

Digitized by Google

DITROPIS.

Ditropis bilirata Beddome.

a. 2, Inde méridionale. M. R. H. Beddome (C.).

Ditropis convexa Blanford.

a. 2, Inde méridionale. M. R. H. Beddome (C.).

Ditropis planorbis Blanford.

a. 4, Inde méridionale. M. R. H. Beddome (C.).

CROSSOPOMA.

Crossopoma planorbulum Lamarck.

a. 1, Sumatra, Painan. M. G. B. Sowerby, 1892.

THEOBALDIUS.

Theobaldius deplanatus Pfeiffer.

a. 2, Inde méridionale. M. R. H. Beddome (C.).

Theobaldius tristis Pfeiffer.

a. 1, Inde, Canara méridional. M. R. H. Beddome (C.).

Theobaldius ravidus Benson.

a. 1, Inde méridionale. M. R. H. Beddome (C.).

Theobaldius Bairdi Pfeiffer.

a. 1, Ceylan. M. R. H. Beddome (C.).

Theobaldius stenostomus Sowerby.

a. 5, Inde méridionale. M. R. H. Beddome (C.).

Theobaldius sp.

a. 3, Inde méridionale. M. R. H. Beddome (C.).

CYCLOPHORUS.

LITOSTYLUS.

Cyclophorus involvulus Müller.

a. 2, Inde méridionale, Ganjam. M. R. H. Beddome (C.).

Digitized by Google

b. 1, Ceylan.

c. 1, Patrie inconnue. Collection Hoogeveen (P.).

d. 4, Variété. Inde méridionale, Malabar. M. R. H. Beddome (C.).

Cyclophorus menkeanus Philippi.

a. 3, Patrie inconnue. Musée de Paris et Collection Dalen.

Cyclophorus semisulcatus Sowerby.

a. 1, Malacca. M. Cuming (C.).

Cyclophorus nilagiricus Benson.

a. 2, Inde méridionale. M. R. H. Beddome (C.).

GLOSSOSTYLUS.

Cyclophorus woodianus Lea.

a. 2, Philippines. M. Cuming (C.).

Cyclophorus appendiculatus Pfeiffer.

a. 2, Philippines, Marinduque. M. le Dr. von Möllendorff (C.).

Cyclophorus canaliferus Sowerby.

a. 2, Philippines. M. Cuming (C.).

Cyclophorus picturatus Pfeiffer.

a. 2, Mindanao, Davao. M. le Dr. von Möllendorff (C.).

Cyclophorus picturatus, var. *superstructa* Möllendorff.

a. 1, Mindanao. M. le Dr. von Möllendorff (C.).

Cyclophorus linguiferus Sowerby.

a. 5, Philippines. M. Cuming (C.).

Cyclophorus cruentus Martens.

a. 1, Samar. M. le Dr. von Möllendorff (C.).

Cyclophorus altivagus Benson.

a. 1, Inde méridionale, Mahableshwar. M. R. H. Beddome (C.).

Cyclophorus daraganicus Hidalgo.

a. 2, Luzon, Tagabas. M. le Dr. von Möllendorff (C.).

Digitized by Google

Cyclophorus aëtarum Möllendorff.

a. 1, Luzon, Morong. M. le Dr. von Möllendorff (C.).

Cyclophorus tigrinus Sowerby.

a. 2, Philippines. M. Cuming (C.).
b. 1, Hongkong. M. R. H. Beddome (C.).

Cyclophorus coronensis Möllendorff.

a. 2, Iles Calamianes, Coron. M. le Dr. von Möllendorff (C.).

Cyclophorus sericinus Quadras et Möllendorff.

a. 1, Philippines, Busuanga. M. le Dr. von Möllendorff (C.).

Cyclophorus palawanensis Smith.

a. 2, Palawan.

Cyclophorus alabatensis Kobelt.

a. 3, Philippines, Polillo. M. Cuming et M. le Dr. von Möllendorff (C.).

Cyclophorus acuti-marginatus Sowerby.

a. 2, Samar. M. le Dr. von Möllendorff (C.).

Cyclophorus Pearsoni Benson.

a. 1, Inde, Khasi-hills. M. H. Fulton.

Cyclophorus indicus Deshayes.

a. 2, Inde méridionale, Mahableswhar. M. R. H. Beddome (C.).
b. 1, Variété. Inde méridionale. M. R. H. Beddome (C.).

Cyclophorus Rafflesi Broderip et Sowerby.

a. 18, Java. M. Junghuhn et M. M. Kuhl et van Hasselt (C.).
b. 4, (alc.) Java. M. Reinwardt (C.).

Cyclophorus eximius Mousson.

a. 5, Sumatra. Expédition scientifique de Sumatra, 1880.
b. 1, Java. M. Junghuhn (C.).
c. 1, (alc.) Côte méridionale de Java.

Digitized by Google

SALPINGOPHORUS.

Cyclophorus aurantiacus Schumacher.

a. 1, Patrie inconnue. Muséum d'Histoire naturelle de Paris (P.).

Cyclophorus siamensis Sowerby.

a. 1, Assam, Khasi-hills. M. H. Fulton.

Cyclophorus tuba Sowerby.

a. 3, Malacca. M. Cuming et Collection Dalen.

b. 3, Sumatra. Expédition scientifique de Sumatra, 1880.

c. 2, Variété. Indrapoera. M. J. L. Weyers, 1899 (C.).

Cyclophorus kina-baluensis Smith.

a. 1, Mont Tiloeng. Expédition de Bornéo, 1893—'94.

Cyclophorus malayanus Benson.

a. 1, Siam, île Samoi. M. le Dr. von Möllendorff (C.).

Cyclophorus aquilus Sowerby.

a. 1, Iles Natuna, Sichassin.

Cyclophorus borneensis Metcalfe.

a. 4, Bornéo, Liang-Koeboeng, Sekedau, Dadap. Expédition de Bornéo, 1893—'94.

b. 2, (alc.) Bornéo, Pied du Mont Simedoem et Poelau. Expédition de Bornéo, 1893—'94.

Cyclophorus perdix Broderip et Sowerby.

a. 7, Java. M. Junghuhn (C.).

b. 9, Java, Tjilatjap. M. Overdijk (C.).

c. 7, (alc.) Java. M. Reinwardt, M. M. Kuhl et van Hasselt et M. le Dr. J. F. van Bemmelen, 1890 (C.).

Cyclophorus perdix var. *Zollingeri* Mousson.

a. 10, Java. M. Junghuhn (C.).

b. 4, La Nouvelle-Guinée? M. Macklot (C.).

EUCYCLOPHORUS.

Cyclophorus affinis Theobald.

a. 1, Inde méridionale, Moulmein. M. R. H. Beddome (C.).

Digitized by Google

Cyclophorus floridus Pfeiffer.

a. 1, Siam. M. le Dr. von Möllendorff (C.).

Cyclophorus martensianus Möllendorff.

a. 2, Chine. M. le Dr. von Möllendorff (C.).

Cyclophorus punctatus Grateloup.

a. 2, La Nouvelle-Guinée? M. Macklot (C.).

Cyclophorus Herklotsi Martens.

a. 2, Japon. M. von Siebold, M. Dohrn (C.).
b. 1, (alc.) Japon. M. von Siebold (C.).

CYCLOHELIX.

Cyclophorus turbo Chemnitz.

a. 2, Burmah. M. R. H. Beddome (C.).

CRICOPHORUS.

Cyclophorus Fernandesi Hidalgo.

a. 2, Mindoro.

Cyclophorus philippinarum Sowerby.

a. 1, Philippines. M. Cuming (C.).

Cyclophorus Sowerbyi Hidalgo.

a. 2, Philippines. M. Cuming (C.).
b. 2, Variété. Iles Soeloe, Siboetoe.

AFERULUS.

Cyclophorus Wahlbergi Benson.

a. 3, Natal. M. Landauer.

RHYTIDORAPHE.

Cyclophorus Kubaryi Möllendorff.

a. 2, La Nouvelle-Guinée, Constantinhafen. M. le Dr. von Möllendorff (C.).

Digitized by Google

AULOPOMA.

Aulopoma Itieri Guerin.

a. 1, Ceylan.

PTEROCYCLUS.

Pterocyclus tenuilabiatus Metcalfe.

a. 6, Bornéo central, Sekedau, Dadap, Goenong Kenepai. Expédition de Bornéo, 1893—'94.

b. 1, Bornéo méridional. M. Schwaner (C.).

c. 2, (alc.) Bornéo central, Sintang et Liang gagang. Expédition de Bornéo, 1893—'94.

Pterocyclus latilabrum Smith.

a. 1, Ile Banguey.

Pterocyclus niahensis Godwin Austen.

a. 1, Bornéo central, Mont Tiloeng. Expédition de Bornéo, 1893—'94.

b. 4, (alc.) Bornéo central, Sintang, Liang gagang et Liang koeboeng. Expédition de Bornéo, 1893—'94.

Pterocyclus bilabiatus Benson.

a. 2, Inde méridionale. M. R. H. Beddome (C.).

Pterocyclus rupestris Benson.

a. 2, Inde méridionale. M. R. H. Beddome (C.).

Pterocyclus cetra Benson.

a. 3, Inde méridionale. M. R. H. Beddome (C.).

Pterocyclus nanus Benson.

a. 1, Inde méridionale. M. R. H. Beddome (C.).

Pterocyclus pseudo-Cumingi Nevill.

a. 2, Inde méridionale. M. R. H. Beddome (C.).

Digitized by Google

SPIRACULUM.

SPIRACULUM.

Spiraculum Beddomei Blanford.

a. 5, Inde méridionale. M. R. H. Beddome (C.).

Spiraculum hispidum Pearson.

a. 1, Inde méridionale. M. R. H. Beddome (C.).

DIPLOPTERUM.

Spiraculum Fairbanki Blanford.

a. 1, Inde méridionale. M. R. H. Beddome (C.).

PLATYRAPHE.

Platyraphe plebeja Sowerby.

a. 2, Luzon, Camarines. M. le Dr. von Möllendorff (C.).

Platyraphe expansilabris Möllendorff.

a. 2, Iles Calamianes. M. le Dr. von Möllendorff (C.).

Platyraphe gradata Möllendorff.

a. 1, Iles Calamianes. M. le Dr. von Möllendorff (C.).

Platyraphe anocampta Möllendorff.

a. 1, Samar. M. le Dr. von Möllendorff (C.).

Platyraphe latecostata Kobelt.

a. 2, Zebu.

Platyraphe pusilla Sowerby.

a. 2, Philippines. M. Cuming (C.).

Platyraphe eurystoma Möllendorff.

a. 1, Luzon, Morong. M. le Dr. von Möllendorff (C.).

Platyraphe substriata Sowerby.

a. 2, Philippines. M. Cuming (C.).

Digitized by Google

Platyraphe plicosa Martens.

a. 4, Saparoea, Goenong Rila. M. le Prof. K. Martin, 1892 (C.).

Platyraphe liratula Martens.

a. 2, Saparoea, Goenong Rila. M. le Prof. K. Martin, 1892 (C.).

Platyraphe linita Godwin Austen.

a. 2, Bornéo, Busan hills.

CYCLOTUS.

PSEUDOCYCLOPHORUS.

Cyclotus amboinensis Peiffer.

a. 1, Amboine. M. von Rosenberg (C.).
b. 5, Ile Groot-Banda. M. le Dr. J. Semmelink (C.).
c. 1, Céram, Wahaai. M. le Prof. K. Martin, 1892 (C.).
d. 4, Saparoea, Goenong Rila. M. le Prof. K. Martin (C.).
e. 2, Célèbes, Gorontalo. M. von Rosenberg (C.).

Cyclotus politus Sowerby.

a. 1, Ceylan. Muséum d'histoire naturelle de Paris (P.).
b. 1, Patrie inconnue. Collection Dalen.

Cyclotus soembaensis Schepman.

a. 1, Soemba, Waingapoe. M. le Dr. H. ten Kate, 1891 (C.). Type de l'espèce.

Cyclotus succinctus Martens.

a. 2, Timor, Koepang. M. Zijnen Wartel (C.).

Cyclotus hebraicus Lesson.

a. 1, La Nouvelle-Guinée. M. Macklot (C.).
b. 1, La Nouvelle-Guinée, Sekroe. M. G. Baron van Hoëvell, 1893 (P.).

Cyclotus distomellus Sowerby.

a. 8, Variété. Iles Aroe. M. von Rosenberg (C.).
b. 3, Variété. La Nouvelle-Guinée, Sekroe. M. K. Schädler, 1897 (C.).
c. 3, (alc.) La Nouvelle-Guinée. M. Macklot (C.).

Digitized by Google

Cyclotus novo-guineënsis Tapparone Canefri.

a. 2, La Nouvelle-Guinée. M. Macklot (C.).

Cyclotus discoideus Sowerby.

a. 2, Java, montagnes calcaires de Waroe. M. M. Kuhl et van Hasselt (C.).

Cyclotus guttatus Pfeiffer.

a. 9, Batjan. M. Bernstein (C.).
b. 1, Ternate. M. Bernstein (C.).

Cyclotus reticulatus Martens.

a. 10, Flores, Larentoeka. M. le Dr. J. Semmelink (C.).

Cyclotus dimidiatus Kobelt.

a. 1, Célèbes, Gorontalo. M. le Dr. J. Semmelink, 1882 (C.).

EUCYCLOTUS.

Cyclotus batjanensis Pfeiffer.

a. 1, Batjan. M. Bernstein (C.).

Cyclotus Bernsteini Martens.

a. 1, Iles Obi. M. Bernstein (C.).

Cyclotus pruinosus Martens.

a. 2, Batjan. M. Bernstein (C.).
b. 1, La Nouvelle-Guinée. M. S. Müller (C.).
c. 1, (alc.) Java?

Cyclotus palawanicus Smith.

a. 2, Palawan.

Cyclotus Caroli Dohrn.

a. 3, Philippines, Zebu. M. Cuming (C.).
b. 2, Variété. Philippines. M. Cuming (C.).
c. 1, Variété. Célèbes, Amoerang. M. le Dr. J. Semmelink, 1882 (C.).

Cyclotus sulcatus Möllendorff.

a. 2, Zebu.

Digitized by Google

Cyclotus auriculatus Kobelt.

a. 2, Mindanao.

AULACOPOMA.

Cyclotus labuanensis Pfeiffer.

a. 1, Ile Banguey.

OPISTHOPORUS.

Opisthoporus corniculum Mousson.

a. 20, Java. M. Junghuhn (C.).

b. 5, (alc.) Java. M. Macklot et M. le Dr. J. F. van Bemmelen, 1890 (C.).

Opisthoporus euryomphalus Pfeiffer.

a. 2, Bornéo, Mont Tiloeng. Expédition de Bornéo 1893—'94.

Opisthoporus Quadrasi Crosse.

a. 3, Philippines, Palawan, Busuanga. M. le Dr. von Möllendorff (C.).

Opisthoporus birostris Pfeiffer.

a. 2, Bornéo. M. Landauer.

CYATHOPOMA.

CYATHOPOMA.

Cyathopoma wynadense Blanford.

a. 4, Inde méridionale. M. R. H. Beddome (C.).

JERDONIA.

Cyathopoma anamallayanum Beddome.

a. 3, Inde méridionale. M. R. H. Beddome (C.).

Cyathopoma nitidum Beddome.

a. 3, Inde méridionale. M. R. H. Beddome (C.).

Digitized by Google

MYCHOPOMA.

Mychopoma hirsutum Blanford.

a. 3, Inde méridionale. M. R. H. Beddome (C.).

NEOCYCLOTIDAE.

NEOCYCLOTUS.

NEOCYCLOTUS.

Neocyclotus giganteus Gray.

a. 1, Baie de Caracas. M. Turner.

Neocyclotus translucidus Sowerby.

a. 2, Columbie. M. Cuming (C.).

Neocyclotus popayanus Lea.

a. 3, Venezuela. M. van Lansberge (P.).

PLECTOCYCLOTUS.

Neocyclotus jamaicensis Chemnitz.

a. 1, Jamaïque. M. Damon.

b. 3, Inde occidentale, Possessions Danoises. M. M. Kraepelin et Holm.

Neocyclotus seminudus Adams.

a. 2, Jamaïque. M. Damon.

Neocyclotus asperulus Sowerby.

a. 1, Inde occidentale, Possessions Danoises. M. M. Kraepelin et Holm.

b. 1, Patrie inconnue.

AMPHICYCLOTUS.

Amphicyclotus Cumingi Sowerby.

a. 1, Columbie occidentale, île Tumaco. M. Cuming (C.).

Amphicyclotus rufescens Sowerby.

a. 2, Antilles. M. Petit.

Digitized by Google

CYRTOTOMA.

Cyrtotoma mexicanum Menke.

a. 1, Patrie inconnue. Muséum d'Histoire naturelle de Paris.

CROCIDOPOMA.

Crocidopoma suturale Sowerby.

a. 2, Jamaïque. M. Damon.

Crocidopoma floccosum Shuttleworth.

a. 2, Haïti, Jeremie. M. von Maltzan (C.).

MEGALOMASTOMA.

Megalomastoma tortum Wood.

a. 1, Cuba, Santiago. M. E. Deyrolle.

Megalomastoma auriculatum Orbigny.

a. 1, Cuba. M. Landauer.

Megalomastoma Orbignyi Pfeiffer, var. *minor* Pfeiffer.

a. 2, St.-Domingue. M. A. Sallé, 1849 (C.).

Megalomastoma bituberculatum Sowerby.

a. 2, Cuba, Havanna. M. Poeppig.

Megalomastoma mani Poey.

a. 2, Cuba. M. Landauer.

Megalomastoma cylindraceum Chemnitz.

a. 1, Portorico.

Megalomastoma antillarum Sowerby.

a. 1, St.-Vincent. M. H. Dohrn (C.).

TOMOCYCLUS.

Tomocyclus simulacrum Morelet.

a. 1, Guatemala. M. Jousseaume, 1880.

Tomocyclus simulacrum, var. *minor* Pfeiffer.

a. 2, Guatemala. M. Jousseaume, 1880.

Digitized by Google

PUPINIDAE.

RAPHAULUS.

Raphaulus chrysalis Pfeiffer.

a. 1, Moulmein. M. G. B. Sowerby, 1892.

COPTOCHILUS.

Coptochilus altus Sowerby.

a. 1, Philippines. M. Cuming (C.).

Coptochilus anostoma Benson.

a. 1, Bornéo septentrional.

Coptochilus funiculatus Benson.

a. 3, Variété. Inde septentrionale. M. R. H. Beddome (C.).

CATAULUS.

Cataulus austenianus Benson.

a. 1, Ceylan.

Cataulus Blanfordi Dohrn.

a. 1, Variété. Ceylan. M. R. H. Beddome (C.).

Cataulus Layardi Gray.

a. 1, Ceylan. M. R. H. Beddome (C.).

Cataulus marginatus Pfeiffer.

a. 1, Ceylan. M. R. H. Beddome (C.).

Cataulus calcadensis Beddome.

a. 1, Inde méridionale. M. R. H. Beddome (C.).

Cataulus recurvatus Pfeiffer.

a. 6, Inde méridionale. M. R. H. Beddome (C.).

HYBOCYSTIS.

Hybocystis gravida Benson.

a. 3, Burmah. M. R. H. Beddome (C.).

Digitized by Google

PUPINELLA.

Pupinella ceramica Martens.

a. 2, Amboine. M. von Rosenberg (C.).

Pupinella rosselliana Smith.

a. 1, Ile Rossel, Les Louisiades.

PUPINA.

PUPINA.

Pupina cumingiana Pfeiffer.

a. 1, Australie. M. Damon.

Pupina gracilis Möllendorff.

a. 2, Zebu.

TYLOTOECHUS.

Pupina bicanaliculata Sowerby.

a. 2, Zebu.

Pupina japonica Martens.

a. 2, Japon. M. von Siebold (C.).

Pupina Junghuhni Martens.

a. 2, Java, Goenoeng Salak. M. B. Strubell (C.).
b. 1, (alc.) Java. M. M. Kuhl et van Hasselt (C.).

Pupina Treubi Boettger.

a. 6, Java, Goenoeng Gédéh. M. B. Strubell, 1892 (C.).

Pupina pineticola Cox.

a. 1, Australie. M. Damon.

MOULINSIA.

Moulinsia exigua Sowerby.

a. 1, Philippines. M. Cuming (C.).

Digitized by Google

Moulinsia fusca Gray.

a. 4, Philippines. M. Cuming et Cabinet Dalen.

Moulinsia grandis Gray.

a. 4, Philippines. M. Cuming (C.).

Moulinsia similis Sowerby.

a. 2, Philippines.

CALLIA.

Callia lubrica Sowerby.

a. 5, Philippines. M. Cuming (C.).

ALYCAEIDAE.

DIORYX.

Dioryx globulus Möllendorff.

a. 1, Chine, Hupé. M. H. Rolle, 1897.

Dioryx pilula Gould.

a. 2, Hongkong. M. H. Rolle, 1897.

ALYCAEUS.

ORTHALYCAEUS.

Alycaeus congener Smith.

a. 1, Bornéo septentrional. M. H. Fulton, 1895.

Alycaeus Fultoni Möllendorff.

a. 2, Bornéo septentrional. M. H. Fulton, 1895.

Alycaeus galbanus Godwin Austen.

a. 1, Bornéo septentrional. M. H. Fulton, 1895.

Alycaeus globosus H. Adams.

a. 2, Bornéo, Sarawak. M. H. Fulton, 1890.

Digitized by Google

Alycaeus Hosei Godwin Austen.

a. 4, Bornéo, Sarawak. M. H. Fulton, 1890.

Alycaeus Roebelini Möllendorff.

a. 2, Siam, Samoi. M. H. Rolle, 1897.

CHAMALYCAEUS.

Alycaeus Möllendorffi Kobelt.

a. 2, Hainan. M. H. Rolle.

CHARAX.

Alycaeus anthostoma Möllendorff.

a. 2, Chine, Hupé.

Alycaeus Broti Aldrich.

a. 2, Bornéo septentrional. M. H. Fulton, 1895.

Alycaeus footei Blanford.

a. 2, Inde méridionale. M. R. H. Beddome (C.).

DIPLOMMATINIDAE.

NICIDA.

Nicida kingiana Blanford.

a. 2, Inde, Salem. M. H. Fulton.

Nicida nilgirica Blanford.

a. 4, Inde méridionale. M. R. H. Beddome (C.).

ARINIA.

EUARINIA.

Arinia chrysacme Möllendorff.

a. 2, Philippines, Casuarines. M. le Dr. von Möllendorff (C.).

Arinia dichroa Möllendorff.

a. 2, Philippines, Casuarines. M. le Dr. von Möllendorff (C.).

Digitized by Google

Arinia minor Sowerby, var. *semisculpta* Möllendorff.

a. 2, Zebu.

LEUCARINIA.

Arinia costata Möllendorff.

a. 4, Zebu. M. G. B. Sowerby.

Arinia devians Möllendorff.

a. 4, Zebu. M. G. B. Sowerby.

Arinia minutissima Möllendorff.

a. 2, Zebu. M. G. B. Sowerby.

Arinia similis Smith.

a. 3, Bornéo, monts Barit.

PALAINA.

EUPALAINA.

Palaina doliolum Mousson.

a. 2, Carolines, Ponapé. M. H. Rolle, 1897.

Palaina cristata Quadras et Möllendorff.

a. 2, Philippines, Cacayan. M. H. Rolle, 1897.

Palaina chalarostoma Möllendorff.

a. 2, Philippines, Tayabas. M. H. Rolle, 1897.

Palaina morongensis Möllendorff.

a. 2, Philippines, Morong. M. H. Rolle, 1897.

Palaina ovatula Möllendorff.

a. 2, Carolines, Ponapé. M. H. Rolle, 1897.

Palaina Quadrasi Möllendorff.

a. 2, Philippines. M. H. Fulton.

CYLINDROPALAINA.

Palaina trachelostropha Möllendorff.

a. 4, Zebu. M. G. B. Sowerby et M. H. Rolle, 1897.

Digitized by Google

MACROPALAINA.

Palaina scalarina Mousson.

a. 2, Carolines, Ponapé. M. H. Rolle, 1897.

Palaina xiphidium Möllendorff.

a. 2, Carolines, Ponapé. M. H. Rolle, 1897.

OPISTHOSTOMA.

EUOPISTHOSTOMA.

Opisthostoma macrostoma Beddome.

a. 1, Inde méridionale. M. R. H. Beddome (C.).

Opisthostoma Wallacei Ancey.

a. 2, Bornéo septentrional. M. H. Fulton, 1895.

PLECTOSTOMA.

Opisthostoma Austeni Smith.

a. 2, Bornéo septentrional. M. H. Fulton, 1895.

Opisthostoma baritense Smith.

a. 2, Bornéo septentrional. M. H. Fulton, 1895.

Opisthostoma busanense Smith.

a. 2, Bornéo septentrional. M. H. Fulton, 1895.

Opisthostoma Decrespignyi Adams.

a. 2, Bornéo septentrional. M. H. Fulton, 1895.

Opisthostoma Everetti Smith.

a. 2, Bornéo septentrional. M. H. Fulton, 1895.

Opisthostoma Hosei Godwin Austen.

a. 2, Bornéo septentrional, Niah. M. H. Fulton, 1895.

Opisthostoma jucundum Smith.

a. 2, Bornéo septentrional. M. H. Fulton, 1895.

Opisthostoma otostoma Boettger.

a. 2, Bornéo septentrional. M. H. Fulton, 1895.

Digitized by Google

Opisthostoma pumilio Smith.

a. 2, Bornéo septentrional. M. H. Fulton, 1895.

GEOTHAUMA.

Opisthostoma grandispinosum Godwin Austen.

a. 2, Bornéo septentrional, Niah.

Opisthostoma Linterae Sowerby.

a. 2, Bornéo, Sarawak.

Opisthostoma mirabile Smith.

a. 2, Bornéo septentrional.

Opisthostoma pulchellum Godwin Austen.

a. 2, Bornéo septentrional.

DIANCTA.

PARADIANCTA.

Diancta Everetti Smith.

a. 2, Bornéo septentrional. M. H. Fulton, 1895.

Diancta gomantonensis Smith.

a. 1, Bornéo septentrional. M. H. Fulton, 1895.

DIPLOMMATINA.

EUDIPLOMMATINA.

Diplommatina baritensis Smith.

a. 2, Bornéo. M. H. Fulton, 1895.

Diplommatina blanfordiana Benson.

a. 3, Inde, Darjiling. M. G. B. Sowerby.

Diplommatina busanensis Godwin Austen.

a. 2, Bornéo, Sarawak. M. H. Fulton, 1890.

Diplommatina zebuensis Möllendorff.

a. 2, Zebu. M. G. B. Sowerby.

Digitized by Google

Diplommatina herziana Möllendorff.

a. 2, Hainan. M. le Dr. von Möllendorff (C.).

Diplommatina labiosa Martens.

a. 2, Japon, Hakosu. M. le Dr. von Möllendorff (C.).

Diplommatina pachychila Benson.

a. 3, Inde, Darjiling. M. H. Dohrn et M. H. Fulton (C.).

Diplommatina roebelini Möllendorff.

a. 2, Ile Banguey. M. H. Fulton.

Diplommatina rubella Möllendorff.

a. 2, Ile Negros. M. le Dr. von Möllendorff (C.).

Diplommatina rupicola Möllendorff.

a. 3, Zebu. M. le Dr. von Möllendorff (C.).

SINICA.

Diplommatina Boettgeri Möllendorff.

a. 2, Manila. M. H. Fulton.

Diplommatina Brunonis Smith.

a. 2, Ile Bunguran.

Diplommatina canarica Beddome.

a. 4, Inde, Canara. M. R. H. Beddome (C.).

Diplommatina concolor Quadras et Möllendorff.

a. 2, Variété. Ile Palawan. M. H. Fulton.

Diplommatina congener Smith.

a. 3, Bornéo septentrional. M. H. Fulton.

Diplommatina gracilis Beddome.

a. 3, Inde méridionale. M. R. H. Beddome (C.).

Diplommatina cyrtocheila Quadras et Möllendorff.

a. 2, Busuanga. M. H. Rolle, 1897.

Digitized by Google

Diplommatina kochiana Möllendorff.

a. 2, Zebu. M. G. B. Sowerby.

Diplommatina microstoma Möllendorff.

a. 2, Zebu. M. G. B. Sowerby.

Diplommatina oligogyra Möllendorff.

a. 2, Iles Calamianes, Coron. M. le Dr. von Möllendorff (C.).

Diplommatina oostoma Möllendorff.

a. 2, Mindanao. M. le Dr. von Möllendorff (C.).

Diplommatina paxillus Gredler.

a. 2, Hainan. M. H. Rolle, 1897.

Diplommatina sculptilis Möllendorff.

a. 2, Canton. M. H. Rolle, 1897.

Diplommatina thersites Möllendorff.

a. 2, Zebu. M. le Dr. von Möllendorff (C.).

Diplommatina vesicans Möllendorff.

a. 2, Siquijor. M. le Dr. Möllendorff (C.).

PAXILLUS.

Paxillus adversus Adams.

a. 4, Sarawak. M. H. Fulton, 1895.

Paxillus adversus, var. *natunensis* Smith.

a. 2, Iles Natuna. M. H. Fulton, 1895.

CRASPEDOPOMATIDAE.

CRASPEDOPOMA.

Craspedopoma annulatum Lowe.

a. 2, Patrie inconnue. M. Landauer.

Craspedopoma trochoideum Lowe.

a. 2, Madère. M. Landauer.

Digitized by Google

CYCLOSURUS.

Cyclosurus Mariei Morelet.

a. 1, Mayotte. M. G. B. Sowerby, 1892.

POMATIASIDAE.

POMATIAS.

EUPOMATIAS.

Pomatias Henricae Strobel, var. *plumbea* Westerlund.

a. 2, Italie septentrionale. M. M. de Cristofori et Jan.

Pomatias septemspiralis Razoumowski.

a. 4, France méridionale, Pyrénées. M. M. Cristofori et Jan.
b. 7, Albanie.
c. 20, Triest. M. Cantraine (C.).

Pomatias septemspiralis, var. *heydeniana* Clessin.

a. 2, Italie septentrionale. M. M. Cristofori et Jan.
b. 1, Corfu. M. Liebetrut.

Pomatias scalarinus Villa.

a. 2, Rovigno et Zara. M. Cantraine (C.).

RHABDOTACRA.

Pomatias obscurus Draparnaud.

a. 7, Pyrénées.

STEREOPOMA.

Pomatias paladilhianus St.-Simon.

a. 2, Mont Peregrino près de Palerme. M. Heldreich.

HOLCOPOMA.

Pomatias tessellatus Wiegmann.

a. 7, Volhynie. M. M. Cristofori et Jan.

Digitized by Google

b. 4, Corfu. M. Liebetrut.

c. 2, Cattaro. M. Cantraine (C.).

TITANOPOMA.

Pomatias auritus Rossmässler.

a. 12, Cattaro et Syracuse. M. Cantraine (C.).

Pomatias auritus, var. *chelys* Westerlund.

a. 3, Cattaro.

b. 5, Dalmatie. M. M. Cristofori et Jan.

REALIDAE.

REALIA.

Realia carinella Pfeiffer.

a. 3, La Nouvelle-Zélande, île septentrionale, Whangarei. M. H. Suter.

Realia egea Gray.

a. 2, La Nouvelle-Zélande, île septentrionale, Hastwell. M. H. Suter.

Realia Hochstetteri Pfeiffer.

a. 2, La Nouvelle-Zélande, île septentrionale, Whangarei. M. H. Suter.

Realia turriculata Pfeiffer.

a. 2, La Nouvelle-Zélande, île septentrionale, Whangarei. M. H. Suter.

OMPHALOTROPIS.

Omphalotropis aurantiaca Deshayes.

a. 1, Patrie inconnue.

Omphalotropis fragilis Pease.

a. 2, Iles Marshall. M. H. Dohrn (P.).

Digitized by Google

Omphalotropis carinata Lea.

a. 1, (alc.) Pontianak. Expédition de Bornéo, 1893—'94.

Omphalotropis ceramensis Martens.

a. 6, Saparoea, Goenong Rila. M. le Prof. K. Martin, 1892 (C.).

Omphalotropis Moreleti Deshayes.

a. 3, Maurice. M. Frank.

Omphalotropis plicosa Pfeiffer.

a. 3, Patrie inconnue. Muséum d'Histoire naturelle de Paris (P.).

ACMELLA.

Acmella hungerfordiana Nevill.

a. 2, Zebu. M. G. B. Sowerby.

CYCLOMORPHA.

Cyclomorpha flava Broderip.

a. 1, Ile Annaa. M. Cuming (C.).

HETEROPOMA.

Heteropoma concavospirum Möllendorff.

a. 2, Luzon, Camarines. M. le Dr. von Möllendorff (C.).

Heteropoma euspirum Möllendorff.

a. 2, Luzon, Camarines. M. le Dr. von Möllendorff (C.).

Heteropoma pyramidatum Möllendorff.

a. 2, Mindanao septentrional. M. le Dr. von Möllendorff (C.).

Heteropoma cornu Möllendorff.

a. 2, Siquijor. M. G. B. Sowerby.

Digitized by Google

CYCLOSTOMATIDAE.

CYCLOTOPSIS.

Cyclotopsis conoidea Pfeiffer.

a. 2, Maurice. Muséum d'Histoire naturelle de Paris (P.).

OTOPOMA.

Otopoma clathratulum Recluz.

a. 2, Ile Socotora.

Otopoma naticoides Recluz.

a. 1, Ile Socotora.

TROPIDOPHORA.

EUTROPIDOPHORA.

Tropidophora campanulata Pfeiffer.

a. 13, Madagascar. M. F. Pollen, 1878 (C.).
b. 1, Variété. Madagascar. M. H. Fulton.

Tropidophora madagascariensis Gray.

a. 17, Madagascar. M. F. Pollen, 1878 (C.).

Tropidophora unicarinata Lamarck.

a. 1, Madagascar. Muséum d'Histoire naturelle de Paris (P.).

Tropidophora bicarinata Sowerby.

a. 2, Madagascar. Muséum d'Histoire naturelle de Paris (P.).

Tropidophora Boivini Pfeiffer.

a. 1, Madagascar. M. Audebert, 1879 (C.).

Tropidophora obsoleta Lamarck.

a. 1, Maurice. M. Frank, 1891.

Tropidophora barclayana Pfeiffer.

a. 1, Rodriguez. M. M. Pollen et van Dam (C.).

Digitized by Google

Tropidophora carinata Born.

a. 5, Maurice. M. Frank, 1891.

Tropidophora cuvieriana Petit.

a. 12, Nossi-Mitsiou. M. M. Pollen et van Dam (C.).

Tropidophora occlusa Mörch.

a. 1, Madagascar. Collection Dalen.

Tropidophora vittata Sowerby.

a. 1, Maurice. M. M. Pollen et van Dam (C.).

Tropidophora carinifera Sowerby.

a. 1, Patrie inconnue. M. Marguier.

Tropidophora articulata Gray.

a. 1, Rodriguez. M. M. Pollen et van Dam (C.).

Tropidophora Sowerbyi Pfeiffer.

a. 1, Mayotte. M. M. Pollen et van Dam (C.).

Tropidophora crosseana Morelet.

a. 7, Madagascar. M. F. Pollen, 1878 (C.).

Tropidophora unifasciata Sowerby.

a. 3, Maurice. M. Jousseaume, 1880.

LIGATELLA.

Tropidophora Moulinsii Grateloup.

a. 1, Madagascar.

Tropidophora xanthochila Sowerby.

a. 1, Madagascar. M. Landauer.

Tropidophora zonata Petit, var. *Denanei* Mabille.

a. 2, Madagascar. M. H. Fulton.

Tropidophora sarcodes Pfeiffer.

a. 2, Madagascar.

Digitized by Google

Tropidophora ligata Müller.

a. 1, Mont Kamies? M. Krauss (C.).

Tropidophora ligatula Grateloup.

a. 6, Madagascar. M. F. Pollen, 1878 (C.).
b. 1, Maurice. M. Frank, 1891.

Tropidophora fimbriata Lamarck.

a. 8, Maurice. M. Frank, 1891.

CYCLOSTOMA.

Cyclostoma costulatum Ziegler.

a. 2, Hongrie. M. Pfeiffer (C.).

Cyclostoma elegans Müller.

a. 4, Ile de Wight. M. J. Ponsonby (P.).
b. 2, Danemarc. M. Mörch (C.).
c. 5, Italie septentrionale. M. M. Cristofori et Jan.
d. 17, Rovigno, Sardaigne. M. Cantraine (C.).
e. 3, Athènes. M. Heldreich.
f. 1, Constantinople. M. Heldreich.

Cyclostoma melitense Sowerby.

a. 4, Tripoli. M. Cock van Breugel.

Cyclostoma sulcatum Draparnaud.

a. 15, Sicile, Messine, Agrigentum. M. Heldreich et M. Cantraine (C.).

TUDORELLA.

Tudorella ferruginea Lamarck.

a. 1, Séville. M. Marguier.
b. 1, Mahon, Minorca.

LEONIA.

Leonia mammillaris Lamarck.

a. 1, Patrie inconnue.

Digitized by Google

LICINIDAE.

LICINA.

Licina lincina Born.

a. 1, Patrie inconnue. Collection Dalen.

Licina evoluta Reeve.

a. 1, Jamaïque.

Licina Rollei Maltzan.

a. 1, Haïti, Miragoane. M. von Maltzan (C.).

CHOANOPOMA.

Choanopoma majusculum Morelet.

a. 5, Cuba, Mont Rang et Sinar del Rio. M. Landauer et M. E. Deyrolle.

Choanopoma interruptum Lamarck.

a. 1, Patrie inconnue. Muséum d'Histoire naturelle de Paris (P.).

Choanopoma Kobelti Maltzan.

a. 2, Haïti, Milo. M. von Maltzan (C.).

Choanopoma Kobelti, var. *fusca* Maltzan.

a. 1, Haïti, Dondon. M. H. Rolle, 1887.

Choanopoma pisum Adams.

a. 2, Jamaïque. M. Damon.

Choanopoma Bertini Maltzan.

a. 2, Haïti, Milo. M. von Maltzan (C.).

Choanopoma Bertini, var. *gracillima* Maltzan.

a. 1, Haïti, Sans-souci. M. H. Rolle.

Choanopoma strictecostata Maltzan.

a. 2, Haïti, Miragoane. M. H. Rolle, 1888.

Digitized by Google

Choanopoma smithianum Pfeiffer.

a. 2, Haïti, Jeremie. M. von Maltzan (C.).

Choanopoma Souvillei Gould.

a. 2, Cuba, Sinar del Rio. M. E. Deyrolle.

Choanopoma Lachneri Pfeiffer.

a. 2, Cuba. M. Landauer.

Choanopoma sulculosum Férussac.

a. 1, Guadeloupe. M. Férussac.

Choanopoma decussatum Lamarck.

a. 3, Portorico.

Choanopoma tentorium Pfeiffer.

a. 2, St.-Domingue. M. A. Sallé, 1849 (C.).

Choanopoma lincinellum Lamarck.

a. 1, Haïti, Milo. M. H. Rolle, 1887.

Choanopoma lima Adams.

a. 2, Jamaïque. M. Damon.

Choanopoma lima, var. *blandiana* Adams.

a. 2, Jamaïque. M. Damon.

Choanopoma fimbriatulum Sowerby.

a. 2, Jamaïque. M. Damon.

Choanopoma Chittyi Adams.

a. 2, Jamaïque. M. Damon et M. Verreaux.

Choanopoma scabriculum Sowerby.

a. 3, Jamaïque. M. Damon.

Choanopoma hillianum Adams.

a. 2, Jamaïque. M. Damon.

Choanopoma hillianum, var. *amanda* Adams.

a. 3, Jamaïque. M. Damon.

Digitized by Google

Choanopoma auricomum Gundlach.

a. 1, Cuba, Caimanera. M. E. Deyrolle.

Choanopoma putre Gundlach.

a. 2, Cuba, M. Landauer.

ROLLEIA.

Rolleia Martensi Maltzan.

a. 2, Haïti, Plaisance. M. von Maltzan (C.).

CTENOPOMA.

Ctenopoma bilabiatum Orbigny.

a. 1, Cuba, Sinar del Rio. M. E. Deyrolle.

Ctenopoma echinatum Gundlach.

a. 2, Cuba. M. Landauer.

Ctenopoma rugulosum Pfeiffer.

a. 4, Cuba. M. Landauer.

Ctenopoma deficiens Gundlach.

a. 2, Cuba, Matanzas. M. Landauer.

Ctenopoma sordidum Gundlach.

a. 2, Cuba. M. Landauer.

ADAMSIELLA.

Adamsiella grayana Pfeiffer.

a. 2, Jamaïque. M. Damon.

Adamsiella variabilis Adams.

a. 4, Jamaïque. Musée Zoologique de Copenhague (P.).

Adamsiella pulchrior Adams.

a. 2, Jamaïque. M. Damon.

Digitized by Google

Adamsiella ignilabris Adams.

a. 2, Jamaïque. M. Damon.

b. 3, Indes occidentales, Possessions Danoises. M. M. Kraepelin et Holm.

CISTULIDAE.

CISTULA.

Cistula cinclidodes Pfeiffer.

a. 2, St.-Domingue. M. A. Sallé, 1849 (C.).

Cistula illustris Poey.

a. 2, Portorico.

Cistula inculta Poey.

a. 2, Cuba. M. Landauer.

Cistula rufilabris Beck.

a. 4, St.-Croix. Musée zoologique de Copenhague (P.).

Cistula Agassizi Charpentier.

a. 2, Cuba. M. Landauer.

Cistula interstitialis Gundlach.

a. 1, Cuba. M. Landauer.

b. 1, Sagua di Panama. M. Landauer.

c. 3, Variété. Sagua di Panama. M. Landauer.

Cistula Mackinlayi Gundlach.

a. 2, Cuba, Guatanamo et Sinar del Rio. M. E. Deyrolle.

CHONDROPOMA.

Chondropoma egregium Gundlach.

a. 2, Cuba, Vinales et Sinar del Rio. M. Landauer et M. E. Deyrolle.

Chondropoma Shuttleworthi Pfeiffer.

a. 2, Cuba, Sinar del Rio. M. E. Deyrolle.

Digitized by Google

Chondropoma Gundlachi Arango.

a. 2, Cuba. M. Landauer.

Chondropoma canaliculatum Gundlach.

a. 2, Cuba. M. Landauer.

Chondropoma Ottonis Pfeiffer.

a. 2, Cuba, Matanjas. M. E. Deyrolle.

Chondropoma irradians Shuttleworth.

a. 2, Cuba. M. Verreaux (C.).

Chondropoma pudicum Orbigny.

a. 3, Cuba. M. Landauer.

Chondropoma claudicans Poey.

a. 2, Cuba. M. Landauer.

Chondropoma latilabre Orbigny.

a. 1, Cuba, Jateras. M. E. Deyrolle.

Chondropoma semilabre Lamarck.

a. 9, Iles Bahama, Crooked island. M. Weinland (C.).
b. 4, Haïti. M. Landauer.

Chondropoma marginalbum Gundlach.

a. 1, Cuba, Guantanamo. M. E. Deyrolle.

Chondropoma tenuiliratum Pfeiffer.

a. 1, Cuba, San Diego de los Banos. M. E. Deyrolle.

Chondropoma moestum Shuttleworth.

a. 1, Cuba, Matanjas. M. E. Deyrolle.

Chondropoma solidulum Gundlach.

a. 2, Cuba. M. Landauer.

Chondropoma pictum Pfeiffer.

a. 2, Cuba. M. Landauer.

Digitized by Google

Chondropoma obesum Menke.

a. 3, Cuba. M. Landauer.

Chondropoma poeyanum Orbigny.

a. 2, Cuba. M. Landauer.

Chondropoma subreticulatum Maltzan.

a. 1, Haïti. M. H. Rolle, 1887.

Chondropoma subreticulatum, var. *sericea* Maltzan.

a. 1, Haïti, Miragoane. M. H. Rolle, 1888.

Chondropoma petitianum Pfeiffer.

a. 2, Haïti, Milo. M. von Maltzan (C.).

Chondropoma litturatum Pfeiffer.

a. 2, St.-Domingue. M. A. Sallé, 1849 (C.).

Chondropoma salleanum Pfeiffer.

a. 2, St.-Domingue. M. A. Sallé, 1849 (C.).

Chondropoma dentatum Say.

a. 2, Cuba, Matanjas. M. E. Deyrolle.

Chondropoma plicatulum Pfeiffer.

a. 2, Venezuela. M. van Lansberg (P.).

Chondropoma delatreanum Orbigny.

a. 2, Cuba. M. Landauer.

Chondropoma latum Gundlach.

a. 1, Cuba, Santiago. M. E. Deyrolle.

TUDORA.

Tudora megachile Potiez et Michaud.

a. 11, Curaçao. M. Epp et M. A. J. van Koolwijk, 1879 (C.).
b. 2, Amérique méridionale.
c. 6, Patrie inconnue. Collection Dalen.

Digitized by Google

Digitized by Google

MUSÉUM
D'HISTOIRE NATURELLE
DES
PAYS-BAS
PAR

H. SCHLEGEL et F. A. JENTINK.

CATALOGUE DES COLLECTIONS
DÉPOSÉES DANS CET
ÉTABLISSEMENT.

Tome I. Contenant: BUCEROS — BUCCONES. — CUCULI. — CORACES.

» II. » OTI. — STRIGES. — FALCONES. — CIRCI. — ASTURES. — ASTURINAE. — BUTEONES. — AQUILAE. — MILVI. — PERNES. — POLYBORI. — VULTURES. — OISEAUX DE PROIE (Revue).

» III. » PSITTACI. — PSITTACI (Revue). — MEROPS. — MOMOTUS. — ALCEDINES. — ALCEDINES (Revue). — PITTA. — PITTA (Revue).

» IV. » COLUMBAE. — STRUTHIONES. — CURSORES.

» V. » SCOLOPACES. — RALLI. — CICONIAE. — ARDEAE. — IBIS.

VI. » ANSERES. — PROCELLARIAE. — LARI. — STERNAE. — PELECANI. — URINATORES.

» VII. » SIMIAE.

» VIII. » TINAMI. — TABLE ALPHABÉTIQUE.

» IX. » CATALOGUE OSTÉOLOGIQUE DES MAMMIFÈRES.

» X². » CATALOGUE OSTÉOLOGIQUE DES POISSONS, REPTILES ET AMPHIBIES.

» XI. » CATALOGUE SYSTÉMATIQUE DES MAMMIFÈRES (SINGES, CARNIVORES, RUMINANTS, PACHYDERMES, SIRÈNES ET CÉTACÉS).

» XII. » CATALOGUE SYSTÉMATIQUE DES MAMMIFÈRES (RONGEURS, INSECTIVORES, CHEIROPTÈRES, ÉDENTÉS ET MARSUPIAUX).

» XIII¹, ². » CATALOGUE SYSTÉMATIQUE DES MOLLUSQUES (TEREBRA, TUDORA).

» XIV. » CATALOGUE SYSTÉMATIQUE DE LA COLLECTION DE FEU Mr. J. P. VAN WICKEVOORT CROMMELIN.

Prix des tomes I—IX, X², XI—XIV flor. 60.75.

Digitized by Google

AUG 24 1908

8397

MUSÉUM D'HISTOIRE NATURELLE

DES

PAYS-BAS.

TOME XIII.

CATALOGUE SYSTÉMATIQUE

DES

MOLLUSQUES

TROISIÈME PARTIE

PAR

R. HORST ET M. M. SCHEPMAN.

LIBRAIRIE ET IMPRIMERIE
CI-DEVANT
E. J. BRILL.
LEIDE — 1908.

Digitized by Google

Digitized by Google

361.572

Tudora costata Menke.

a. 1, Curaçao. M. A. J. van Koolwijk (C.).

Tudora fascia Wood.

a. 2, Jamaïque. M. Damon.

Tudora Adamsi Pfeiffer.

a. 3, Portorico.

Tudora columna Wood.

a. 1, Patrie inconnue. M. Frank, 1891.
b. 2, Variété. Jamaïque. M. Damon.

Tudora Augustae Adams.

a. 2, Jamaïque. M. Damon.

Tudora Augustae, var. *nitens* Adams.

a. 2, Jamaïque. M. Damon.

Tudora moreletiana Petit.

a. 2, Cuba. M. Landauer.

Tudora fecunda Adams.

a. 2, Jamaïque. M. Damon.

Tudora armata Adams.

a. 2, Jamaïque. M. Adams.

Tudora maritima Adams.

a. 2, Jamaïque. M. Damon.

Tudora quaternata Lamarck.

a. 2, Haïti, Gonaives. M. von Maltzan (C.).

Tudora umbricola Weinland.

a. 3, Haïti. M. Landauer et M. von Maltzan (C.).

COLOBOSTYLUS.

Colobostylus jayanus Adams.

a. 5, Jamaïque. M. Damon.

Digitized by Google

b. 10, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.

Colobostylus humphreyanus Pfeiffer.

a. 2, Jamaïque. M. Damon.

Colobostylus rangelinus Poey.

a. 2, Cuba. M. Landauer.

Colobostylus redfieldianus Adams.

a. 2, Jamaïque. M. Damon.

Colobostylus Habichii Weinland.

a. 3, Haïti. M. Weinland. Types de l'espèce.
b. 2, Haïti. M. Landauer.

Colobostylus retrorsus Adams.

a. 1, Jamaïque. M. Damon.

Colobostylus pupoides Morelet.

a. 1, Cuba. M. Landauer.

Colobostylus Bronni Adams.

a. 2, Jamaïque.

Colobostylus banksianus Sowerby.

a. 2, Jamaïque. M. Damon.
b. 7, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.

Colobostylus Hydii Weinland.

a. 8, Iles Bahama. M. Weinland. Types de l'espèce.
b. 2, Haïti. M. von Maltzan (C.).

Colobostylus Rollei Weinland.

a. 3, Haïti. M. Landauer.

Digitized by Google

HIPPONYCIDAE.

HIPPONYX.

Hipponyx antiquatus Linné.

a. 25, Curaçao. M. A. J. van Koolwijk, 1880 (C.).
b. 1, Ile St. Thomas. M. F. von Calker (P.)
c. 2, Ile Barbados. Ancien Cabinet.
d. 4, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.
e. 1, Japon. M. von Siebold (C.).

Hipponyx subrufus Lamarck.

a. 25, Curaçao. M. A. J. van Koolwijk, 1880 (C.).
b. 2, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.
c. 6, Canal d'Entrecasteaux. M. Péron (C.).

Hipponyx australis Quoy.

a. 6, Sur une coquille de *Trochus*. Ile Saparoea.
b. 1, Célèbes. M. Forsten (C.).
c. 2, Jeunes individus. Japon, Kanagawa. M. Noordhoek Hegt (P.).
d. 4, Jeunes individus. Patrie inconnue.
e. 3, (alc.) Océan Indien. M. Macklot (C.).
f. 3, (alc.) Japon. M. von Siebold (C.).

Hipponyx australis, var. *acuta* Quoy.

a. 20, Japon. M. von Siebold (C.).
b. 1, Détroit de Larantoeka. M. J. Semmelink (C.).
c. 1, Timor. M. Wienecke (C.).
d. 2, La Nouvelle-Guinée.

Hipponyx pilosus Deshayes.

a. 18, Japon. M. von Siebold (C.).
b. 4, Patrie inconnue.

Digitized by Google

Digitized by Google

CAPULIDAE.

CAPULUS.

Capulus hungaricus Linné.

a. 8, Golfe de Gênes. M. Cantraine (C.).
b. 16, Dalmatie, Zara. M. Cantraine (C.).
c. 5, (alc.) Méditerranée. M. Cantraine (C.).

Capulus intortus Lamarck.

a. 7, Patrie inconnue. Ancien Cabinet et Collection Dalen.

AMATHINA.

Amathina tricostata Gmelin.

a. 2, Japon. M. von Siebold (C.).

CRUCIBULUM.

CRUCIBULUM.

Crucibulum scutellatum Gray.

a. 1, Mazatlan. M. Verreaux (C.).
b. 2, Californie. M. Verreaux (C.).
c. 2, Columbie. M. Cuming (C.).

Crucibulum scutellatum, var. *quiriquina* Lesson.

a. 2, Valparaiso. M. Cuming (C.).

Crucibulum scutellatum, var. *quiriqui*[illegible]

[illegible] M. Cuming (C.).

[illegible], var. *quiri*[illegible]

Cal[illegible]
M[illegible] Verreaux [illegible]
P[illegible] ming [illegible]
[illegible] er (C.[illegible]

Digitized by Google

Hipponyx serratus Carpenter.

a. 2, Mazatlan. M. Verreaux (C.).

MITRULARIA.

Mitrularia equestris Linné.

a. 1, Java, Tjilatjap. M. Overdijk (C.).
b. 1, Patrie inconnue. Ancien Cabinet.

Mitrularia equestris, var. *tortilis* Reeve.

a. 4, Jeunes individus. Curaçao. M. A. J. van Koolwijk (C.).
b. 1, Jeune individu. Patrie inconnue. M. Cuming (C.).

Mitrularia equestris, var. *tortilis*, mut. *cicatricosa* Reeve.

a. 5, Océan Indien. Cabinet Dalen.
b. 2, Amboine. M. Hoedt, 1866 (C.).
c. 1, Timor. M. Wienecke (C.).
d. 1, Céram? M. Hoedt (C.).

Mitrularia equestris, var. *tortilis*, mut. *diaphana* Reeve.

a. 3, Côté méridionale de Curaçao. M. A. J. van Koolwijk (C.).
b. 4, Patrie inconnue.

Mitrularia equestris, var. *tortilis*, mut. *hipponiciformis* Reeve.

a. 2, Banka. M. van den Bossche (P.).
b. 2, Océan Indien. Cabinet Dalen.

Mitrularia equestris, var. *tortilis*, mut. *papyracea* Adams.

a. 2, Timor. M. Wienecke et M. Zijnen Wartel (C.).

Mitrularia equestris var. *tortilis* mut. *balanoides* Reeve.

a. 1, Maurice. M. Frank.

Mitrularia tectum-sinense Lamarck.

a. 5, Océan Indien. Cabinet Dalen.
b. 1, Céram? M. Hoedt (C.).

Digitized by Google

CAPULIDAE.

CAPULUS.

Capulus hungaricus Linné.

a. 8, Golfe de Gênes. M. Cantraine (C.).
b. 16, Dalmatie, Zara. M. Cantraine (C.).
c. 5, (alc.) Méditerranée. M. Cantraine (C.).

Capulus intortus Lamarck.

a. 7, Patrie inconnue. Ancien Cabinet et Collection Dalen.

AMATHINA.

Amathina tricostata Gmelin.

a. 2, Japon. M. von Siebold (C.).

CRUCIBULUM.

CRUCIBULUM.

Crucibulum scutellatum Gray.

a. 1, Mazatlan. M. Verreaux (C.).
b. 2, Californie. M. Verreaux (C.).
c. 2, Columbie. M. Cuming (C.).

Crucibulum scutellatum, var. *quiriquina* Lesson.

a. 2, Valparaiso. M. Cuming (C.).

Crucibulum scutellatum, var. *quiriquina*, mut. *ferruginea* Reeve.

a. 3, Ile Chiloë. M. Cuming (C.).

Crucibulum scutellatum, var. *quiriquina*, mut. *lignaria* Broderip.

a. 1, Californie. M. Verreaux (C.).
b. 2, Mexique. M. Cuming (C.).
c. 1, Pérou. M. Turner (C.).

Digitized by Google

Crucibulum scutellatum, var. *quiriquina*, mut. *tenuis* Broderip.

a. 1, Pérou. M. Verreaux (C.).
b. 1, Patrie inconnue.

Crucibulum scutellatum, var. *auriculata* Chemnitz.

a. 5, Surinam.
b. 1, Panama. M. Cuming (C.).

Crucibulum scutellatum, var. *tubifera* Lesson.

a. 1, Pérou. M. Marguier (C.).
b. 1, Californie. M. Verreaux (C.).

Crucibulum scutellatum, var. *tubifera*, mut. *cinerea* Reeve.

a. 1, Californie. M. Verreaux (C.).
b. 1, Mazatlan. M. Verreaux (C.).

Crucibulum scutellatum, var. *tubifera*, mut. *hispida* Broderip.

a. 1, Californie. M. Verreaux (C.).
b. 1, Mazatlan. M. Verreaux (C.).

Crucibulum scutellatum, var. *tubifera*, mut. *striata* Broderip.

a. 3, Côte occidentale de Columbie. M. Cuming (C.).
b. 1, Mazatlan. M. Verreaux (C.).

Crucibulum radiatum Broderip.

a. 1, Côte occidentale de Columbie. M. Cuming (C.).

BICATILLUS.

Crucibulum extinctorium Lamarck.

a. 4, Japon. M. von Siebold (C.).
b. 2, Singapore. M. Buddingh (P.).
c. 1, Billiton.
d. 10, Patrie inconnue. Cabinet Raye.

Digitized by Google

CREPIDULA.

CREPIDULA.

Crepidula fornicata Linné.

a. 4, Philadelphie. M. Hijde.
b. 6, Vineyard Sound, Massachusetts. Smithsonian Institution.
c. 6, Océan Indien? Cabinet Raye et Collection Dalen.
d. 1, Variété. Afrique septentrional, Barbarie.

Crepidula porcellana Linné.

a. 5, Patrie inconnue. Cabinet Raye et Collection Dalen.

Crepidula Moulinsii Michaud.

a. 6, Méditerranée. M. Cantraine (C.).

Crepidula Lessoni Broderip.

a. 1, Guyaquil. M. Cuming (C.).
b. 3, Variété. Côte de Guinée. M. Pel (P.).

Crepidula Lessoni, var. *squama* Broderip.

a. 2, Australie. M. Péron (C.).

Crepidula Lessoni, var. *striolata* Menke.

a. 2, Panama. M. Sowerby.

Crepidula onyx Sowerby.

a. 2, Côte occidentale de Columbie. M. Cuming (C.).
b. 1, Mazatlan. M. Verreaux (C.).
c. 1, Patrie inconnue. M. Cuming (C.).
d. 3, (alc.) Japon. M. von Siebold (C.).

Crepidula hepatica Deshayes.

a. 7, Cap. M. M. Kuhl et van Hasselt (C.).
b. 2, Tafelbaai. M. Krauss (C.).
c. 8, Océan Indien.
d. 3, (alc.) Japon. M. von Siebold (C.).
e. 3, (alc.) Océan Indien. M. M. Kuhl et van Hasselt. (C.).

Digitized by Google

Crepidula hepatica, var. *complanata* Krauss.

a. 4, Cap. M. M. Kuhl et van Hasselt (C.).

CREPIPATELLA.

Crepidula dilatata Lamarck.

a. 6, Chile. M. Cuming (C.).
b. 2, Ile Chiloë. M. Krauss (C.).
c. 6, Cap? M. M. Kuhl et van Hasselt (C.).
d. 1, Océan Indien? M. M. Boie et Macklot (C.).
e. 4, Patrie inconnue. Cabinet Dalen.

GARNOTIA.

Crepidula excavata Broderip.

a. 1, Mazatlan. M. Verreaux (C.).

Crepidula incurva Broderip.

a. 1, Patrie inconnue. M. Cuming (C.).

CRYPTA.

Crepidula aculeata Gmelin.

a. 15, La Nouvelle-Guinée.
b. 3, Japon. M. von Siebold (C.).
c. 2, Mazatlan. M. Verreaux (C.).
d. 1, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.

Crepidula aculeata var. *echinus* Broderip.

a. 1, Patrie inconnue. M. Cuming (C.).

Crepidula aculeata, var. *hystrix* Broderip.

a. 7, Patrie inconnue. M. Cuming et Collection Dalen.

Crepidula aculeata var. *costata* Menke.

a. 1, La Nouvelle-Zélande. M. M. Quoy et Gaimard (C.).
b. 1, Brésil. M. Verreaux (C).,

Digitized by Google

Crepidula foliacea Broderip.

a. 2, Pérou. M. Cuming (C.).

JANACUS.

Crepidula unguiformis Lamarck.

a. 6, Vineyard Sound, Massachusetts. Smithsonian Institution (P.).
b. 1, Australie ?
c. 1, Japon ? M. von Siebold (C.).
d. 15, Méditerranée. M. Cantraine (C.).
e. 1, (alc.) Méditerranée. M. Cantraine (C.).

SIPHOPATELLA.

Crepidula Walchii Hermannsen.

a. 9, Japon. M. von Siebold (C.).
b. 1, Billiton.
c. 3, Patrie inconnue. Cabinet Dalen.

CALYPTRAEA.

CALYPTRAEA.

Calyptraea sinensis Linné.

a. 22, Méditerranée. M. Cantraine (C.).
b. 2, (alc.) La Manche, Granville. M. G. Cuvier (P.).

Calyptraea mamillaris Broderip.

a. 2, Surinam.
b. 1, Cap.
c. 2, Patrie inconnue. M. Cuming (C.).

Calyptraea conica Broderip.

a. 1, Patrie inconnue. M. Cuming (C.).

TROCHATELLA.

Calyptraea radians Lamarck.

a. 7, Valparaiso. M. Cuming et M. Marguier (C.).

Digitized by Google

Calyptraea radians, var. *corrugata* Reeve.

a. 1, Patrie inconnue.

SIGAPATELLA.

Calyptraea calyptraeiformis Lamarck.

a. 4, Patrie inconnue. Cabinet Raye.

XENOPHORIDAE.

XENOPHORA.

XENOPHORA.

Xenophora pallidula Reeve.

a. 4, Japon. M. von Siebold (C.).

Xenophora crispa König.

a. 1, Sardaigne.

Xenophora conchyliophora Born.

a. 3, Patrie inconnue.

TUGURIUM.

Xenophora exuta Reeve.

a. 3, Japon. M. von Siebold (C.).

Xenophora helvacea Philippi.

a. 1, Patrie inconnue.

ONUSTUS.

Xenophora solaris Linné.

a. 1, Océan Indien. Cabinet Raye.

NARICIDAE.

VANIKORO.

Vanikoro cancellata Quoy et Gaimard.

a. 2, Océan Indien.

Digitized by Google

b. 3, Détroit de Larantoeka. M. le Dr. J. Semmelink (C.).

Vanikoro ligata Recluz.

a. 1, Java, Tjilatjap. M. Overdijk (C.).
b. 2, Banka. M. van den Bossche (P.).
c. 2, Patrie inconnue.

LAMELLARIDAE.

LAMELLARIA.

Lamellaria perspicua Linné.

a. 2, (alc.) Adriatique. M. Cantraine (C.).

VELUTINA.

VELUTINA.

Velutina laevigata Pennant.

a. 2, Angleterre. M^e^. Dupont (P.).

LIMNERIA.

Velutina zonata Gould.

a. 1, (alc.) Mer de Barents. Expédition du „Willem Barents", 1879.

VELUTELLA.

Velutina cryptospira Middendorf.

a. 1, (alc.) Ile de Spitsbergen, Smeerenburg. Expédition du „Willem Barents", 1878.

NATICIDAE.

NATICA.

NATICA.

Natica millepunctata Lamarck.

a. 14, Méditerranée. M. Cantraine (C.).

Digitized by Google

b. 2, Cannes.
c. 1, Corse.
d. 1, Haiti? M. Ricord.

Natica hebraea Martijn.

a. 29, Méditerranée. M. Cantraine (C.).
b. 3, Cette.
c. 1, Syracuse.
d. 1, Côte de Dalmatie.
e. 1, Tripoli.
f. 1, Variété. Patrie inconnue. Ancien Cabinet.

Natica fulminea Gmelin.

a. 2, Afrique. Collection Voigt.
b. 2, Gambie. Collection Voigt.
c. 1, Patrie inconnue. Collection Hoogeveen.

Natica fulminea, var. *cruentata* Gmelin.

a. 1, Côte du Maroc.

Natica zebra Lamarck.

a. 3, Océan Indien.
b. 5, Amboine. M. Hoedt (C.).
c. 1, Banka. M. van den Bossche (P.).

Natica pellis-tigrina Chemnitz.

a. 1, Océan Indien. M. Reinwardt (C.).

Natica maculosa Lamarck.

a. 5, Océan Indien.
b. 4, Iles Aroe. M. von Rosenberg (C.).
c. 8, Singapore. M. Buddingh (P.).
d. 36, Chine, Amoy. M. Buddingh (P.).
e. 2, (alc.) Amoy. M. G. Schlegel (P.).

Natica imperforata Gray.

a. 2, Jeunes individus. Cap. M. van Olden (P.).

Digitized by Google

Natica pulicaris Philippi.

a. 1, Mer de Chine. M. Reinwardt (C.).

Natica violacea Sowerby.

a. 3, Océan Indien. Collection Hoogeveen.

Natica sagraiana d'Orbigny.

a. 4, Alger. M. Joly, 1879 (P.).
b. 1, Patrie inconnue. Collection Hoogeveen (P.).

Natica chinensis Lamarck.

a. 3, Océan Indien. M. Reinwardt (C.).
b. 4, Patrie inconnue. Collection Hoogeveen (P.).
c. 1, Détroit de Larantoeka. M. le Dr. J. Semmelink (C.).

Natica raynaudiana Recluz.

a. 2, Océan Indien. M. Reinwardt (C.).
b. 1, Zanzibar. M. Derx (P.).

Natica canrena Linné.

a. 1, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.
b. 3, Curaçao. M. A. J. van Koolwijk et M. le Dr. Epp (C.).
c. 1, St. Thomas. M. le Dr. F. van Calker, 1866 (P.).
d. 8, Patrie inconnue. Ancien Cabinet, Collection Hoogeveen, M. J. E. G. van Emden et M. van der Weele (P.).
e. 1, Variété. Patrie inconnue.
f. 1, (alc.) Curaçao. M. le Dr. Epp (P.).

Natica ala-papilionis Chemnitz.

a. 5, Océan Indien.
b. 1, Célèbes. M. Kroon, 1898 (P.).
c. 1, Amboine. M. Hoedt (C.).
d. 1, Misool.
e. 2, Golfe de Californie. M. le Dr. H. ten Kate (C.).

Digitized by Google

Natica picta Recluz.

a. 1, Timor. M. Wienecke (C.).
b. 1, Détroit de Larantoeka. M. le Dr. J. Semmelink (C.).
c. 3, Patrie inconnue.

Natica catenata Philippi.

a. 24, Côte de l'Hollande, Noordwijk. M. le Dr. J. A. Herklots (C.).
b. 1, Angleterre, Kent. M. T. A. Verkrüzen (C.).
c. 5, Méditerranée, Cette et Naples.
d. 4, Patrie inconnue. Collection Hoogeveen.

Natica marochiensis Gmelin.

a. 5, Côte de Guinée. M. Pel (P.).
b. 3, Variété. Patrie inconnue.

Natica marochiensis, var. *lurida* Philippi.

a. 4, Zanzibar. M. Derx (P.).
b. 1, Madagascar. M. F. Pollen, 1878 (C.).
c. 1, Nossi-Faly. M. M. Pollen et van Dam (C.).
d. 5, Détroit de Larantoeka. M. le Dr. J. Semmelink (C.).
e. 1, Timor. M. Wienecke (C.).
f. 1, Ile Wetter. M. G. Schädler (C.).

Natica marochiensis, var. *unifasciata* Lamarck.

a. 1, Mexique. M. Cuming (C.).

Natica marochiensis, var. *Chemnitzii* Pfeiffer.

a. 10, Golfe de Californie, île Espirito Santo. M. Turner et M. le Dr. H. ten Kate (C.).

Natica Dillwyni Payraudeau.

a. 3, Sicile.
b. 2, Corse.

Natica Colliei Recluz.

a. 3, Japon. M. von Siebold (C.).

Digitized by Google

Natica pygmaea Philippi.

a. 2, Cap. M. van Olden (P.).

Natica collaria Lamarck.

a. 1, Côte d'Angola.

Natica lineata Lamarck.

a. 3, Océan Indien. M. Blume et M. Smitsaard.
b. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 2, Côte septentrionale de Bezoekie. M. le Dr. J. Semmelink (C.).
d. 1, (alc.) Bezoekie. M. le Dr. J. Semmelink (C.).

Natica vitellus Linné.

a. 6, Océan Indien. M. Reinwardt (C.).
b. 4, Timor. M. Wienecke et M. Zijnen Wartel (C.).
c. 4, Amboine. M. Hoedt (C.).
d. 2, Céram. M. Hoedt (C.).
e. 2, Détroit de Larantoeka. M. le Dr. J. Semmelink (C.).
f. 1, La Nouvelle-Guinée, Skroë. M. G. Schädler, 1897 (C.).

Natica rufa Born.

a. 8, Amboine. M. Hoedt (C.).
b. 2, (alc.) Amboine. M. Forsten (C.).

Natica rufa, var. *spadicea* Gmelin.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Patrie inconnue. M. Kramer (P.).

Natica helvacea Lamarck.

a. 1, Patrie inconnue. Ancien Cabinet.

Natica clausa Broderip et Sowerby.

a. 5, Mer de Barents et Matosjkin-shar. Expédition du Willem Barents, 1878—79.
b. 5, Norvège, Hammerfest. M. T. A. Verkrüzen, 1874 (C.).
c. 4, Vadsoë. M. T. A. Verkrüzen (C.).

Digitized by Google

d. 7, Christians-fjord et Hardanger-fjord. M. T. A. Verkrüzen, 1871 (C.).
e. 6, Islande, Reikiavik. M. T. A. Verkrüzen (C.).
f. 3, Terre-neuve, St. Johns. M. T. A. Verkrüzen (C.).
g. 4, Côte septentrionale de l'Écosse. Expédition du Porcupine.
h. 1, Alaska. M. Dall (P.).
i. 4, Amérique, Fundy-bay. M. T. A. Verkrüzen, 1877 (C.).

Natica clausa, var. *janthostoma* Deshayes.

a. 1, Chine septentrionale.
b. 1, Jeune individu. Japon. M. von Siebold (C.).

Natica pusilla Say.

a. 2, Amérique, Maine.

STIGMAULAX.

Natica sulcata Born.

a. 1, Antilles. Ancien Cabinet.
b. 1, Columbie. M. Cuming (C.).
c. 1, Patrie inconnue.

PAYRAUDEAUTIA.

Natica intricata Donovan.

a. 30, Méditerranée. M. Cantraine (C.).
b. 7, Syracuse.
c. 11, Tripoli.
d. 3, Alger.
e. 6, Sardaigne, Sassari.

NEVERITA.

Natica ampla Philippi.

a. 5, Japon. M. von Siebold (C.).
b. 1, Océan indien. M. van Doorn (C.).
c. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).

Digitized by Google

Natica ampla, var. *Chemnitzii* (Recluz) Reeve.

a. 15, Japon. M. von Siebold (C.).
b. 3, Java. M. Junghuhn (C.).
c. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).
d. 2, Golfe de Californie, partie méridionale. M. le Dr. H. ten Kate (C.).
e. 1, Méditerranée? M. Cantraine (C.).
f. 1, (alc.) Patrie inconnue. M. Landauer.

Natica ampla, var. *petiveriana* (Recluz) Reeve.

a. 1, Waigéoe. M. Bernstein (C.).
b. 2, Misool.
c. 2, Moluques.
d. 3, Amoy. M. Buddingh (C.).
e. 5, Patrie inconnue. Collection Hoogeveen (P.).
f. 1, (alc.) Java.

Natica Josephiniae Risso.

a. 7, Méditerranée. M. Cantraine (C.).
b. 4, Syracuse.
c. 3, Cannes, 1865.
d. 1, (alc.) Patrie inconnue.

Natica duplicata Say.

a. 1, Massachusetts, Marsbay. M. von Maltzan (P.).

Natica recluziana Deshayes.

a. 1, Californie. M. Verreaux. (C.).
b. 1, Patrie inconnue. Collection Hoogeveen.

Natica glauca Humboldt.

a. 1, Mexique. M. Marguier.

POLLINICES.

Natica aurantia Lamarck.

a. 5, Océan Indien. M. Reinwardt et M. van Doorn.

Digitized by Google

b. 3, Banka. M. van den Bossche (P.).
c. 2, Amboine. M. Hoedt (C.).

Natica aurantia var. *Mittrei* Hombron et Jacquinot.

a. 2, Patrie inconnue. Ancien Cabinet et Collection Hoogeveen (P.).

Natica aurantia, var. *straminea* Lamarck.

a. 4, Amboine. M. Hoedt (C.).
b. 1, Banka. M. van den Bossche (P.).
c. 2, Japon. M. von Siebold (C.).
d. 8, Patrie inconnue.
e. 1, (alc.) Java.

Natica powisiana Recluz.

a. 2, Banka. M. van den Bossche (P.).
b. 1, Moluques.
c. 2, Japon, Kanagawa. M. Noordhoek Hegt (C.).

Natica effusa Swainson.

a. 1, Patrie inconnue. Collection Hoogeveen (P.).

Natica mamillaris Lamarck.

a. 4, Antilles. Ancien Cabinet et M. Ricord.
b. 3, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.

Natica orientalis Gmelin.

a. 2, Océan Indien. M. Reinwardt (C.).

Natica bifasciata Gray.

a. 6, Golfe de Californie. M. le Dr. H. ten Kate (C.).

Natica conica Lamarck.

a. 1, Antilles. Ancien Cabinet.

Natica plumbea Lamarck.

a. 1, Patrie inconnue. Ancien Cabinet.

Digitized by Google

Natica solida Blainville.

a. 9, Océan Indien. M. Reinwardt et Collection Hoogeveen (P.).
b. 5, Banka. M. van den Bossche (P.).
c. 2, Amboine. M. Hoedt, (C.).
d. 3, Timor. M. Wienecke (C.).
e. 1, Détroit de Larantoeka. M. le Dr. J. Semmelink (C.).

Natica Rodatzi Schepman.

a. 3, Mer rouge. M. Ruyssenaers (P.).

Natica Jukesii Reeve.

a. 5, Moluques.

Natica albumen Linné.

a. 6, Océan Indien.
b. 4, Banka. M. van den Bossche (P.).
c. 2, Amboine. M. Hoedt (C.).
d. 1, Billiton.

Natica columnaris Recluz.

a. 1, Billiton.
b. 3, Côte de Java, Bezoekie. M. le Dr. J. Semmelink (C.).

Natica uber Valenciennes.

a. 26, Golfe de Californie, partie méridionale. M. le Dr. H. ten Kate (C.).

Natica lactea Guilding.

a. 8, Curaçao. M. Steenberge et M. Epp, 1888 (C.).
b. 3, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.

Natica mamilla Linné.

a. 7, Mer rouge. M. Ruyssenaers (P.).
b. 1, Variété. Zanzibar. M. Derx (P.).

Digitized by Google

c. 7, Nossi-Faly. M. M. Pollen et van Dam (C.).
d. 2, Iles Andaman, Port Blair. M. le Col. Worthington Wilmer (P.).
e. 1, Baie de Natal. M. Krauss (C.).
f. 2, Japon. M. von Siebold (C.).
g. 4, Banka. M. van den Bossche (P.).
h. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
i. 4, Bezoekie, côte septentrionale. M. le Dr. J. Semmelink (C.).
j. 1, Détroit de Larantoeka. M. le Dr. J. Semmelink (C.).
k. 4, Timor. M. Wienecke et M. Zijnen Wartel (C.).
l. 5, Céram. M. Hoedt (C.).
m. 2, Ile Wetter. M. Schädler, 1898 (C.).
n. 3, Misool.
o. 10, Amboine. M. Hoedt (C.).
p. 7, (alc.) Java.
q. 3, (alc.) Amboine. M. Forsten (C.).

Natica flemingiana Recluz.

a. 5, Maurice. M. Frank.
b. 2, Timor. M. Wienecke et M. Zijnen Wartel (C.).
c. 1, Détroit de Larantoeka. M. le Dr. J. Semmelink (C.).

Natica sp.

a. 2, Océan Indien.

Natica sp.

a. 1, Océan Indien.

MAMILLA.

Natica melanostoma Gmelin.

a. 9, Océan Indien.
b. 2, Amboine. M. Hoedt (C.).
c. 1, Timor. M. Wienecke (C.).
d. 1, Flores. M. le Dr. J. Semmelink (C.).
e. 1, Iles Obi.

Digitized by Google

f. 1, Misool.
g. 1, Célèbes, Badjoa. M. Moens (C.).
h. 1, Mer rouge. M. Ruyssenaers, 1849 (P.).
i. 2, Nossi-Bé. M.M. Pollen et van Dam (C.).
j. 1, Ile Moorea (Eimeo). M. le Dr. H. ten Kate, 1892 (C.).

Natica melanostoma, var. *melanostomoides* Quoy.

a. 6, Océan Indien.
b. 2, Banka. M. van den Bossche (P.).
c. 4, Détroit de Larantoeka. M. le Dr. J. Semmelink (C.).

Natica melanostoma, var. *Sebae* Souleyet.

a. 5, Océan Indien.

Natica melanostoma, var. *fibrosa* Souleyet.

a. 1, Patrie inconnue.

Natica simiae Deshayes.

a. 5, Océan Indien. Ancien Cabinet et Collection Hoogeveen (P.).
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 3, Japon. M. von Siebold (C.).
d. 1, Maurice. M. Frank.
e. 1, Golfe de Californie. M. le Dr. H. ten Kate (C.).

Natica maura Bruguière.

a. 1, Océan Indien. Ancien Cabinet.

NATICINA.

Natica heros Say.

a. 2, Massachusetts, Vineyard Sound. Smithsonian Institution, 1880 (P.).
b. 11, Amérique, Fundy-bay.
c. 13, La Nouvelle-Écosse, baie de St. Marie. M. T. A. Verkrüzen, 1877 (C.).

Digitized by Google

d. 3, (alc.) Massachusetts, Vineyard Sound. Smithsonian Institution, 1880 (P.).

Natica grönlandica Beck.

a. 3, Doggersbank. M. von Maltzan (P.).
b. 2, Norvège, Hammerfest. M. T. A. Verkrüzen, 1874 (C.).
c. 12, (alc.) Mer de Barents. Expédition du „Willem Barents", 1878.

Natica sordida Philippi.

a. 3, Iles Shetland.
b. 1, Jeune individu. Nord de l'Écosse. Expédition du „Porcupine".

Natica Montagui Forbes.

a. 2, Doggersbank.
b. 10, Norvège, Magerö, Bergen, Dröbak et Hardangerfjord. M. T. A. Verkrüzen, 1874 (C.).

Natica macilenta Philippi.

a. 20, Méditerranée. M. Cantraine (C.).
b. 2, Palerme. M. von Maltzan (P.).

Natica Guillemini Payraudeau.

a. 6, Tarante. M. le Dr. Kobelt (P.).
b. 1, Sicile. M. von Maltzan (P.).

Natica catena da Costa.

a. 2, Golfe de Californie. M. le Dr. H. ten Kate (C.).

Natica pulchella Risso.

a. 25, Côte de l'Hollande, Noordwijk et Scheveningen. M. le Dr. J. A. Herklots (C.).
b. 3, Irlande, Dublin.
c. 8, Iles de la Manche.
d. 2, Cattegat. M. Mörch (C.).

Digitized by Google

e. 9, Mèr du Nord, près de Sylt. M. le Dr. H. Schmidt (P.).
f. 7, Norvège, Bergen.
g. 30, Méditerranée, Cannes. M. Cantraine (C.).
h. 5, (alc.) Pays-Bas, Walcheren. M. le Dr. J. A. Herklots (C.).

Natica nana Möller.

a. 2, Amérique boréale, Unalaska. M. Dall (P.).

Natica immaculata Tott.

a. 9, Amérique, Fundy-bay. M. T. A. Verkrüzen, 1877 (C.).

AMPULLINA.

Ampullina fluctuata Sowerby.

a. 2, Philippines.

AMAURA.

Amaura helicoides Johnson.

a. 4, Vadsö, 15 brasses. M. T. A. Verkrüzen, 1874 (C.).
b. 1, Groenland. M. Möller (P.).

SIGARETUS.

SIGARETUS.

Sigaretus concavus Lamarck.

a. 1, Pérou. M. Cuming (C.).
b. 3, Gambie. M. Verreaux, (C.).

Sigaretus neritoideus Linné.

a. 2, Japon. M. von Siebold (C.).

Sigaretus laevigatus Lamarck.

a. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Japon. M. von Siebold (C.).
c. 2, Patrie inconnue.

Digitized by Google

Sigaretus martinianus Philippi.

a. 2, Ile St. Thomas.

Sigaretus debilis Gould.

a. 1, Golfe de Californie. M. le Dr. H. ten Kate (C.).

Sigaretus Delesserti Recluz.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Patrie inconnue. Collection Hoogeveen (P.).

Sigaretus planulatus Recluz.

a. 4, Côte de Java. M. Blume (C.).
b. 1, Détroit de Larantoeka. M. le Dr. J. Semmelink (C.).
c. 1, Timor. M. Zijnen Wartel (C.).
d. 1, Mer rouge. M. Ruyssenaers (P.).
e. 2, Patrie inconnue. Collection Hoogeveen (P.).
f. 2, (alc.) Amboine. M. Hoedt (C.).

Sigaretus perspectivus Say.

a. 1, (alc.) Amérique, Caroline. M. G. Cuvier (P.).

EUNATICINA.

Sigaretus papilla Gmelin.

a. 5, Japon. M. von Siebold (C.).
b. 1, Chine, Amoy. M. Buddingh (P.).
c. 1, Zanzibar. M. Derx (P.).
d. 4, Patrie inconnue.

ADEORBIIDAE.

ADEORBIS.

Adeorbis subcarinatus Montagu.

a. 1, Angleterre. M. Damon.

Digitized by Google

Adeorbis planus Adams.

a. 1, Patrie inconnue.

PTENOGLOSSA.

JANTHINIDAE.

JANTHINA.

Janthina fragilis Lamarck.

a. 8, Mer rouge. M. Ruyssenaers (P.).
b. 7, Amboine. M. Hoedt (C.).
c. 1, Timor, partie septentrionale. M. Zijnen Wartel (C.).
d. 3, Jeunes individus. Japon. M. von Siebold (C.).
e. 5, (alc.) Patrie inconnue.

JODES.

Janthina rotundata Leach.

a. 6, Cap. M.M. Kuhl et van Hasselt (C.).
b. 1, Côte occidentale d'Irlande. Mad^lle^ Wright.
c. 1, (alc.) Océan atlantique.
d. 2, (alc.) Patrie inconnue.

Janthina balteata Reeve.

a. 1, Patrie inconnue.

AMETHYSTINA.

Janthina pallida Harvey.

a. 3, Patrie inconnue.
b? 12, (alc.) Patrie inconnue.

Janthina globosa Swainson.

a. 8, Japon. M. von Siebold (C.).
b. 9, Amboine. M. Hoedt (C.).
c. 4, Jeunes individus. Méditerranée? M. Cantraine (C.).

Digitized by Google

d. 1, (alc.) Mer de Sargasso. M. Ottke.
e. 8, (alc.) Jeunes individus. Patrie inconnue.

JODINA.

Janthina exigua Menke.

a. 8, Cap.
b. 1, Côte occidentale d'Irlande. Mad^lle^ Wright.
c. 7, (alc.) Océan atlantique. M. Conradsen (C.).

SCALARIIDAE.

SCALARIA.

SCALARIA.

Scalaria scalaris Linné.

a. 6, Océan Indien. Collection Dalen.
b. 2, Amboine. M. Hoedt, 1867 (C.).
c. 1, Céram. M. Hoedt (C.).
d. 2, Banka. M. van den Bossche (P.).

Scalaria Pallasii Kiener.

a. 5, Océan Indien. Collection Hoogeveen et Cabinet Dalen.
b. 1, Amboine. M. Hoedt (C.).

Scalaria pyramidalis Sowerby.

a. 1, Océan Indien.
b. 1, Amboine. M. Hoedt (C.).

Scalaria Hindsii Carpenter.

a. 2, Californie. M. G. B. Sowerby.

Scalaria alata Sowerby.

a. 1, Timor. M. Wienecke, 1863 (C.).

Scalaria confusa Smith.

a. 2, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

Scalaria lyra Sowerby.

a. 4, Japon. M. von Siebold (C.).

Scalaria philippinarum Sowerby.

a. 2, Patrie inconnue. Collection Hoogeveen (P.).

Scalaria aurita Sowerby.

a. 2, Japon. M. von Siebold (C.).

OPALIA.

Scalaria commutata Monterosato.

a. 1, Japon? M. von Siebold (C.).
b. 1, Méditerranée.

Scalaria coronata Lamarck.

a. 1, Océan Indien. M. Reinwardt (C.).
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 1, Réunion. M.M. Pollen et van Dam (C.).
d. 3, Patrie inconnue. Collection Hoogeveen (P.).

Scalaria lamellosa Lamarck.

a. 2, Patrie inconnue.

Scalaria pseudoscalaris Brocchi.

a. 1, Variété. Maurice. M. Frank, 1891.

Scalaria diadema Sowerby.

a. 2, Pérou. M. Cuming (C.).

CLATHRUS.

Scalaria communis Lamarck.

a. 11, Méditerranée. M. Cantraine (C.).
b. 7, Côte de l'Hollande.
c. 2, Océan indien. M. van Doorn (P.).

Digitized by Google

Scalaria tenuicosta Michaud.

a. 1, Brésil?
b. 1, Patrie inconnue.
c. 4, Jeunes individus. Sicile.

Scalaria albolineata Sowerby.

a. 1, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.

Scalaria fragilis Adams.

a. 1, Patrie inconnue. Collection Hoogeveen (P.)

AMAEA.

Scalaria immaculata Sowerby.

a. 1, Japon. M. von Siebold (C.).

Scalaria Martinii Wood.

a. 2, Patrie inconnue. Ancien Cabinet.

CIRSOTREMA.

Scalaria varicosa Lamarck.

a. 1, Amboine. M. Hoedt (C.).
b. 2, Patrie inconnue. Ancien Cabinet.

ACIRSA.

Scalaria borealis Lyell.

a. 2, Groenland. Musée de Copenhague (P.).

Digitized by Google

GYMNOGLOSSA.

EULIMIDAE.

STYLIFER.

Stylifer astericola Broderip.

a. 1, Iles Galapagos. M. Cuming (C.).

EULIMA.

EULIMA.

Eulima major Sowerby.

a. 1, Martinique? M. Fl. Prevost.

Eulima intermedia Cantraine.

a. 2, Angleterre. M. Damon.

Eulima polita Linné.

a. 6, Méditerranée.

Eulima contorta Adams.

a. 2, Japon. M. H. Dohrn (C.).

Eulima distorta Deshayes.

a. 2, Angleterre. M. Damon.

Eulima sp.

a. 1, Brésil.

Eulima sp.

a. 1, Patrie inconnue. M. Goedhuijs.

SUBULARIA.

Eulima subulata Donovan.

a. 1, Sardaigne.

b. 1, Patrie inconnue. M. Goedhuys (C.).

Digitized by Google

Eulima Metcalfei Adams.

a. 1, Iles Sandwich. M. H. Dohrn (C.).

Eulima nixa Adams.

a. 1, Japon. M. H. Dohrn (C.).

NISO.

Niso venosa Sowerby.

a. 2, Karachi. M. H. Fulton.

PYRAMIDELLIDAE.

PYRAMIDELLA.

PYRAMIDELLA.

Pyramidella ventricosa Guerin.

a. 2, La Nouvelle-Zélande. M. Dupont.

Pyramidella dolabrata Linné.

a. 3, Mexique. Ancien Cabinet.
b. 5, Patrie inconnue. Cabinet Dalen.

Pyramidella terebellum Müller.

a. 3, Golfe de Mexique. Cabinet Dalen.

Pyramidella pulchella Adams.

a. 4, Japon. M. von Siebold (C.).

LONCHAEUS.

Pyramidella acus Gmelin.

a. 2, Zanzibar. M. Derx (P.).

Pyramidella sulcata Adams.

a. 4, Mer rouge. M. Ruyssenaers (P.).
b. 2, Ile Annaa.

Digitized by Google

SYRNOLA.

Pyramidella tenuisculpta Lischke.

a. 1, Japon. M. von Siebold (C.).

Pyramidella brunnea Adams.

a. 5, Japon. M. von Siebold (C.).

OTOPLEURA.

Pyramidella auris-cati Chemnitz.

a. 1, Moluques. M. van Rees (P.).
b. 1, Maurice. M. Goedhuys.
c. 1, Patrie inconnue. Cabinet Dalen.

ODOSTOMIA.

ODOSTOMIA.

Odostomia plicata Montagu.

a. 3, Écosse, Oban.

Odostomia rissoides Hanley.

a. 3, Irlande, Bundovan.

Odostomia unidentata Montagu.

a. 10, Angleterre, Exmouth. M. T. A. Verkrüzen (C.).

Odostomia acuta Jeffreys.

a. 4, Angleterre, Exmouth.

Odostomia turrita Hanley.

a. 4, Norvège, Vadsö. M. T. A. Verkrüzen (C.).
b. 4, Angleterre, Falmouth. M. T. A. Verkrüzen (C.).

Odostomia porcellana Adams.

a. 1, Japon. M. H. Dohrn (C.).

Digitized by Google

MEGASTOMIA.

Odostomia conoidea Brocchi.

a. 9, Hébrides. Expédition du „Porcupine".
b. 8, Angleterre, Falmouth. M. T. A. Verkrüzen (C.).
c. 4, Alger. M. Joly.

EVALEA.

Odostomia impolita Hutton.

a. 1, La Nouvelle-Zélande, détroit de Foveaux. M. H. Suter.

PYRGULINA.

Odostomia Edgari Melvill.

a. 2, Bombay, Karachi. M. H. Fulton.

Odostomia sp.

a. 2, Japon. M. H. Dohrn.

Odostomia sp.

a. 1, Japon. M. H. Dohrn.

EULIMELLA.

Eulimella acicula Philippi.

a. 3, Hébrides. Expédition du „Porcupine".

TURBONILLA.

TURBONILLA.

Turbonilla lactea Linné.

a. 12, Angleterre, Cornwallis. M. T. A. Verkrüzen (C.).
b. 3, Angleterre, Falmouth. M. T. A. Verkrüzen (C.).
c. 1, Cap.

Digitized by Google

Turbonilla macilenta Adams.

a. 2, Japon. M. H. Dohrn (C.).

Turbonilla sp.

a. 2, Japon. M. H. Dohrn (C.).

Turbonilla sp.

a. 1, Japon. M. H. Dohrn (C.).

TRAGULA.

Turbonilla fenestrata Forbes.

a. 2, Angleterre. M. Damon.
b. 4, Torbay. M. T. A. Verkrüzen (C.).

PYRGISCULUS.

Turbonilla indistincta Montagu.

a. 2, Falmouth. M. T. A. Verkrüzen (C.).

PYRGOSTELIS.

Turbonilla rufa Philippi.

a. 2, Angleterre. M. Damon.

Turbonilla metulina Adams.

a. 1, Japon. M. H. Dohrn (C.).

Turbonilla modica Adams.

a. 2, Japon. M. H. Dohrn (C.).

PYRGOSTYLUS.

Turbonilla striatula Linné.

a. 7, Sardaigne. M. Cantraine (C.).

Digitized by Google

SCUTIBRANCHIATA.

RHIPIDOGLOSSA.

PROSERPINIDAE.

PROSERPINA.

Proserpina nitida Gray.

a. 6, Jamaïque. M. Newcomb et M. Damon.
b. 4, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.

HELICINIDAE.

HELICINA.

Helicina neritella Lamarck.

a. 1, Jamaïque. M. Damon.

Helicina neritella, var. *minor* Pfeiffer.

a. 4, Jamaïque. M. Damon et Musée de Copenhague (P.).

Helicina variabilis Wagner.

a. 2, Brésil.
b. 1, Antilles. M. Petit.

Helicina intusplicata Pfeiffer.

a. 1, Haïti, Miragoane. M. Rolle, 1888.

Helicina fasciata Lamarck.

a. 11, Antilles. M. Férussac (C.).

Helicina globulina Möllendorff.

a. 2, Philippines, Romblon. M. von Möllendorff (C.).

Digitized by Google

Helicina japonica Adams.

a. 1, Japon. M. H. Dohrn (C.).

Helicina Martensi Issel.

a. 3, Iles Soeloe.
b. 1, (alc.) Iles Natuna. M. A. L. van Hasselt (C.).

Helicina kalaöensis Smith.

a. 2, Ile Kalao. M. H. Fulton, 1896.

Helicina riparia Pfeiffer.

a. 1, Venezuela. M. van Lansberge (P.).

Helicina substriata Gray.

a. 1, St. Domingue. M. Férussac (C.).

Helicina blandiana Gundlach.

a. 2, Cuba. M. Landauer.

Helicina jamaicensis Sowerby.

a. 1, Jamaïque. M. Damon.
b. 1, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.

Helicina lirata Pfeiffer.

a. 1, Venezuela. M. van Lansberge (P.).

Helicina Guppyi Pease.

a. 2, St. Domingue. M. Férussac (C.).

Helicina rotunda d'Orbigny.

a. 2, Cuba. M. Landauer.

Helicina bellula Gundlach.

a. 2, Cuba, Yatera. M. Landauer.

Digitized by Google

Helicina haïtensis Maltzan.

a. 2, Haïti, Milo. M. von Maltzan (C.).
b. 3, St. Domingue. M. Férussac (C.).

Helicina orbiculata Say.

a. 4, Tenessee. M. Troost (P.).

Helicina orbiculata, var. *tropica* Jan.

a. 4, Texas. M. Newcomb.
b. 3, Mexique. M. Landauer.

Helicina antillarum Sowerby.

a. 3, Antilles. M. Petit.

Helicina nuda Arango.

a. 1, Cuba, Barigua. M. Landauer.

Helicina rhodostoma Gray.

a. 1, Variété. Antilles. M. Férussac (C.).

Helicina subfusca Menke.

a. 4, St. Thomé. Musée de Copenhague (P.).

Helicina rotelloidea Mighels.

a. 1, Iles Sandwich. M. Newcomb.

Helicina humilis Hombron et Jacquinot.

a. 2, Iles Carolines, Ponapé. M. von Möllendorff (C.).

Helicina laciniosa Menke.

a. 3, Iles Sandwich. M. Newcomb.

Helicina foveata Pfeiffer.

a. 1, St. Thomé. Musée de Copenhague (P.).

Digitized by Google

Helicina cruciata Weinland.

a. 1, Haïti. M. H. Rolle, 1888.

Helicina depressa Gray.

a. 1, Jamaïque. M. Damon.

b. 1, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.

Helicina concentrica Pfeiffer.

a. 3, Venezuela. M. H. Dohrn (C.).

Helicina concentrica, var. *Ernesti* Martens.

a. 1, Venezuela. M. van Lansberge (P.).

Helicina acutissima Sowerby.

a. 2, Philippines. M. Cuming (C.).

Helicina acutissima, var. *minor* Pfeiffer.

a. 3, Philippines. M. Cuming (C.).

Helicina agglutinans Sowerby.

a. 3, Philippines. M. Cuming (C.).

Helicina bothropoma Möllendorff.

a. 1, Philippines, Caramuan. M. von Möllendorff (C.).

Helicina Amaliae Kobelt.

a. 3, Mindanao. M. von Möllendorff (C.).

Helicina lazarus Sowerby, var. *intermedia* Möllendorff.

a. 2, Luzon. M. von Möllendorff (C.).

Helicina trochiformis Sowerby.

a. 2, Caramuan. M. von Möllendorff (C.).

Helicina Kubaryi Möllendorff.

a. 2, La Nouvelle-Guinée, Constantinhafen. M. von Möllendorff. (C.).

Digitized by Google

Helicina gibbosula Möllendorff.

a. 2, Luzon, Tayabas. M. von Möllendorff (C.).

Helicina pseudomphala Möllendorff.

a. 2, Philippines, Buaea. M. von Möllendorff (C.).

Helicina Rosaliae Pfeiffer.

a. 2, Luzon oriental, Baler. M. von Möllendorff (C.).

Helicina dichroa Möllendorff, var. *siquijorica* Möllendorff.

a. 2, Ile Siquijor. M. von Möllendorff (C.).

Helicina Stanleyi Forbes.

a. 3, La Nouvelle Guinée, Mailu.

Helicina Idae Pfeiffer.

a. 5, Ile Saparoea, Goenoeng Rila. M. le Prof. K. Martin, 1892. (C.).
b. 1, Amboine. Herbarium de Leide (P.).
c. 4, Patrie inconnue. M. Landauer.

Helicina oxytropis Gray.

a. 15, Ile Saparoea, Goenoeng Rila. M. le Prof. K. Martin, 1892 (C.).

Helicina suturalis Martens.

a. 6, Ile Haroekoe, Hoelalioe. M. B. Strubell, 1892 (C.).
b. 1, Goenoeng Rila. M. le Prof. K. Martin, 1892 (C.).

Helicina contermina Semper.

a. 3, Iles Soeloe.

Helicina parva Sowerby.

a. 1, Célèbes, Gorontalo. M. von Rosenberg (C.).

Helicina hennigiana Möllendorff.

a. 2, Philippines, Cacayan. M. von Möllendorff (C.).

Digitized by Google

Helicina Crossei Semper.

a. 1, Luzon. M. H. Dohrn (C.).

Helicina citrinella Möllendorff.

a. 2, Philippines. M. Cuming (C.).

Helicina citrinella, var. *taeniolata* Möllendorff.

a. 2, Philippines, Maloenoe. M. von Möllendorff (C.).

Helicina citrinella, var. *apicata* Möllendorff.

a. 2, Mindanao. M. von Möllendorff (C.).

Helicina silacea Morelet.

a. 4, Cuba. M. Landauer et M. E. Deyrolle.

Helicina sagrayana d'Orbigny.

a. 4, Cuba. M. Landauer.

Helicina titanica Poey.

a. 2, Cuba. M. Landauer.

Helicina pulcherrima Lamarck.

a. 1, Santiago de Cuba. M. E. Deyrolle.

Helicina submarginata Gray.

a. 2, Cuba. M. Landauer et M. E. Deyrolle.

Helicina Rohri Pfeiffer.

a. 4, Iles Marquises. M. Verreaux (C.).

Helicina crassilabris Philippi.

a. 1, St. Domingue. M. Férussac (C.).

Helicina littoricola Gundlach.

a. 2, Cuba. M. Landauer.

Digitized by Google

Helicina rufa Pfeiffer.

a. 1, Patrie inconnue.

Helicina calida Weinland.

a. 9, Iles Bahama. M. Weinland.

Helicina uberta Gould.

a. 8, Iles Sandwich. M. Newcomb.

Helicina solidula Gray.

a. 6, Iles Marquises. M. Verreaux (C.).

Helicina Derouledei Möllendorff.

a. 2, Annam, Touranne. M. H. Fruhstorfer, 1900 (C.).

ALCADIA.

Alcadia major Gray.

a. 2, Jamaïque. M. Damon.

Alcadia palliata Adams.

a. 2, Jamaïque. M. Damon.

Alcadia Hollandi Adams.

a. 2, Jamaïque. M. Damon.

b. 2, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.

Alcadia Brownii Gray.

a. 1, Jamaïque. M. Damon.

Alcadia succinea Pfeiffer.

a. 2, St. Domingue. M. A. Sallé, 1849 (C.).

Alcadia megastoma Adams.

a. 2, Jamaïque. M. Damon.

Digitized by Google

EUTROCHATELLA.

EUTROCHATELLA.

Eutrochatella pulchella Gray.

a. 2, Jamaïque. M. Damon.
b. 4, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.

Eutrochatella pulchella, var. *labiosa* Chitty.

a. 2, Jamaïque. M. Damon.

Eutrochatella pulchella, var. *minor* Pfeiffer.

a. 5, Antilles. M. Férussac (C.).

Eutrochatella Tankervillii Gray.

a. 4, Jamaïque. M. Damon.

Eutrochatella Josephinae Adams.

a. 1, Jamaïque. M. Damon.

VIANA.

Eutrochatella regina Morelet.

a. 3, Cuba. M. Landauer.

Eutrochatella Sloanei d'Orbigny.

a. 2, Cuba. M. Landauer et M. Deyrolle.

LUCIDELLA.

Lucidella undulata Pfeiffer.

a. 2, Jamaïque. M. Damon.

Lucidella aureola Férussac.

a. 2, Jamaïque. M. Damon.

Digitized by Google

Lucidella aureola, var. *minor* Pfeiffer.

a. 2, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.

STOASTOMA.

METCALFEIA.

Stoastoma chittyanum Adams.

a. 12, Jamaïque. M. Damon.

Stoastoma bacquieanum Chitty.

a. 5, Jamaïque. M. Damon.

LINDSLEYA.

Stoastoma redfieldianum Adams.

a. 12, Jamaïque. M. Damon.

GEORISSA.

Georissa borneënsis Smith.

a. 3, Bornéo septentrional.

Georissa bangueyensis Smith.

a. 4, Ile Banguey.

Georissa similis Smith.

a. 3, Bornéo septentrional.

Georissa subglabrata Möllendorff.

a. 5, Cebu.
b. 4, Manilla. M. von Möllendorff (C.).

Georissa rufescens Möllendorff.

a. 4, Manilla. M. von Möllendorff (C.).

Digitized by Google

Georissa Quadrasi Möllendorff.

a. 2, Philippines. M. von Möllendorff (C.).

Georissa rufula Möllendorff.

a. 2, Iles Carolines, Ponapé. M. von Möllendorff (C.).

Georissa elegans Möllendorff.

a. 2, Iles Mariannes. M. von Möllendorff (C,).

Georissa denselirata Möllendorff.

a. 2, Philippines, Busuanga. M. von Möllendorff (C.).

Georissa Bachmanni Gredler.

a. 2, Hunan. M. von Möllendorff (C.).

Georissa decora Möllendorff.

a. 2, Annam, Touranne. M. H. Fruhstorfer, 1900 (C.).

Georissa chrysacme Möllendorff.

a. 2, Annam, Touranne. M. H. Fruhstorfer, 1900 (C.).

Georissa exarata Möllendorff.

a. 2, Annam, Touranne. M. H. Fruhstorfer, 1900 (C.).

NERITIDAE.

NERITA.

THELIOSTYLA.

Nerita plexa Chemnitz.

a. 6, Océan indien. Ancien Cabinet, Collections Dalen et Hoogeveen.
b. 1, Côte de Natal. M. Krauss (C.).

Nerita exuvia Linné.

a. 13, Océan indien. M. M. Müller et Macklot (C.).

Digitized by Google

b. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 8, Flores, Larantoeka. M. Semmelink (C.).
d. 3, Timor. M. Zijnen Wartel (C.).
e. 2, Amboine. M. Hoedt (C.).
f. 2, Morotai. M. Bernstein (C.).
g. 1, La Nouvelle-Guinée. M. M. Müller et Macklot (C.).
h. 6, Patrie inconnue. Ancien Cabinet.
i. 7, (alc.) Océan indien. M. M. Müller et Macklot (C.).

Nerita albicilla Linné.

a. 20, Océan indien. M. M. Müller et Macklot, Ancien Cabinet et Collection Dalen.
b. 12, Côte de Java. M. Junghuhn (C.).
c. 3, Tjilatjap. M. Overdijk (C.).
d. 1, Côte de Sumatra. M. S. Müller (C.).
e. 4, Macassar. M. Piller (C.).
f. 1, Célèbes, Badjoa. M. Moens (C.).
g. 3, Billiton.
h. 2, Waigéoe.
i. 23, Timor. M. Zijnen Wartel et M. Wienecke (C.).
j. 1, Côte de Bornéo, Sambas. M. Hallier, 1894 (C.).
k. 4, Flores, Larantoeka. M. Semmelink (C.).
l. 2, Nossi-Faly. M. M. Pollen et van Dam (C.).
m. 3, Côte de Natal. M. Krauss (C.).
n. 6, (alc.) Océan indien. M. M. Müller et Macklot (C.).
o. 1, (alc.) Côte de Bornéo, Sambas. Expédition de Bornéo 1893—94.

Nerita albicilla, var. *venusta* Philippi.

a. 8, Océan indien. Cabinet Dalen.
b. 1, Timor. M. Zijnen Wartel (C.).

Nerita Forskâlii Recluz.

a. 5, Mer rouge. M. Ruijssenaers (P.).
b. 4, (alc.) Djeddah. M. J. A. Kruyt, 1881 (C.).

Digitized by Google

Nerita Forskålii, var. *coccinea* Mörch.

a. 1, (alc.) Djeddah. M. J. A. Kruijt, 1881 (C.).

Nerita reticulata Karsten.

a. 21, Océan indien. M. Blume, M. M. Müller et Macklot, Ancien Cabinet et Collection Dalen.
b. 1, Détroit de Soenda. M. Groen (P.).
c. 4, Détroit de Larantoeka. M. Semmelink (C.).
d. 3, Timor. M. Wienecke et M. Zijnen Wartel (C.).
e. 7, (alc.) Océan indien. M. M. Müller et Macklot (C.).

Nerita patula Recluz.

a. 9, Océan indien. Ancien Cabinet et M. M. Müller et Macklot.
b. 1, Côte de Java. M. Junghuhn (C.).
c. 1, Philippines. Collection Dalen.
d. 2, Baie de Natal. M. Krauss (C.).
e. 6, Variété. Océan indien. Ancien Cabinet.
f. 4, (alc.) Amboine. M. Forsten (C.).
g. 1, (alc.) La Nouvelle Guinée. M. Schädler, 1896 (C.).

Nerita chamaeleon Linné.

a. 60, Océan indien. M. M. Müller et Macklot, Ancien Cabinet et Collection Dalen.
b, 20, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 2, Timor. M. Wienecke et M. Zijnen Wartel (C.).
d. 1, Côte de Bornéo, Sambas. M. Hallier, 1894 (C.).
e. 1, Variété. Java. M. Junghuhn (C.).
f. 9, (alc.) Océan indien. M. M. Müller et Macklot (C.).

Nerita chamaeleon, var. *squamulata* Recluz.

a. 60, Océan indien. M. M. Müller et Macklot, Ancien Cabinet et Collection Dalen.
b. 2, Côte de Sumatra. M. S. Müller (C.).
c. 3, Singapore. M. Buddingh (P.).

Digitized by Google

d. 5, Timor. M. Zijnen Wartel (C.).
e. 3, Célèbes, Badjoa. M. Moens (P.).
f. 1, Côte de Bornéo, Sambas. M. Hallier (C.).
g. 2, Amboine. M. Hoedt (C.).
h. 1, Halmaheira, Galela. M. Bernstein (C.).
i. 14, La Nouvelle Guinée. M. M. Müller et Macklot (C.).
j. 6, (alc.) Côte de Sumatra. M. S. Müller (C.).
k. 3, (alc.) Amboine. M. Forsten (C.).

Nerita chamaeleon, var. *annulata* Reeve.

a. 4, Océan indien. Ancien Cabinet et Collection Dalen.
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 1, (alc.) Océan indien. M. M. Müller et Macklot (C.).

Nerita costata Chemnitz.

a. 10, Océan indien. M. M. Müller et Macklot (C.).
b. 4, Côte de Java. M. Junghuhn (C.).
c. 3, Tjilatjap. M. Overdijk (C.).
d. 2, Côte de Sumatra. M. S. Müller (C.).
e. 1, Singapore. M. Buddingh (P.).
f. 1, Timor. M. Wienecke (C.).
g. 1, Iles Obi. M. Bernstein (C.).
h. 25, (alc.) Océan indien. M. M. Müller et Macklot (C.).

Nerita tessellata Gmelin.

a. 15, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.
b. 29, Curaçao. M. A. J. van Koolwijk (P.).
c. 7, Surinam. Ancien Cabinet.
d. 14, Patrie inconnue. Ancien Cabinet, Collections Dalen et Hoogeveen.

Nerita tessellata, var. *recluziana* Martens.

a. 3, Haïti. M. Ricord.
b. 2, Patrie inconnue.

Digitized by Google

Nerita Bernhardi Recluz.

a. 13, Mexique, Baie de Guijamas. M. H. ten Kate (C.).
b. 7, Golfe de Californie. M. H. Ten Kate (C.).

CYMOSTYLA.

Nerita grossa Linné.

a. 8, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 7, Timor. M. Wienecke et M. Zijnen Wartel (C.).
c. 6, Océan indien. M. M. Müller et Macklot et Cabinet Dalen.
d. 1, (alc.) Java. M. M. Kuhl et van Hasselt (C.).

Nerita maxima Chemnitz.

a. 3, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 12, Timor. M. Wienecke et M. Zijnen Wartel (C.).
c. 4, Océan indien. Voyage de M. S. Müller.
d. 3, (alc.) La Nouvelle-Guinée. M. M. Müller et Macklot (C.).
e. 4, (alc.) Moluques.

Nerita semirugosa Recluz.

a. 2, Variété. Océan indien. Voyage des M. M. Müller et Macklot (C.).
b. 2, (alc.) Océan indien. M. M. Kuhl et van Hasselt et M. M. Müller et Macklot (C.).

Nerita semirugosa, var. *subglobosa* Martens.

a. 6, Océan indien. M. M. Müller et Macklot, Cabinet Dalen et Collection Hoogeveen.
b. 2, Amboine. M. Hoedt (C.).
c. 10, Jeunes individus. Halmaheira septentrionale, Galela. M. Bernstein (C.).
d. 6, Morotai. M. Bernstein (C.).
e. 1, Mut. unicolor. Océan indien. M. M. Kuhl et van Hasselt (C.).

Digitized by Google

Nerita semirugosa, var. *maura* Recluz.

a. 6, Côte de Java, Tjilatjap. M. Overdijk, 1865 (C.).
b. 4, Côte de Java. M. Junghuhn (C.).
c. 2, Côte de Sumatra. M. S. Müller (C.).
d. 2, Timor. M. Zijnen Wartel (C.).

Nerita undata Linné.

a. 20, Océan indien. M. M. Müller et Macklot, Ancien Cabinet et Collection Dalen.
b. 6, Billiton.
c. 1, Jeune individu. Côte de Java. M. Junghuhn (C.).
d. 3, Côte de Bornéo, Sambas. M. Schwaner et M. Hallier (C.).
e. 5, Timor. M. Wienecke (C.).
f. 3, Misool. M. Hoedt (C.).
g. 2, Japon. M. von Siebold (C.).
h. 3, Nossi-Faly. M. M. Pollen et van Dam (C.).
i. 12, (alc.) Jeunes individus. Océan indien. M. M. Müller et Macklot (C.).

Nerita striata Burrow.

a. 1, Amboine. M. Hoedt (C.).
b. 1, Océan indien.

Nerita spengleriana Recluz.

a. 16, Océan indien. M. M. Müller et Macklot, Ancien Cabinet et Collection Dalen.
b. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 13, Timor. M. Wienecke et M. Zijnen Wartel (C.).
d. 3, Jeunes individus. Détroit de Larantoeka. M. Semmelink (C.).
e. 1, Céram. M. Hoedt (C.).
f. 1, Iles Obi. M. Bernstein (C.).
g. 2, Misool. M. Hoedt (C.).
h. 10, (alc.) Océan indien. M. M. Müller et Macklot (C.).

Digitized by Google

Nerita quadricolor Gmelin.

a. 5, Mer rouge. M. Forskål et M. Ruijssenaers (P.).

Nerita grayana Recluz.

a. 1, Amboine. M. Hoedt (C.).

Nerita flammulata Recluz.

a. 10, Océan Indien. M. M. Müller et Macklot (C.).
b. 1, Amboine. M. Hoedt (C.).
c. 11, (alc.) Océan Indien. M. M. Müller et Macklot (C.).

Nerita ornata Sowerby.

a. 2, Iles Gallopagos. M. Cuming et Cabinet Dalen.

Nerita ornata, var. *Deshayesii* Recluz.

a. 2, Iles Gallopagos. M. Cuming et Cabinet Dalen.
b. 2, Golfe de Californie. M. H. ten Kate (C.).
c. 1, Jeune individu. Mazatlan. M. Verreaux (C.).
d. 2, Côte occidentale de l'Amérique méridionale. M. Damon.

PILA.

Nerita plicata Linné.

a. 13, Côte de Java, Tjilatjap. M. Junghuhn et M. Overdijk (C.).
b. 2, Banka. M. van den Bossche (P.).
c. 9, Jeunes individus. Détroit de Larantoeka. M. Semmelink (C.).
d. 20, Timor. M. Wienecke et M. Zijnen Wartel (C.).
e. 5, Amboine. M. Hoedt (C.).
f. 2, Morotai. M. Bernstein (C.).
g. 1, Misool. M. Hoedt (C.).
h. 1, Japon. M. von Siebold (C.).
i. 2, Côte de Natal. M. Krauss (C.).
j. 11, Océan Indien. Ancien Cabinet et Collection Dalen.
k. 9, (alc.) Océan Indien. M. M. Müller et Macklot (C.).

Digitized by Google

Nerita variegata Chemnitz, var. *flammea* Gmelin.

a. 7, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.
b. 4, Curaçao. M. A. J. van Koolwijk et M. Steenbergen (C.).
c. 7, Patrie inconnue. Collection Dalen.

Nerita variegata, var. *pica* Gmelin.

a. 1, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.
b. 7, Curaçao. M. A. J. van Koolwijk (C.).
c. 2, St. Thomas. M. van Calker, 1866 (C.).
d. 2, Patrie inconnue. Cabinet Dalen et Collection Hoogeveen (P.).

Nerita variegata, var. *versicolor* Gmelin.

a. 2, Curaçao. M. A. J. van Koolwijk (C.).
b. 2, Patrie inconnue. Cabinet Dalen et Collection Hoogeveen (P.).

TENARE.

Nerita peloronta Linné.

a. 20, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.
b. 1, Curaçao. M. A. J. van Koolwijk (C.).
c. 4, St. Thomas. M. van Calker, 1866 (C.).
d. 3, Haïti. M. Ricord.
e. 10, Côte de l'Amérique. Ancien Cabinet, Collections Dalen et Hoogeveen.

Nerita polita Linné.

a. 33, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 32, Océan Indien. Ancien Cabinet et Collection Dalen.
c. 1, Billiton.
d. 2, Détroit de Larantoeka. M. Semmelink (C.).
e. 6, Timor. M. Wienecke (C.).

Digitized by Google

f. 1, Philippines. Collection Dalen.
g. 1, Côte septentrionale de Halmaheira. M. Bernstein (C.).
h. 2, Maurice. M. Frank.
i. 2, Mayotte. M. M. Pollen et van Dam (C.).
j. 1, Cap, Tafelbaai. M. Krauss (C.).
k. 4, Océan Indien. M. M. Müller et Macklot (C.).

Variété intermédiaire de l'espèce et de la variété *Rumphii*.

a. 3, Philippines. Collection Dalen.
b. 7, Côte de Java. M. Junghuhn (C.).
c. 1, Amboine. M. Hoedt (C.).
d. 14, Mer Rouge. M. Ruijssenaers et M. Forskål (C.).
e. 1, Cap, Tafelbaai. M. Krauss (C.).
f. 4, Océan Indien. M. M. Müller et Macklot et Ancien Cabinet.
g. 1, Côte de Sumatra. Voyage de M. S. Müller.
h. 4, Timor. M. Zijnen Wartel (C.).

Nerita polita, var. *Rumphii* Recluz.

a. 125, Philippines. Cabinet Dalen.
b. 18, Côte de Java. M. Junghuhn et M. Overdijk (C.).
c. 1, Côte de Sumatra. M. S. Müller (C.).
d. 27, Détroit de Larantoeka. M. Semmelink (C.).
e. 5, Timor. M. Wienecke (C.).
f. 6, Amboine. M. Hoedt (C.).
g. 2, Nossi-Faly. M. M. Pollen et van Dam (C.).
h. 12, (alc.) Océan Indien. M. M. Müller et Macklot (C.).

Nerita polita, var. *australis* Chemnitz.

a. 2, La Nouvelle-Hollande. M. Damon.
b. 2, Patrie inconnue. Collection Dalen.

ILYNERITA.

Nerita planospira Anton.

a. 20, Océan indien. Voyage des M. M. Müller et Macklot.

Digitized by Google

b. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 1, Morotai. M. Bernstein (C.).
d. 20, (alc.) Océan Indien. M. M. Müller et Macklot (C.).

AMPHINERITA.

Nerita lineata Chemnitz.

a. 10, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 9, Singapore. M. Buddingh (P.).
c. 4, Chine, Amoy. M. G. Schlegel (P.).
d. 5, Patrie inconnue. Ancien Cabinet et Collection Dalen.

Nerita insculpta Recluz.

a. 6, Océan Indien. M. M. Müller et Macklot et Collection Dalen.
b. 2, Côte de Java. M. Junghuhn (C.).
c. 1, Détroit de Larantoeka. M. Semmelink (C.).
d. 4, Timor. M. Zijnen Wartel (C.).
e. 1, Halmaheira septentrionale, Galela. M. Bernstein (C.).
f. 6, (alc.) Océan Indien. M. M. Müller et Macklot (C.).

Nerita insculpta, var. *arcta* Hombron et Jacquinot.

a. 6, Océan Indien. Voyage des M. M. Müller et Macklot.
b. 2, Côte de Java. M. Junghuhn (C.).

Nerita insculpta, var. *pacifica* Recluz.

a. 2, Morotai. M. Bernstein (C.).
b. 1, Halmaheira septentrionale, Galela. M. Bernstein (C.).

Nerita umlaasiana Krauss.

a. 1, Natal, rivière Umlaas. M. Krauss (C.).

Nerita incerta von dem Busch.

a. 4, Côte de Java. M. Junghuhn (C.).
b. 10, Détroit de Larantoeka. M. Semmelink (C.).
c. 1, Timor. M. Zijnen Wartel (C.).

Digitized by Google

d. 1, Philippines. Collection Dalen.
e. 1, Mer rouge. M. Ruyssenaers (P.).

Nerita Junghuhni Schepman.

a. 3, Côte de Java. M. Junghuhn (C.). Types de l'espèce.
b. 6, Détroit de Larantoeka. M. Semmelink (C.).
c. 3, Moluques. Voyage de M. S. Müller.
d. 3, (alc.) Océan indien. Voyage des M. M. Müller et Macklot.

MELANERITA.

Nerita atrata Chemnitz.

a. 12, Libéria, Grand-Cape-Mount. M. J. Büttikofer, 1881 (C.).
b. 8, Côte de Guinée. M. Pel (P.).
c. 20, (alc.) Côte de Guinée. M. Pel (P.).

Nerita atrata, var. *Largillierti* Philippi.

a. 4, Côte de Guinée. M. Pel (P.).
b. 3, Surinam? Ancien Cabinet.

Nerita Yoldii Recluz.

a. 30, Chine, Amoy. M. G. Schlegel (P.).
b. 25, Macao. M. Buddingh (P.).

Nerita argus Recluz.

a. 6, Océan indien. Voyage des M. M. Müller et Macklot.
b. 3, Côte de Java. M. Junghuhn et M. Overdijk (C.).

HEMINERITA.

Nerita pica Gould.

a. 10, Océan indien. Voyage des M. M. Müller et Macklot.
b. 5, (alc.) Japon. M. von Siebold (P.).
c. 1, (alc.) Océan indien. M. M. Müller et Macklot (C.).

Digitized by Google

NERITINA.

NERITONA.

Neritina labiosa Sowerby.

a. 9, Célèbes, Menado. M. Forsten et M. Tendeloo (C.).
b. 1, Célèbes, Sawangan près de Tondano. M. von Martens (C.).
c. 4, Philippines. M. Cuming et Cabinet Dalen.
d. 6, (alc.) Amboine. M. Forsten (C).

Neritina granosa Sowerby.

a. 3, Iles Sandwich. M. Damon et M. Newcomb.

NERITAEA.

A. Auriculatae.

Neritina cariosa Gray.

a. 7, Iles Sandwich. Cabinet Dalen, M. Cuming et M. Newcomb.

Neritina sandwichensis Deshayes.

a. 2, Iles Sandwich. M. M. Sowerby et Fulton.

Neritina dilatata Broderip.

a. 6, Iles de la Société. M. Cuming et Cabinet Dalen.

? *Neritina christovalensis* Reeve.

a. 2, Tahiti. Cabinet Raye.

Neritina auriculata Lamarck.

a. 5, Sumatra, rivière Indrapoera. M. J. L. Weyers (P.).
b. 3, Célèbes, Kema. M. J. Semmelink (C.).
c. 4, Philippines. M. Cuming (C.).
d. 2, Iles Fiji. M. E. Layard (P.).
e. 2, Ceylan. M. M. Sowerby et Fulton.
f. 2, (alc.) Java. M. M. Kuhl et van Hasselt (C.).

Digitized by Google

Neritina rubicunda Martens.

a. 2, Océan indien. M. M. Kuhl et van Hasselt (C.).
b. 2, (alc.) Java. M. M. Kuhl en van Hasselt (C.).

Neritina tahitensis Lesson.

a. 10, Iles de la Société. M. Cuming et Cabinet Dalen.

Neritina vespertina Nuttal.

a. 5, Iles Sandwich. M. Damon et M. Newcomb.

Neritina bicanaliculata Recluz.

a. 4, Philippines. Cabinet Dalen.

Neritina Lecontei Recluz.

a. 2, Tahiti. M. M. Sowerby et Fulton.
b. 1, La Nouvelle-Calédonie. M. M. Sowerby et Fulton.

B. Mitrulae.

Neritina crepidularia Lamarck.

a. 1, Java, Tjilatjap. M. Overdijk (C.).
b. 2, Bornéo. M. Schwaner (C.).
c. 2, Siam, Bangkok. M. von Martens (C.).
d. 3, Japon. M. von Siebold (C.).
e. 1, (alc.) La Nouvelle-Guinée. M. M. Müller et Macklot (C.).

Neritina crepidularia, var. *cornucopiae* Benson.

a. 10, Bornéo. M. Schwaner (C.).
b. 12, Siam, Bangkok. M. von Martens et M. Winckel, 1877 (C.).
c. 1, Japon. M. von Siebold (C.).

Neritina crepidularia, var. *exaltata* Recluz.

a. 2, Kali-Maas, près de Soerabaja. M. J. Semmelink, 1881 (C.).
b. 1, (alc.) Java. M. Macklot (C.).
c. 4, Philippines. M. Cuming et Cabinet Dalen.

Digitized by Google

Neritina siquijorensis Recluz.

a. 2, Philippines, Siguijor. M. M. Sowerby et Fulton.

C. Hemisphaericae.

Neritina canalis Sowerby.

a. 1, Flores, rivière Conga. Mission catholique, 1895 (P.).
b. 6, Iles de la Société. M. Cuming et Cabinet Dalen.

Neritina powisiana Recluz.

a. 1, Adonara. M. J. Semmelink (C.).

Neritina pulligera Linné.

a. 24, Java. M. Junghuhn (C.).
b. 8, Tjilatjap. M. Overdijk (C.).
c. 10, Célèbes, Menado et Gorontalo. M. Forsten et M. von Rosenberg (C.).
d. 8, Adonara. M. J. Semmelink (C.).
e. 2, Timor, Koepang. M. Zijnen Wartel (C.).
f. 7, Amboine. M. Hoedt (C.).
g. 2, Céram, Hatoesoea. M. K. Martin, 1892 (C.).
h. 3, Misool. M. Bernstein (C.).
i. 1, Waigéoe. M. Bernstein (C.).
j. 6, La Nouvelle-Guinée. M. M. Müller et Macklot (C.).
k. 11, Philippines. M. Cuming (C.).
l. 2, Iles Fiji. M. E. Layard (P.).
m. 25, (alc.) Java, Kampong Macassar. M. Groen (C.).
n. 2, (alc.) Amboine. M. Forsten (C.).
o. 15, (alc.) La Nouvelle-Guinée. M. M. Müller en Macklot (C.).

Neritina pulligera, var. *sumatrana* Dautzenberg.

a. 3, Sumatra, rivière Indrapoera. M. J. L. Weijers (P.).

Neritina iris Mousson.

a. 4, Java. M. Junghuhn (C.).

Digitized by Google

b. 2, Tjilatjap. M. Overdijk (C.).
c. 4, Céram, Hatoesoea. M. K. Martin 1892, (C.).
d. 6, (alc.) Amboine. M. Forsten (C.).

Neritina immersa Martens.

a. 1, Japon. M. von Siebold (C.). Type de l'espèce.

Neritina Knorri Recluz.

a. 2, Iles Seychelles. M. M. Sowerby et Fulton.

Neritina Petiti Recluz.

a. 4, Philippines. M. Cuming et Cabinet Dalen.
b. 1, Amboine. M. Hoedt (C.).
c. 1, Patrie inconnue.
d. 1, (alc.) Iles Solor. M. J. Semmelink (C.).

Neritina Becki Recluz.

a. 2, Ile Banguey. M. M. Sowerby et Fulton.

Neritina Bruguierei Recluz.

a. 3, La Nouvelle-Irlande. M. Cuming (C.).
b. 2, Mazatlan? M. Verreaux.

Neritina cryptospira Martens.

a. 10, Madagascar. M. Pollen, 1878 (C.).
b. 1, Patrie inconnue.

Neritina squamipicta Recluz.

a. 9, Java. M. Junghuhn (C.).
b. 1, Sumatra. M. S. Müller (C.).
c. 6, Philippines, Borongan et Samar. M. Cuming et M. Jagor (C.).
d. 2, Iles Mariannes, Guam. M. Newcomb (C.).
e. 1, Patrie inconnue.
f. 1, (alc.) Java. M. Junghuhn (C.).

Digitized by Google

Neritina asperulata Recluz.

a. 3, Philippines. M. Cuming et Cabinet Dalen.
b. 10, (alc.) Patrie inconnue.

Neritina pennata Born.

a. 3, Sumatra. M. S. Müller (C.).
b. 11, Bornéo, Pontianak. M. Schwaner et M. von Martens (C.).

Neritina sulculosa Martens.

a. 1, Timor. M. Zijnen Wartel (C.).

Neritina porcata Gould.

a. 2, Iles Samoa. M. E. Layard (P.).

D. Aculeatae.

Neritina aculeata Chemnitz.

a. 1, Sumatra, Palembang. M. J. Semmelink (C.).
b. 1, Patrie inconnue. Collection Dalen.

E. Semicirculatae.

Neritina latissima Broderip.

a. 6, Amérique centrale. M. Cuming et Collection Dalen.
b. 2, Amérique centrale, Realejo. M. Cuming et Collection Dalen.

Neritina latissima, var. *globosa* Broderip.

a. 6, Colombie, Chiriqui. M. Cuming et Collection Dalen.

Neritina intermedia Sowerby.

a. 6, Amérique centrale, Colombie. M. Cuming et Collection Dalen.
b. 1, Mazatlan. M. Verreaux (C.).

Neritina oweniana Gray.

a. 2, Afrique occidentale. M. Damon.

Digitized by Google

b. 2, Congo.
c. 2, Libéria, St. Johns-river. M. J. Büttikofer (C.).
d? 1, Jeune individu. Guinée, Assinia. M. M. Sowerby et Fulton.
e. 1, Patrie inconnue. Cabinet Dalen.

Neritina punctulata Lamarck.

a. 7, Jamaïque. M. Cuming et Collection Dalen.
b. 1, Patrie inconnue. Ancien Cabinet.

Neritina afra Sowerby.

a. 3, Fernando-Po. M. M. Sowerby et Fulton.

Neritina rubricata Morelet.

a. 1, Congo.
b. 7, Libéria, Junk-river. M. Stampfli, 1884—86 (C.).
c. 1, Guinée, Assinia. M. M. Sowerby et Fulton.

Neritina jordani Sowerby.

a. 2, Le Jordan. M. Liebetrut (C.).

Neritina Macrii Recluz.

a. 2, Syrie. M. Liebetrut (C.).

Neritina anatolica Recluz.

a. 2, Palestine. M. Liebetrut (C.).
b. 2, Le Jordan. M. M. Sowerby et Fulton.

Neritina anatolica, var. *trojana* Charpentier.

a. 4, Syrie. M. Liebetrut (C.).

Neritina gangrenosa Schmidt.

a. 1, Carniole. Type de l'espèce.

Neritina perrottetiana Recluz.

a. 2, Nilgherries. M. M. Sowerby et Fulton.

Digitized by Google

F. Pictae.

Neritina gagates Lamarck.

a. 5, Sumatra. M. Cuming, Ancien Cabinet et Collection Dalen.
b. 8, Madagascar. M. M. Pollen et van Dam (C.).
c. 1, Maurice. Collection Dalen.

Neritina natalensis Reeve.

a. 2, Zanzibar, Bagamojo.

Neritina variegata Lesson.

a. 33, Java, Tjilatjap. M. Junghuhn et M. Overdijk (C.).
b. 31, Timor. M. Zijnen Wartel (C.).
c. 4, Adonara. M. Semmelink (C.).
d. 3, Iles Aroe. M. von Rosenberg (C.).
e. 4, La Nouvelle-Guinée. M. Prévost.
f. 4, Les Nouvelles-Hébrides, Vaté. M. E. Layard (P.).
g. 11, Patrie inconnue. Ancien Cabinet.
h. 4, (alc.) Iles Solor. M. Semmelink (C.).
i. 2, Ile Groot-Banda, rivière Combir. M. Semmelink, 1881 (C.).
j. 1, Ternate. M. Semmelink, 1880 (C.).

Neritina wallisiarum Recluz.

a. 2, La Nouvelle-Calédonie. M. M. Sowerby et Fulton.

Neritina ziczac Lamarck.

a. 1, Java. M. M. Kuhl et van Hasselt (C.).
b. 3, Sumatra, rivière Indrapoera. M. J. L. Weyers, 1899 (P.).
c. 2, Amboine. M. Hoedt (C.).
d. 20, Timor, Koepang. M. Zijnen Wartel et M. Wienecke (C.).
e. 1, Iles Aroe. M. von Rosenberg (C.).
f. 4, La Nouvelle-Guinée. M. M. Müller et Macklot (C.).
g. 5, Iles Philippines. M. Cuming et Collection Dalen.
h. 4, Iles de la Société. Collection Dalen.

Digitized by Google

i. 5, Patrie inconnue. Ancien Cabinet et Collection Dalen.
j. 3, (alc.) Java. M. M. Kuhl et van Hasselt (C.).

Neritina ziczac, var. *triangularis* Mörch.

a. 2, Timor, Koepang. M. von Martens (C.).
b. 1, Halmaheira, Galela. M. Bernstein (C.).
c. 2, La Nouvelle-Guinée. M. M. Müller en Macklot (C.).
d. 4, Célèbes septentrional, Kema. M. Semmelink, 1880 (C.).
e. 1, Patrie inconnue. Collection Dalen.

Neritina ziczac, var. *xanthostigma* Martens.

a. 1, Célèbes, Gorontalo. M. von Rosenberg (C.).
b. 4, Moluques. M. S. Müller (C.).

Neritina Smithii Gray.

a. 2, Indes orientales. M. Damon.
b. 3, La Nouvelle-Guinée. M. Prévost.

Neritina turrita Chemnitz.

a. 19, Java, Tjilatjap, Noesa-Kembangan. M. M. Kuhl et van Hasselt, M. Overdijk et M. Jagor (C.).
b. 22, Sumatra. M. S. Müller et M. J. L. Weyers (C.).
c. 2, La Nouvelle-Guinée. M. M. Müller et Macklot (C.).
d. 1, La Nouvelle-Hollande.
e. 1, Patrie inconnue. Voyage de M. S. Müller.

Neritina turrita, var. *cumingiana* Recluz.

a. 11, Batjan. M. Bernstein (C.).
b. 2, Waigéoe. M. Bernstein (C.).
c. 5, Philippines. M. Cuming et Collection Dalen.
d. 2, Célèbes, Kema. M. Semmelink (C.).
e. 2, Patrie inconnue. Voyage des M. M. Müller et Macklot.

Neritina turrita, var. *strigilata* Lamarck.

a. 1, Soemba. M. H. ten Kate, 1891 (C.).

Digitized by Google

Neritina semiconica Lamarck.

a. 6, Java, Tjilatjap. M. Overdijk (C.).
b. 9, Sumatra, rivière Indrapoera. M. J. L. Weyers (P.).

Neritina roissyana Recluz.

a. 9, Les Nouvelles-Hébrides, Vate. M. E. Layard (P.).
b. 3, La Nouvelle-Calédonie. M. M. Sowerby et Fulton.
c. 2, Variété. Oepoloe.
d. 2, Samoa. M. M. Sowerby et Fulton.
e. 2, Patrie inconnue. Collection Dalen.

Neritina Turtoni Recluz.

a. 1, La Nouvelle-Irlande. M. Cuming (C.).

Neritina communis Quoy et Gaimard.

a. 1, Java. M. M. Kuhl et van Hasselt (C.).
b. 1, Célèbes, Gorontalo. M. von Rosenberg (C.).
c. 2, Amboine. M. Hoedt (C.).
d. 1, Adonara. M. Semmelink (C.).
e. 1, Halmaheira, Galela. M. Bernstein (C.).
f. 46, Batjan. M. Bernstein (C.).
g. 18, Waigéoe. M. Bernstein (C.).
h. 5, La Nouvelle-Guinée. M. M. Müller et Macklot (C.).
i. 17, Moluques. Ancien Cabinet, M. S. Müller et M. van Rees.
j. 23, Philippines. M. Cuming et Collection Dalen.
k. 2, Patrie inconnue. M. M. Müller et Macklot et M. Kramer.
l. 1, Tahiti. M. Cuming (C.).
m. 5, (alc.) Patrie inconnue.

Neritina communis, var. *elegantina* Busch.

a. 22, Batjan. M. Bernstein (C.).
b. 43, Philippines. M. Cuming et Collection Dalen.

Neritina zebra Bruguière.

a. 2, Amérique méridionale. Ancien Cabinet.

Digitized by Google

b. 3, L'Orinoco. M. Cuming (C.).
c. 4, Indes occidentales. M. Cuming (C.).
d. 7, Patrie inconnue. Ancien Cabinet et Collection Dalen.

Neritina lineolata Lamarck.

a. 1, Patrie inconnue. Collection Dalen.

Neritina lineolata, var. *conoidalis* Martens.

a. 4, Mexique, Veracruz. M. Cuming et M. M. Sowerby et Fulton.
b. 2, Cuba. M. M. Sowerby et Fulton.

Neritina lineolata, var. *reticulata* Christofori et Jan.

a. 2, Guatemala. M. M. Sowerby et Fulton, 1900.
b. 1, Patrie inconnue. Collection Dalen.

Neritina virginea Linné.

a. 100, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.
b. 9, Indes occidentales. Ancien Cabinet et M. Cuming.
c. 38, Amérique méridionale. Ancien Cabinet et Collection Dalen.
d. 1, Mazatlan. M. Verreaux (C.).
e. 2, Cuba. M. Landauer.
f. 49, Patrie inconnue. Ancien Cabinet et Collection Dalen.

Neritina virginea, var. *meleagris* Lamarck.

a. 3, Amérique méridionale. Ancien Cabinet et Collection Dalen.

Neritina glabrata Sowerby.

a. 6, Variété. Libéria, Grand Bassa. M. M. Sowerby et Fulton.

G. Venosae.

Neritina pupa Linné.

a. 7, Indes occidentales. M. Cuming et Collection Dalen.
b. 5, Patrie inconnue. Ancien Cabinet.

Digitized by Google

Neritina pupa, var. *tristis* d'Orbigny.

a. 2, Jamaïque. M. Cuming et Collection Dalen.

Neritina reticulata Sowerby.

a. 3, Iles Lord Hood (Marutea). M. Cuming (C.).

Neritina godeffroyana Mousson.

a. 2, Iles Samoa. M. E. Layard (P.).

NERITODRYAS.

Neritina dubia Chemnitz.

a. 1, Sumatra. M. S. Müller (C.).
b. 19, Amboine. M. Hoedt (C.).
c. 2, Boeroe, Kajeli. M. von Martens (C.).
d. 3, Célèbes, Gorontalo et Kema. M. von Rosenberg et M. Semmelink (C.).
e. 2, Waigéoe. M. Bernstein (C.).
f. 1, Jeune individu. Batjan. M. Bernstein (C.).
g. 1, La Nouvelle-Guinée. M. M. Müller et Macklot (C.).
h. 27, Philippines. Collection Dalen, M. Jagor et M. Cuming (C.).
i. 28, Patrie inconnue. Ancien Cabinet et Collection Dalen.
j. 2, (alc.) Batjan. M. Bernstein (C.).

Neritina apiata Recluz.

a. 3, Philippines. M. Cuming (C.).

Neritina cornea Linné.

a. 16, Sumatra, rivière Indrapoera M. J. L. Weyers (P.).
b. 9, Amboine. M. Hoedt (C.).
c. 2, Iles Obi.
d. 1, Boeroe, Kajeli. M. von Martens (C.).
e. 1, Céram, Hatoesoea. M. K. Martin, 1892 (C.).
f. 7, Iles Aroe. M. von Rosenberg (C.).
g. 8, Batjan. M. Bernstein (C.).

Digitized by Google

h. 8, Waigéoe. M. Bernstein (C.).
i. 2, Misool. M. Bernstein (C.).
j. 6, Philippines. M. Cuming. (C.).
k. 5, Patrie inconnue. Cabinet Dalen et Collection Hoogeveen (P.).

Neritina subsulcata Sowerby.

a. 1, Amboine. M. Hoedt (C.).
b. 1, Iles Aroe. M. von Rosenberg (C.).
c. 2, Philippines. Ancien Cabinet.
d. 1, Patrie inconnue. Ancien Cabinet.
e. 1, (alc.) Amboine. M. Forsten (C.).
f. 1, (alc.) Iles Banda. M. J. Semmelink (C.).

Neritina Chimnoi Reeve.

a. 3, La Nouvelle-Guinée. M. M. Müller et Macklot (C.).

CLITHON.

Neritina longispina Recluz.

a. 5, Maurice. M. Cuming et Collection Dalen.
b. 4, Patrie inconnue.

Neritina madecassina Morelet.

a. 2, Patrie inconnue. M. M. Sowerby et Fulton.

Neritina spinosa Sowerby.

a. 5, Tahiti. M. Cuming (C.).
b. 5, Iles de la Société. M. Cuming et Collection Dalen.

Neritina souleyetiana Recluz.

a. 3, La Nouvelle-Irlande. M. Cuming et Collection Dalen.
b. 5, Variété. Iles Marquises. M. Newcomb et M. E. Layard.

Neritina recluziana Guillou.

a. 2, Tahiti. M. M. Sowerby et Fulton.

Digitized by Google

Neritina diadema Recluz.

a. 14, Sumatra, rivière Indrapoera. M. J. L. Weyers (P.).
b. 1, Adonara. M. Semmelink (C.).
c. 28, Timor. M. Zijnen Wartel (C.).
d. 12, La Nouvelle-Guinée. M. M. Müller et Macklot (C.).
e. 1, Ternate. M. von Martens (C.).
f. 12, Patrie inconnue. Ancien Cabinet.

Neritina brevispina Lamarck.

a. 15, Côte méridionale de Java, Tjilatjap, Poeger. M. Junghuhn, M. Overdijk et M. Semmelink (C.).
b. 40, Adonara. M. J. Semmelink (C.).
c. 50, Timor. M. Zijnen Wartel (C.).
d. 8, Amboine. M. Hoedt (C.).
e. 1, Ile Groot-Banda, Keizerstoorn. M. J. Semmelink (C.).
f. 4, Ternate. M. von Martens (C.).
g. 16, Waigéoe. M. Bernstein, 1866 (C.).
h. 22, La Nouvelle-Guinée. Ancien Cabinet et M. M. Müller et Macklot (C.).
i. 1, Célèbes, Gorontalo. M. von Rosenberg (C.).
j. 7, Philippines. M. Cuming et M. M. Sowerby et Fulton.
k. 3, Balabak. M. M. Sowerby et Fulton.
l. 3, La Nouvelle-Hollande. Ancien Cabinet.
m. 3, Patrie inconnue. Ancien Cabinet.
n. 12, (alc.) Java. M. Reinwardt et M. Semmelink (C.).
o. 8, (alc.) Iles Solor. M. J. Semmelink (C.).

Neritina brevispina, var. *mutica* Martens.

a. 1, (alc.) Iles Solor. M. J. Semmelink (C.).

Neritina brevispina, var. *Montacuti* Recluz.

a. 2, Adanara. Mission catholique, 1895 (P.).

Digitized by Google

Neritina subocellata Schepman.

a. 2, Côte méridionale de Java, Poeger. M. J. Semmelink (C.).
b. 1, (alc.) Java, Bezoekie. M. J. Semmelink (C.). Type de l'espèce.

Neritina obscurata Recluz.

a. 1, Manila. M. M. Sowerby et Fulton.

Neritina retusa Morelet.

a. 2, Les Nouvelles-Hébrides. M. M. Sowerby et Fulton.

Neritina spiniperda Morelet.

a. 2, Variété. Mayotte. M. M. Sowerby et Fulton.

Neritina angulosa Recluz.

a. 7, Célèbes, Gorontalo. M. von Rosenberg (C.).
b. 6, Philippines. M. Cuming et Collection Dalen.
c. 2, Les Nouvelles-Hébrides. M. H. Dohrn (C.).
d. 1, Variété. Philippines. Collection Dalen.

Neritina aspera Philippi.

a. 2, Iles Fiji. M. E. Layard (P.).

Neritina aspera, var. *deltoidea* Garrett.

a. 3, Iles Fiji. M. E. Layard (P.).

Neritina discors Martens.

a. 4, Flores, Larantoeka. M. von Martens (C.).

Neritina squarrosa Recluz.

a. 4, Java, Tjilatjap. M. Overdijk (C.).
b. 6, Adouara. M. J. Semmelink (C.).
c. 2, Timor. M. Zijnen Wartel (C.).
d. 5, Amboine, Batoegantong. M. von Martens (C.).
e. 2, Célèbes, Gorontalo. M. von Rosenberg (C.).
f. 5, Philippines. Collection Dalen, M. Cuming et M. Jagor (C.).

Digitized by Google

g. 12, (alc.) Timor. M. H. ten Kate, 1891 (C.).
h. 2, (alc.) Amboine. M. Forsten (C.).

Neritina squarrosa, var. *spinifera* Martens.

a. 3, (alc.) Patrie inconnue.

Neritina rugata Recluz.

a. 5, Philippines. M. Cuming et Collection Dalen.

Neritina ruginosa Recluz.

a. 4, Iles Sandwich. M. M. Sowerby et Fulton.

Neritina thermophila Martens.

a. 2, La Nouvelle-Bretagne. M. Studer (C.).

Neritina chlorostoma Broderip.

a. 3, Tahiti. M. Cuming (C.).
b. 3, Iles de la Société. M. Cuming (C.).
c. 1, Philippines? Collection Dalen.
d. 1, Ile de Cook. M. M. Sowerby et Fulton.

Neritina retropicta Martens.

a. 8, Japon. M. van Siebold (C.).
b. 2, Nangasaki. M. von Martens (C.).

Neritina sowerbyana Recluz.

a. 6, Philippines. M. Cuming et Collection Dalen.

Neritina sowerbyana, var. *intermittens* Martens.

a. 1, Japon. M. von Siebold (C.).
b. 3, Patrie inconnue.

Neritina avellana Recluz.

a. 4, Philippines. Collection Dalen.

Neritina avellana, var. *interrupta* Recluz.

a. 5, Philippines. Collection Dalen, M. Cuming et M. Jagor (C.).

Digitized by Google

Neritina faba Sowerby.

a. 3, Patrie inconnue. Collection Dalen.

Neritina nucleolus Sowerby.

a. 2, La Nouvelle-Calédonie. M. M. Sowerby et Fulton.

Neritina nucleolus, var. *spinosa* Gassies.

a. 1, La Nouvelle-Calédonie. M. M. Sowerby et Fulton.

Neritina subpunctata Recluz.

a. 3, Philippines. M. Cuming (C.).
b. 1, Amboine. M. Forsten (C.).
c. 6, (alc.) Amboine. M. Forsten (C.).

Neritina subpunctata, var. *glandiformis* Martens.

a. 5, Timor. M. Zijnen Wartel (C.).
b. 1, Ile Groot-Banda, Keizerstoorn. M. J. Semmelink, 1880 (C.).
c. 2, (alc.) Iles Solor. M. J. Semmelink (C.).

Neritina subpunctata, var. *tricolor* Martens.

a. 1, Adanara. Mission catholique, 1895 (P.).

? *Neritina tritonensis* Guillou.

a. 8, La Nouvelle-Guinée. Ancien Cabinet et M. M. Müller et Macklot (C.).
b. 1, Timor. M. Zijnen Wartel (C.).

Neritina bicolor Recluz.

a. 2, Philippines. Collection Dalen et M. Cuming.

Neritina Wallacei Dohrn.

a. 16, Iles Aroe. M. von Rosenberg (C.).
b. 7, Patrie inconnue.

Neritina olivacea Recluz.

a. 3, Philippines. Collection Dalen et M. Cuming.
b. 1, Iles Obi. M. Bernstein (C.).

Digitized by Google

c. 2, Ile Groot-Banda, Keizerstoorn. M. J. Semmelink, 1880 (C.).
d. 3, La Nouvelle-Guinée. M. M. Müller et Macklot (C.).
e. 2, Patrie inconnue.

Neritina flavovirens Busch.

a. 6, La Nouvelle-Guinée. M. M. Müller et Macklot (C.).
b? 1, Timor, Koepang. M. Zijnen Wartel, 1865 (C.).
c. 10, (alc.) Java, Bezoekie. M. J. Semmelink (C.).

Neritina flavovirens, var. *emergens* Martens.

a. 2, (alc.) Java, Bezoekie. M. J. Semmelink (C.).

Neritina fuliginosa Busch.

a. 8, Java. M. Junghuhn (C.).
b. 4, Tjilatjap. M. Overdijk (C.).
c. 6, Sumatra, Padang.
d. 1, Amboine. M. Forsten (C.).
e. 3, La Nouvelle-Guinée. M. M. Müller et Macklot (C.).
f. 10, (alc.) Amboine. M. Forsten (C.).

Neritina siderea Gould.

a. 2, Ile de Cook. M. M. Sowerby et Fulton.
b? 2, Japon. M. von Siebold (C.).

Neritina nouletiana Gassies.

a. 3, La Nouvelle-Calédonie.

Neritina retifera Benson, var. *capillulata* Gould.

a. 2, Philippines. M. Cuming (C.).

Neritina picta Sowerby.

a. 73, Mexique, baie de Guyamas. M. H. ten Kate, 1883 (C.).
b. 8, Golfe de Californie. M. Newcomb (C.).
c. 7, Panama. Collection Dalen et M. Cuming (C.).

Digitized by Google

Neritina ualanensis Lesson.

a. 8, Célèbes, Macassar, dans l'eau saumâtre. M. von Martens (C.).
b. 6, Philippines. Collection Dalen et M. Cuming.
c. 4, Iles Fiji. M. E. Layard (P.).
d. 33, Patrie inconnue. Collection Dalen.

Neritina ualanensis, var. *frondicincta* Martens.

a. 2, Ternate. M. J. Semmelink (C.).
b. 11, Philippines. Collection Dalen et M. Cuming.
c. 32, Patrie inconnue. Collection Dalen.

Neritina ualanensis, var. *polydelta* Martens.

a. 3, Ternate. M. J. Semmelink (C.).
b. 17, Patrie inconnue. Collection Dalen.

Neritina ualanensis, var. *conferta* Martens.

a. 1, Ternate. M. J. Semmelink (C.).
b. 3, Patrie inconnue. Collection Dalen.

Neritina ualanensis, var. *diremta* Martens.

a. 10, Patrie inconnue. Collection Dalen.

Neritina ualanensis, var. *nigro-bifasciata* Martens.

a. 8, Patrie inconnue. Cabinet Dalen et Collection Hoogeveen (P.).

THEODOXUS.

Neritina danubialis Mühlfeldt.

a. 4, Italie. M. Cantraine et M. M. Christofori et Jan.

Neritina danubialis, var. *stragulata* Mühlfeldt.

a. 4, La Danube. Collection Dalen.

Neritina danubialis, var. *chrysostoma* Kutschig.

a. 7, Dalmatie. M. M. Sowerby et Fulton.

Digitized by Google

Neritina fluviatilis Linné.

a. 12, Pays-bas, la Nouvelle Meuse.
b. 3, Angleterre. M. J. Ponsonby (P.).
c. 6, Stettin. M. H. Dohrn (C.).
d. 23, Naumburg. M. Lepsius (P.).
e. 50, Dalmatie, Kerka et Salona. M. Cantraine (C.).
f. 7, Italie, Rome. M. Cantraine (C.).
g. 3, (alc.) Danemarc. M. Mörch (C.).

Neritina fluviatilis, var. *spirata* Westerlund.

a. 1, Dalmatie. M. Cantraine (C.).

Neritina fluviatilis, var. *salonitana* Lanza.

a. 4, Dalmatie. Types de la variété.

Neritina fluviatilis, var. *thermalis* Boubée.

a. 2, Dalmatie. M. M. Christofori et Jan.
b. 1, Patrie inconnue. Cabinet Persoon.

Neritina fluviatilis, var. *dendritica* Ziegler.

a. 2, Taurie. M. M. Christofori et Jan (C.).

Neritina fluviatilis, var. *baltica* Beck.

a. 5, Baltique. M. Mörch.

Neritina fluviatilis, var. *cerina* Colbeau.

a. 2, Angleterre, Bristol. M. J. Ponsonby (P.).

Neritina transversalis Ziegler.

a. 10, Variété. Autriche, la Danube. M. M. Christofori et Jan.

Neritina varia Ziegler.

a. 4, Corfu. M. M. Sowerby et Fulton.

Digitized by Google

Neritina meridionalis Philippi.

a. 23, Dalmatie, Salona. M. Cantraine et M. M. Christofori et Jan.
b. 8, Italie septentrionale. M. M. Christofori et Jan.
c. 12, Sicile, Palermo. M. Cantraine et M. Heldreich (C.).

Neritina Heldreichi Schwarzenberg.

a. 2, L'Asie mineure, lac de Kerali. M. Heldreich (C.).

Neritina panayana Recluz.

a. 3, Philippines. M. Cuming (C.).

Neritina guadianensis Morelet, var. *valentina* Graëlls.

a. 1, Espagne.

Neritina guadianensis Morelet, var. *Velascoi* Graëlls.

a. 1, Espagne.

NERITILIA.

Neritina succinea Recluz.

a. 3, Guadeloupe. M. M. Sowerby et Fulton, 1900.

Neritina Manoëli Dohrn.

a. 2, Ile du Prince. M. M. Sowerby et Fulton, 1900.

Neritina lurida Christofori et Jan.

a. 1, Antilles. M. M. Christofori et Jan.

SMARAGDIA.

Neritina viridis Linné.

a. 3, Indes occidentales. M. Cuming (C.).
b. 3, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.
c. 23, Antilles. M. M. Christofori et Jan, Ancien Cabinet et Collection Dalen.

Digitized by Google

d. 35, Méditerranée, Sardaigne, Tarente. M. Cantraine (C.).
e. 16, Tripoli.
f. 25, Patrie inconnue. M. I. E. G. van Emden, 1892 (P.).

Neritina rangiana Recluz.

a. 2, Philippines. M. M. Sowerby et Fulton.

Neritina souverbiana Montrouzier.

a. 2, La Nouvelle-Calédonie. M. M. Sowerby et Fulton.

SEPTARIA.

Septaria borbonica Bory St. Vincent, var. *compressa* Martens.

a. 2, Iles Comores, Anjoana. M. Hildebrandt (C.).

Septaria luzonica Souleyet, var. *adspersa* Martens.

a. 2, Philippines. M. Cuming (C.).

Septaria Bougainvillei Recluz.

a. 1, Nouvelles-Hébrides. M. H. Dohrn (C.).

Septaria Freycineti Sowerby.

a. 1, Nouvelles-Hébrides. M. H. Dohrn (C.).

Septaria Junghuhni (Herklots mss.) Martens.

a. 3, Java. M. Junghuhn (C.).

Septaria cumingiana Recluz.

a. 2, Jeunes individus. Philippines. M. Cuming (C.).

Septaria Janellei Recluz.

a. 2, Philippines. M. Cuming (C.).
b. 1, Célèbes, Amoerang. M. Semmelink, 1881 (C.).

Septaria depressa Sowerby.

a. 4, Iles de la Société. M. Cuming (C.).

Digitized by Google

Septaria suborbicularis Sowerby

a. 14, Java.
b. 1, Sumatra.
c. 1, Célèbes, Gorontalo. M. von Rosenberg (C.).
d. 5, Amboine. M. Forsten et M. Hoedt (C.).
e. 12, Leitimor, Ema. M. K. Martin, 1891 (C.).
f. 2, Variété. Adanara. Mission catholique, 1895 (P.).
g. 1, Flores. Mission catholique, 1895 (P.).
h. 15, Timor, Koepang. M. Zijnen Wartel (C.).
i. 4, Philippines. M. Cuming (C.).
j. 2, Iles Marquises. M. Cuming (C.).
k. 5, Variété. Patrie inconnue.
l. 1, (alc.) Soemba. M. H. ten Kate, 1891 (C.).
m. 4, (alc.) Iles Solor. M. Semmelink, 1864 (C.).

Septaria suborbicularis, var. *compressa* Martens.

a. 3, Java. M. Blume (C.).

Septaria suborbicularis, var. *furcato-radiata* Martens.

a. 5, Java.
b. 1, Adanara. Mission catholique, 1895 (P.).
c. 1, Timor, Koepang. M. Zijnen Wartel (C.).
d. 3, Amboine. M. Hoedt et M. K. Martin, 1891 (C.).
e. 1, Luçon.

Septaria variabilis Recluz.

a. 3, Célèbes, Gorontalo. M. von Rosenberg, 1869 (C.).
b. 2, Philippines. M. Cuming (C.).

Septaria tessellata Lamarck.

a. 5, Célèbes.
b. 1, (alc.) Amboine. M. Forsten, 1844 (C.).

Septaria tessellata, var. *clypeolum* Recluz.

a. 3, Java.
b. 3, Sumatra, Indrapoera. M. J. L. Weyers (P.).

Digitized by Google

c. 5, Célèbes, Gorontalo. M. von Rosenberg (C.).
d. 1, Timor, Koepang. M. Zijnen Wartel (C.).
e. 2, La Nouvelle-Guineé. M. S. Müller (C.).
f. 5, Philippines. M. Cuming (C.).

Septaria tessellata, var. *subrostrata* Martens.

a. 4, Philippines. M. Cuming (C.).

Septaria tessellata, var. *compressa* Martens.

a. 7, Java.
b. 7, Sumatra, Indrapoera. M. J. L. Weijers (P.).
c. 1, Célèbes, Gorontalo. M. von Rosenberg (C.).
d. 1, La Nouvelle-Guinée. M. S. Müller (C.).
e. 3, Philippines. M. Cuming (C.).
f. 1, (alc.) Java. M. M. Kuhl et van Hasselt (C.).

Septaria tessellata, var. *lineata* Lamarck.

a. 2, Philippines. M. Cuming (C.).

NERITOPSIDAE.

NERITOPSIS.

Neritopsis radula Linné.

a. 1, Timor. M. Zijnen Wartel (C.).
b. 1, Madoera. Mad^e. Mangold.
c. 6, Patrie inconnue. Collection Dalen.

TURBINIDAE.

PHASIANELLA.

PHASIANELLA.

Phasianella australis Gmelin.

a. 12, La Nouvelle-Hollande.
b. 4, Patrie inconnue.

Phasianella venusta Reeve.

a. 3, La Nouvelle-Hollande.

Digitized by Google

Phasianella nivosa Reeve.

a. 2, Java, Tjilatjap. M. Overdijk (C.).
b. 4, La Nouvelle-Hollande. Ancien Cabinet.

Phasianella variegata Lamarck.

a. 27, Mer rouge. M. Ruijssenaers (P).

Phasianella aethiopica Philippi.

a. 25, Patrie inconnue. Ancien Cabinet et Collection Hoogeveen.

? *Phasianella marmorata* Dufo.

a. 25, Réunion. M. M. Pollen et van Dam (C.).

TRICOLIA.

Phasianella speciosa Mühlfeldt.

a. 45, Méditerranée. M. Férussac et M. Cantraine (C.).
b. 48, Tripoli. M. Cantraine (C.).
c. 2, (alc.) Méditerranée. M. Cantraine (C.).

Phasianella pulla Linné.

a. 50, Méditerranée. M. Cantraine (C.).
b. 45, Tripoli M. Cantraine (C.).
c. 1, (alc.) Méditerranée. M. Cantraine (C.).

Phasianella tenuis Michaud.

a. 3, Méditerranée. M. Cantraine (C.).

Phasianella Kochi Philippi.

a. 4, Cap, Tafelbaai. M. Krauss (C.).
b. 7, Patrie inconnue. Ancien Cabinet et M. M. Kraepelin et Holm.

Phasianella elongata Krauss.

a. 2, Cap, Tafelbaai. M. Krauss (C.).

Phasianella capensis Dunker.

a. 5, Cap, Tafelbaai. M. Krauss (C.).

Digitized by Google

Phasianella tessellata Adams.

a. 6, Patrie inconnue.

CHROMOTIS.

Phasianella neritina Dunker.

a. 25, Cap, Tafelbaai. M. Krauss (C.).

TURBO.

TURBO.

Turbo marmoratus Linné.

a. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 5, Moluques. M. Reinwardt (C.).
c. 1, La Nouvelle-Guinée, Skroë. M. Schädler, 1897 (C.).
d. 1, Sakatia. M. M. Pollen et van Dam (C.).
e. 4, Patrie inconnue.

Turbo imperialis Gmelin.

a. 2, Océan indien. Musée de Paris (P.).

Turbo petholatus Linné.

a. 8, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 3, Timor. M. Zijnen Wartel (C.).
c. 1, Céram. M. Hoedt (C.).
d. 1, Soëk. M. von Rosenberg, 1870 (C.).
e. 1, Maurice. M. Frank.
f. 4, Nossi-Faly. M. M. Pollen et van Dam (C.).
g. 2, Valparaiso? M. Cuming (C.).
h. 13, Patrie inconnue. Collection Dalen.

CIDARIS.

Turbo sarmaticus Linné.

a. 4, Cap. M. von Horstock (C.).
b. 2, Patrie inconnue. M. Voigt et Ancien Cabinet.

Digitized by Google

c. 1, (alc.) Cap.
d. 1, (alc.) Animal sans coquille. Patrie inconnue.

SENECTUS.

Turbo crassus Wood.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Moluques.

Turbo sparverius Gmelin.

a. 12, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 3, Amboine. M. Kam (P.).
c. 7, Océan indien. Ancien Cabinet.
d. 10, (alc.) Océan indien. Cabinet Temminck.
e. 1, (alc.) Atjeh. M. G. A. J. van der Sande (C.).
f. 1, (alc.) La Nouvelle-Guinée, Skroë. M. Schädler, 1897 (C.).

Turbo setosus Gmelin.

a. 1, Côte méridionale de Java. Made Adèr (P.).
b. 1, Patrie inconnue.
c. 1, Variété. Côte de Sumatra.
d. 1, Jeune individu. Iles Obi. M. Bernstein (C.).

Turbo funiculosus Kiener.

a. 1, Patrie inconnue. M. Voigt.

Turbo cernicus Sowerby.

a. 1, Maurice. M. Frank, 1891.

Turbo argyrostomus Linné.

a. 3, Océan indien. Collection Dalen.
b. 10, Moluques.
c. 1, Sakatia. M. M. Pollen et van Dam (C.).

Digitized by Google

Turbo argyrostomus, var. *margaritacea* Linné.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Patrie inconnue. M. Ricord.

Turbo chrysostomus Linné.

a. 10, Côte septentrionale de Timor. M. Zijnen Wartel (C.).
b. 8, Amboine. M. Hoedt (C.).
c. 3, La Nouvelle-Guinée, baie de Lobie et Skroë. M. Schädler (C.).
d. 6, Océan indien. Collection Dalen.
e. 1, Curaçao? M. J. A. Herklots (P.).
f. 5, (alc.) Djeddah. M. A. J. Kruijt (C.).

Turbo radiatus Gmelin.

a. 4, Mer rouge. M. Ruijssenaers (P.).
b. 6, Nossi-Bé et Nossi-Faly. M. M. Pollen et van Dam (C.).

Turbo spinosus Gmelin.

a. 2, Nossi-Bé. M. M. Pollen et van Dam (C.).
b. 3, Patrie inconnue. M. Voigt et Collection Dalen.

Turbo nivosus Reeve.

a. 1, Patrie inconnue. Ancien Cabinet.

Turbo intercostalis Menke.

a. 9, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Détroit de Larantoeka. M. Semmelink (C.).
c. 4, Timor. M. Wienecke et M. Zijnen Wartel (C.).
d. 2, Batjan. M. Bernstein (C.).
e. 8, Océan indien.
f. 6, (alc.) Océan Indien. Cabinet Temminck.

Turbo concinnus Philippi.

a. 1, Côte de Bornéo, Sambas. M. Hallier, 1894 (C.).

Digitized by Google

Turbo ticaonicus Reeve.

a. 4, Détroit de Larantoeka. M. Semmelink (C.).
b. 2, Timor. M. Zijnen Wartel (C.).
c. 1, Misool. M. Hoedt (C.).
d. 3, La Nouvelle-Guinée, baie de Lobo.
e. 1, Iles Andaman, Port Blair. Mr. le Col. Worthington Wilmer (P.).
f. 1, Amboine. M. Hoedt (C.).
g. 12, Océan indien. Ancien Cabinet et Collection Hoogeveen (P.).
h. 9, (alc.) Amboine. M. Forsten (C.).
i. 1, (alc.) Iles Solor. M. Semmelink (C.).

Turbo ticaonicus, var. *disjuncta* Anton.

a. 1, Billiton.
b. 1, Détroit de Larantoeka. M. Semmelink (C.).
c. 1, Ternate. M. Freijtag (P.).
d. 2, Philippines. Collection Dalen.
e. 1, Patrie inconnue.

Turbo tumidulus Reeve.

a. 1, Nossi-bé. M. M. Pollen et van Dam (C.).

Turbo castaneus Gmelin.

a. 4, Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.
b. 4, Surinam. Collection Dalen.
c. 3, St. Thomas.
d. 3, Golfe de Mexique. Ancien Cabinet.

Turbo spenglerianus Gmelin.

a. 2, Océan indien.

BATILLUS.

Turbo cornutus Gmelin.

a. 11, Japon. M. von Siebold (C.).
b. 2, Patrie inconnue. Collection Dalen.

Digitized by Google

Turbo cornutus, var. *japonica* Reeve.

a. 4, Jeunes individus. Japon. M. von Siebold (C.).
b. 2, (alc.) Java. M. Macklot (C.).

OCANA.

Turbo cidaris Gmelin.

a. 4, Cap.
b. 1, Variété. Cap. Ancien Cabinet.
c. 13, Indes occidentales, possessions Danoises? M. M. Kraepelin et Holm.
d. 7, Patrie inconnue. Ancien Cabinet et Collection Dalen.

MARMOROSTOMA.

Turbo porphyrites Martyn.

a. 4, Côte de Java. M. Junghuhn (C.).
b. 10, Détroit de Larantoeka. M. Semmelink (C.).
c. 2, Timor. M. Zijnen Wartel (C.).
d. 4, Moluques.
e. 7, Océan indien. M. Macklot (C.).
f. 6, Océan pacifique.
g. 1, Iles Andaman, port Blair. M. le Col. Worthington Wilmer (P.).
h. 2, Célèbes, Gorontalo. M. von Rosenberg (C.).
i. 6, Variété. Patrie inconnue.
j. 15, (alc.) Patrie inconnue.

Turbo porphyrites, var. *mespilus* Gmelin

a. 1, Côte de Java. M. Junghuhn (C.).
b. 1, Tjilatjap. M. Overdijk (C.).
c. 1, Sumatra. Collection Dalen.
d. 1, Détroit de Larantoeka.
e. 4, Patrie inconnue. Collection Dalen.
f. 2, (alc.) Padang.
g. 1, (alc.) Flores, Endeh. M. H. ten Kate, 1891 (C.).

Digitized by Google

Turbo porcatus Reeve.

a. 1, Patrie inconnue. Collection Hoogeveen (P.).

Turbo undulatus Martijn.

a. 2, La Nouvelle-Hollande. Ancien Cabinet.

Turbo coronatus Gmelin.

a. 1, Patrie inconnue. M. Voigt.

Turbo coronatus, var. *Hemprichi* Troschel.

a. 6, Mer rouge. M. Ruijssenaers (P.).
b. 1, Aden. M. le Col. Worthington Wilmer (P.).

Turbo coronatus, var. *crenifera* Kiener.

a. 4, Mer rouge. M. Forskål et M. Ruijssenaers (P.).
b. 1, Nossi-Bé. M. M. Pollen et van Dam (C.).
c. 1, Patrie inconnue. M. Voigt.

Turbo granulatus Gmelin.

a. 4, Banka. M. Buddingh (C.).
b. 14, Chine, Amoij. M. G. Schlegel (P.).
c. 1, Patrie inconnue.
d. 4, (alc.) Amoij. M. G. Schlegel (P.).

Turbo granulatus, var. *coreënsis* Recluz.

a. 9, Japon. M. von Siebold (C.).
b. 5, (alc.) Japon. M. von Siebold (C.).

Turbo smaragdus Martijn.

a. 1, La Nouvelle-Zélande. M. Voigt.
b. 1, Océan indien.

Turbo smaragdus, var. *tricostata* Hutton.

a. 2, La Nouvelle-Zélande, Auckland. M. H. Suter, 1904 (C.).

Digitized by Google

MODELIA.

Turbo rubicundus Chemnitz.

a. 1, La Nouvelle-Zélande. M. Voigt.

NINELLA.

Turbo stamineus Martijn.

a. 3, Opercules. Patrie inconnue.

Turbo stamineus, var. *lamellosa* Reeve.

a. 1, La Nouvelle-Zélande. Musée de Paris (P.).

CALLOPOMA.

Turbo fluctuosus Wood.

a. 1, Jeune individu. Colombie occidentale, Monte Christo. M. Cuming (C.).

b. 2, Golfe de Californie. M. H. ten Kate, 1883 (C.).

c. 1, Jeune individu. Mexique, baie de Guyamas. M. H. ten Kate, 1883 (C.).

Turbo saxosus Wood, var. *spinosa* Fischer.

a. 1, Patrie inconnue. M. Marguier.

PRISOGASTER.

Turbo niger Gray.

a. 2, Valparaiso. M. Cuming et Cabinet Dalen.

LEPTOTHYRA.

Leptothyra sanguinea Linné.

a. 4, Cannes, 1865.

Leptothyra rubra Dunker, var. *laevicostata* Pilsbry.

a. 14, Japon. M. von Siebold (C.).

Leptothyra verruca Gould.

a. 1, Iles Sandwich. M. H. Dohrn (P.).

Digitized by Google

Leptothyra fluctuata Hutton.

a. 4, Ile Stewart. M. H. Suter, 1904 (C.).

Leptothyra laeta Montrouzier.

a. 25, Patrie inconnue.

ASTRALIUM.

BOLMA.

Astralium rugosum Linné.

a. 7, Méditerranée. M. Cantraine (C.).
b. 3, Cannes.
c. 2, Golfe de Mexique?

Astralium modestum Reeve.

a. 1, Japon. M. von Siebold (C.).

COOKIA.

Astralium sulcatum Martijn.

a. 1, La Nouvelle-Zélande.
b. 1, Mer rouge?

IMPERATOR.

Astralium heliotropium Martijn.

a. 1, La Nouvelle-Zélande, détroit de Foveaux. M. H. Suter, 1897 (C.).
b. 1, Patrie inconnue.

GUILDFORDIA.

Astralium triumphans Philippi.

a. 1, Japon. M. von Siebold (C.).

SOL.

Astralium longispina Lamarck.

a. 2, Surinam.

Digitized by Google

b. 2, Patrie inconnue. M. J. van der Hoeven et collection Hoogeveen (P.).

Astralium spinulosum Lamarck.

a. 1, Surinam. Ancien Cabinet.

b. 3, Jeunes individus. Indes occidentales, possessions Danoises. M. M. Kraepelin et Holm.

Astralium brevispina Lamarck.

a. 1, Surinam. Ancien Cabinet.

Astralium latispina Philippi.

a. 1, Patrie inconnue. Ancien Cabinet.

Astralium armatum Philippi.

a. 1, Indes occidentales, possessions Danoises? M. M. Kraepelin et Holm.

PACHYPOMA.

Astralium coelatum Gmelin.

a. 4, Surinam. Cabinet Trippenhuis à Amsterdam.

b. 1, Curaçao. M. le Dr. Epp (P.).

c. 1, Aruba. M. A. J. van Koolwijk (C.).

d. 1, St. Thomas.

e. 1, Patrie inconnue. Collection Hoogeveen (P.).

Astralium imbricatum Gmelin.

a. 6, Golfe de Mexique. Cabinet Trippenhuis à Amsterdam.

b. 1, Curaçao. M. A. J. van Koolwijk (C.).

c. 3, Jeunes individus. Aruba. M. A. J. van Koolwijk (C.).

LITHOPOMA.

Astralium tuber Linné.

a. 3, Haïti. M. Ricord.

b. 2, St Thomas.

c. 3, Méditerraneé? Ancien Cabinet.

Digitized by Google

STELLA.

Astralium calcar Linné.

a. 5, Océan indien. M. van Doorn (P.).
b. 8, Timor. M. Zijnen Wartel et M. Wienecke (C.).
c. 2, Détroit de Larantoeka. M. Semmelink (C.).
d. 1, Batjan. M. Bernstein (C.).
e. 1, Côte de la Nouvelle-Hollande.
f. 1, Variété. Patrie inconnue.
g. 12, (alc.) Amboine. M. Forsten (C.).

Astralium calcar, var. *helicina* Gmelin.

a. 3, Timor. M. Zijnen Wartel et M. Wienecke (C.).
b. 1, Iles Obi. M. Bernstein (C.).
c. 2, (alc.) Amboine. M. Forsten (C.).

Astralium petrosum Martijn.

a. 1, Océan indien.
b. 2, Moluques. M. van Rees (P.).
c. 2, Patrie inconnue.

Astralium haematragus Menke.

a. 4, Japon. M. von Siebold (C.).

Astralium semicostatum Kiener.

a. 3, Java, Tjilatjap. M. Overdijk (C.).

UVANILLA.

Astralium fimbriatum Lamarck.

a. 2, Océan indien.

POMAULAX.

Astralium undosum Wood.

a. 1, Océan pacifique. M. Marguier (C.).

Digitized by Google

Astralium japonicum Dunker.

a. 2, Japon. M. von Siebold (C.).

Astralium Buschi Philippi.

a. 2, Côte occidentale de l'Amérique, St. Elena. M. Cuming (C.).

Astralium unguis Wood.

a. 2, Golfe de Mexique. M. Verreaux et M. Cuming (C.).

Astralium inaequale Martijn.

a. 1, Golfe de Mexique. Collection Voigt.

TROCHIDAE.

TROCHUS.

TROCHUS.

Trochus niloticus Linné.

a. 8, Océan indien. M. Reinwardt (C.).
b. 4, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 1, Madoera. Mad^{e}. Mangold (C.).
d. 1, Banka. M. van den Bossche (P.).
e. 8, Amboine. M. Hoedt (C.).
f. 2, Détroit de Larantoeka. M. Semmelink (C.).
g. 6, Timor. M. Wienecke et M. Zijnen Wartel (C.).
h. 5, Waigéoe. M. Bernstein (C.).
i. 2, Misool.
j. 1, Japon. M. von Siebold (C.).
k. 3, Patrie inconnue. Collection Voigt.
l. 10, (alc.) Océan indien.
m. 2, (alc.) Amboine. M. Forsten (C.).
n. 1, (alc.) La Nouvelle-Guinée, Skroe. M. Schädler, 1897 (C.).

Trochus maximus Koch.

a. 2, Billiton.

Digitized by Google

Trochus acutangulus Chemnitz.

a. 3, Océan indien.
b. 1, Billiton.
c. 3, Détroit de Larantoeka. M. Semmelink (C.).
d. 1, Amboine. M. Hoedt (C.).
e. 1, Variété. Japon. M. von Siebold (C.).
f. 1, Patrie inconnue. Collection Hoogeveen (P.).

CARDINALIA.

Trochus virgatus Gmelin.

a. 1, Océan indien.

TECTUS.

Trochus obeliscus Gmelin.

a. 1, Océan indien.
b. 2, Timor. M. Wienecke et M. Zijnen Wartel (C.).
c. 1, Billiton.

Trochus obeliscus, var. *acuta* Lamarck.

a. 3, Océan indien.
b. 1, Détroit de Larantoeka. M. Semmelink (C.).
c. 3, Amboine. M. Hoedt (C.).
d. 3, Timor. M. Zijnen Wartel (C.).
e. 1, Patrie inconnue. Collection Hoogeveen (P.).

Trochus triserialis Lamarck.

a. 1, Patrie inconnue. Collection Voigt.

Trochus fenestratus Gmelin.

a. 8, Océan indien.
b. 7, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 2, Madoera. Mad^{e}. Mangold (C.).
d. 4, Détroit de Larantoeka. M. Semmelink (C.).
e. 6, Timor. M. Zijnen Wartel et M. Wienecke (C.).

Digitized by Google

f. 2, Amboine. M. Hoedt (C.).
g. 1, Waigéoe. M. Bernstein (C.).
h. 4, (alc.) Amboine. M. Forsten (C.).
i. 4, (alc.) Océan indien.

Trochus noduliferus Lamarck.

a. 1, Mer rouge. Collection Voigt.
b. 2, (alc.) Océan indien. Cabinet Brugmans.

Trochus mauritianus Gmelin.

a. 1, Patrie inconnue.

Trochus architectonicus A. Adams.

a. 1, Patrie inconnue. Collection Hoogeveen (P.).

LAMPROSTOMA.

Trochus maculatus Linné.

a. 13, Océan indien.
b. 1, Banka. M. van den Bossche (P.).
c. 2, Billiton.
d. 7, Détroit de Larantoeka. M. Semmelink (C.).
e. 12, Timor. M. Zijnen Wartel et M. Wienecke (C.).
f. 6, Amboine. M. Hoedt (C.).
g. 1, Batjan. M. Bernstein (C.).
h. 1, Waigéoe. M. Bernstein (C.).
i. 2, Variété. Côte de Java, Tjilatjap. M. Overdijk (C.).
j. 1, Variété. Côte de Sambas. Expédition de Bornéo, 1893-'94.
k. 2, Variété. Océan indien.
l. 1, (alc.) Amboine. M. Forsten (C.).

Trochus maculatus, var. *verna* Gmelin.

a. 1, Côte septentionale de Java, Bezoekie. M. Semmelink (C.).

Trochus maculatus, var. *tentorium* Gmelin.

a. 1, Timor. M. Zijnen Wartel (C.).
b. 1, Patrie inconnue. Collection Dalen.

Digitized by Google

Trochus maculatus, var. *granosa* Lamarck.

a. 6, Océan indien.
b. 1, Banka. M. van den Bossche (P.).
c. 1, Madoera. Mad^{e}. Mangold (C.).
d. 6, Sumatra. M. S. Müller (C.).
e. 10, Timor. M. Wienecke et M. Zijnen Wartel (C.).
f. 2, Amboine. M. Hoedt (C.).
g. 1, Japon. M. von Siebold (C.).
h. 1, Patrie inconnue.
i. 10, (alc.) Océan indien.
j. 1, (alc.) Amboine. M. Forsten (C.).

Trochus maculatus, var. *sanguinolenta* Chemnitz.

a. 1, Patrie inconnue.

Trochus filiferus Schepman.

a. 1, Océan indien. M. Boie (C.). Type de l'espèce.

Trochus incrassatus Lamarck.

a. 2, Sumatra. M. S. Müller (C.).
b. 4, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 3, Détroit de Larantoeka. M. Semmelink (C.).
d. 1, Timor. M. Wienecke (C.).
e. 1, Iles Obi. M. Bernstein (C.).
f. 1, Amboine. M. Hoedt (C.).
g. 1, Waigéoe. M. Bernstein (C.).
h. 2, Patrie inconnue. Ancien Cabinet.
i. 3, (alc.) Japon. M. von Siebold (C.).
j. 1, (alc.) Iles Solor. M. Semmelink (C.).

Trochus creniferus Kiener.

a. 1, Océan indien.

Trochus squarrosus Lamarck.

a. 1, Patrie inconnue.

Digitized by Google

Trochus Spengleri Chemnitz.

a. 4, Jeunes individus. Océan indien. M. S. Müller (C.).
b. 1, Timor. M. Zijnen Wartel (C.).
c. 2, Patrie inconnue. Collection Hoogeveen (P.).

Trochus crebrigranosus Reeve.

a. 1, Patrie inconnue.

INFUNDIBULUM.

Trochus radiatus Gmelin.

a. 5, Océan indien. Collection Dalen.
b. 25, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 1, Banka. M. van den Bossche (P.).
d. 5, Timor. M. Zijnen Wartel (C.).
e. 3, (alc.) Océan indien.

Trochus chloromphalus Adams.

a. 2, Amboine. M. Hoedt (C.).
b. 1, Timor. M. Zijnen Wartel (C.).
c. 1, Variété. Ancien Cabinet.

Trochus chloromphalus, var. *Mederi* Fischer.

a. 1, Patrie inconnue. Collection Hoogeveen (P.).

Trochus concavus Gmelin.

a. 1, Océan indien. Ancien Cabinet.

Trochus Kochi Philippi.

a. 1, Mer rouge. M. Verreaux (C.).

INFUNDIBULOPS.

Trochus erythraeus Brocchi.

a. 5, Mer rouge. M. Forskål et M. Ruijssenaers (P.).
b. 2, Zanzibar. M. Derx (P.).
c. 1, (alc.) Mer rouge, Djeddah. M. J. A. Kruijt (P.).

Digitized by Google

COELOTROCHUS.

Trochus chathamensis Hutton.

a. 2, Iles Chatham. M. H. Suter, 1905.

CLANCULUS.

CLANCULUS.

Clanculus pharaonius Linné.

a. 8, Mer rouge. M. Ruijssenaers (P.).
b. 2, (alc.) Djeddah. M. J. A. Kruijt (P.).

Clanculus puniceus Philippi.

a. 2, Mayotte. M. M. Pollen et van Dam (C.).
b. 2, Nossi-Bé. M. M. Pollen et van Dam (C.).
c. 1, Japon. M. von Siebold (C.).

Clanculus homalomphalus A. Adams.

a. 2, La Nouvelle-Hollande, Sydney. M. H. Suter, 1897.

Clanculus floridus Philippi.

a. 2, La Nouvelle-Hollande, Sydney. M. H. Suter, 1897.

Clanculus anus Philippi.

a. 2, Mer rouge. Ancien Cabinet.

Clanculus clangulus Wood.

a. 2, La Nouvelle-Hollande, Sydney. M. H. Suter, 1897.

Clanculus miniatus Anton.

a. 3, Cap, Tafelbaai. M. Krauss (C.).
b. 4, Indes occidentales, possessions Danoises et Curaçao. M. M. Kraepelin et Holm et M. Steenberge.

Clanculus Dunkeri Koch.

a. 2, Patrie inconnue. Ancien Cabinet.

Digitized by Google

Clanculus guineënsis Gmelin.

a. 1, Congo.
b. 3, Patrie inconnue. M. Drieling.

Clanculus villanus Philippi.

a. 1, Congo.
b. 1, Patrie inconnue. Collection Voigt.

Clanculus Robertsi Pilsbry.

a. 2, Java. M. Junghuhn (C.).
b. 5, Côte de Java, Tjilatjap. M. Overdijk (C.).

Clanculus unedo A. Adams.

a. 4, Japon. M. von Siebold (C.).

Clanculus gemmulifer Pilsbry.

a. 1, Japon. M. von Siebold (C.).

Clanculus corallinus Gmelin.

a. 8, Méditerranée. M. Cantraine (C.).
b. 4, Corse.

Clanculus cruciatus Linné.

a. 30, Méditerranée. M. Cantraine (C.).
b. 20, Tripoli. M. Cantraine (C.).

Clanculus Jussieui Payraudeau.

a. 50, Méditerranée. M. Cantraine (C.).
b. 25, Tripoli. M. Cantraine (C.).

Clanculus Jussieui, var. *striata* Monterosato.

a. 1, Méditerranée. M. Cantraine (C.).

Clanculus Jussieui, var. *glomus* Philippi.

a. 3, Méditerranée. M. Cantraine (C.).
b. 14, Sardaigne. M. Cantraine (C.).
c. 3, Patrie inconnue.

Digitized by Google

Clanculus microdon Adams.

a. 2, Japon. M. von Siebold (C.).

Clanculus ringens Menke.

a. 2, Patrie inconnue. Ancien Cabinet.

MONODONTA.

MONODONTA.

Monodonta labio Linné.

a. 25, Océan indien.
b. 2, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 2, Banka. M. Buddingh (C.).
d. 2, Billiton.
e. 1, Madoera. Made. Mangold (C.).
f. 4, Détroit de Larantoeka. M. Semmelink (C.).
g. 1, Amboine. M. Hoedt (C.).
h. 1, La Nouvelle-Guinée, Skroe. M. Schädler, 1897 (C.).
i. 1, Côte de Sambas. Expédition de Bornéo, 1893-'94.
j. 1, Singapore. M. Buddingh (P.).
k. 1, Japon. M. von Siebold (C.).
l. 8, Patrie inconnue.
m. 15, (alc.) Océan indien.
n. 3, (alc.) Côte de Java. M. M. Kuhl et van Hasselt (C.).
o. 3, (alc.) La Nouvelle-Guinée. M. Schädler, 1897 (C.).

Monodonta labio, var. *confusa* Tapparone-Canefri.

a. 8, Japon. M. von Siebold (C.).
b. 2, Chine, Amoy. M. G. Schlegel (P.).
c. 50, Patrie inconnue. Collection Dalen.
d. 4, (alc.) Japon. M. von Siebold (C.).
e. 1, (alc.) Chine, Amoy. M. G. Schlegel (P.).

Digitized by Google

Monodonta labio, var. intermédiaire de l'espèce et de la var. *confusa* Tapparone Canefri.

a. 4, Chine, Amoy. M. G. Schlegel (P.).

Monodonta australis Lamarck.

a. 1, Jeune individu. Côte de Natal. M. Krauss (C.).
b. 1, Patrie inconnue. Collection Dalen.

Monodonta canalifera Lamarck.

a. 15, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 3, Célèbes, Gorontalo. M. von Rosenberg (C.).
c. 15, Océan indien. M. Kramer, Ancien Cabinet et Collection Dalen.
d. 5, (alc.) Océan indien. M. M. Kuhl et van Hasselt (C.).

AUSTROCOCHLEA.

Monodonta constricta Lamarck.

a. 4, Patrie inconnue.

Monodonta zebra Menke.

a. 7, Océan indien. Collection Dalen.
b. 1, La Nouvelle-Hollande, Sydney.
c. 5, Patrie inconnue.

Monodonta zebra, var. *multicarinata* Chenu.

a. 2, Océan indien. M. Kramer (P.).
b. 6, La Nouvelle-Hollande, Sydney.

OSILINUS.

Monodonta turbinata Born.

a. 21, Méditerranée. M. Cantraine (C.).
b. 5, Cannes. M. von Maltzan (P.).
c. 1, Algérie, Bougie. M. H. ten Kate, 1886 (C.).
d. 1, (alc.) Méditerranée. M. Cantraine (C.).

Digitized by Google

Monodonta articulata Lamarck.

a. 25, Méditerranée. M. Cantraine (C.).
b. 13, Gênes. M. Cantraine (C.).
c. 7, Cannes. M von Maltzan (P.).
d. 1, Variété. Patrie inconnue. M. Drieling.
e. 4, Patrie inconnue. Ancien Cabinet et Collection Dalen.

Monodonta mutabilis Philippi.

a. 25, Méditerranée. M. Cantraine (C.).

Monodonta crassa Montagu.

a. 11, Angleterre, Falmouth. M. T. A. Verkrüzen, 1873 (C.).
b. 4, (alc.) Patrie inconnue. Cabinet Brugmans.

Monodonta Tamsi Dunker.

a. 15, Archipel du Cap vert. M. Cardoso (C.).

DILOMA.

Monodonta nigerrima Gmelin.

a. 2, Valparaiso. M. Cuming et Cabinet Dalen.

NEODILOMA.

Monodonta aethiops Gmelin.

a. 2, La Nouvelle-Zélande, Lyttelton. M. H. Suter, 1904.
b. 1, Patrie inconnue.

Monodonta lugubris Gmelin.

a. 2, La Nouvelle-Zélande, Lyttelton. M. M. Suter, 1904.

Monodonta subrostrata Gray.

a. 2, La Nouvelle-Zélande, Auckland. M. H. Suter, 1904.

Monodonta morio Troschel.

a. 2, La Nouvelle-Zélande, Auckland. M. H. Suter, 1904.

Digitized by Google

Monodonta porcifera Watson.

a. 2, La Nouvelle-Zélande, Sumner. M. H. Suter, 1904.

Monodonta coracina Troschel.

a. 2, La Nouvelle-Zélande, Wellington. M. H. Suter, 1904.

Monodonta melanoloma Menke.

a. 2, La Nouvelle-Zélande, Sumner. M. H. Suter.

Monodonta melanoloma, var. *plumbea* Hutton.

a. 2, La Nouvelle-Zélande, Sumner et Timam. M. H. Suter, 1904.

Monodonta neritoides Philippi.

a. 3, Japon. M. von Siebold (C.).
b. 1, Patrie inconnue. Ancien Cabinet.
c. 3, (alc.) Japon. M. von Siebold (C.).

CHLORODILOMA.

Monodonta crinita Philippi.

a. 2, Patrie inconnue. Ancien Cabinet.

Monodonta odontis Wood.

a. 1, Maurice. Ancien Cabinet.

OXYSTELE.

Monodonta merula Lamarck.

a. 3, Patrie inconnue. M. M. Kuhl et van Hasselt (C.).

Monodonta tigrina Chemnitz.

a. 2, Jeunes individus. Java. M. M. Kuhl et van Hasselt (C.).
b. 1, Patrie inconnue.
c. 1, (alc.) Océan indien. M. Reinwardt (C.).

Monodonta indecora Philippi.

a. 15, Océan indien?
b. 15, (alc.) Océan indien?

Digitized by Google

Monodonta sagittifera Lamarck.

a. 2, Japon. M. von Siebold (C.).
b. 1, Océan indien. M. M. Kuhl et van Hasselt (C.).
c. 1, Côte de Natal. M. Krauss (C.).
d. 2, Angleterre.
e. 2, Patrie inconnue. Collection Hoogeveen (P.).
f. 15, (alc.) Océan indien. M. M. Kuhl et van Hasselt (C.).
g. 10, (alc.) Cap. M. von Horstock (C.).

Monodonta suavis Philippi.

a. 1, Japon. M. von Siebold (C.).
b. 1, Golfe de Californie. M. Turner.

Monodonta tabularis Krauss.

a. 1, Cap, Tafelbaai. M. Krauss (C.).

Monodonta zonata Wood.

a. 50, Cap. M. von Horstock (C.).

CANTHARIDUS.

CANTHARIDUS.

Cantharidus iris Gmelin.

a. 3, La Nouvelle-Zélande.

Cantharidus pruininus Gould, var. *perobtusa* Pilsbry.

a. 1, Ile Macquarie. M. H. Suter, 1896.

Cantharidus tenebrosus Adams.

a. 2, La Nouvelle-Zélande, Lyttelton. M. H. Suter, 1904.

Cantharidus tenebrosus, var. *Huttoni* Smith.

a. 2, La Nouvelle-Zélande, Lyttelton. M. H. Suter, 1904.

Digitized by Google

Cantharidus pulcherrimus Wood.

a. 2, Patrie inconnue.

Cantharidus purpuratus Martijn, var. *texturata* Gould.

a. 2, La Nouvelle-Zélande, Lyttelton. M. H. Suter, 1904

Cantharidus Lesueuri Fischer.

a. 6, Patrie inconnue. Ancien Cabinet.

Cantharidus sanguineus Gray, var. *coelata* Hutton.

a. 1, La Nouvelle-Zélande, Détroit de Foveaux. M. H. Suter.

Cantharidus dilatatus Sowerby.

a. 2, Bay of Islands. M. H. Suter, 1904.

PHASIANOTROCHUS.

Cantharidus pupillus Hutton.

a. 1, La Nouvelle-Zélande, Lyttelton. M. H. Suter.

Cantharidus badius Wood.

a. 2, La Nouvelle-Hollande. Voyage de M. Péron.

Cantharidus irisodontes Quoy et Gaimard.

a. 3, La Nouvelle-Hollande. Voyage de M. Péron.
b. 14, Patrie inconnue. Ancien Cabinet.

Cantharidus leucostigma Menke.

a. 3, La Nouvelle-Hollande. Ancien Cabinet.

Cantharidus leucostigma, var. *gracilis* Anton.

a. 1, La Nouvelle-Hollande. Ancien Cabinet.

BANKIVIA.

Cantharidus fasciatus Menke.

a. 3, Iles Falkland. M. Hoeninghaus.
b. 19, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

THALOTIA.

Cantharidus conicus Gray.

a. 2, Océan pacifique. Musée de Londres (P.).
b. 2, Australie méridionale. M. H. Suter.
c. 9, Patrie inconnue. Ancien Cabinet et Collection Hoogeveen (P.).

Cantharidus elongatus Wood.

a. 2, Variété. Ile Samao. M. H. ten Kate, 1891 (C.).
b. 1, Variété. La Nouvelle-Guinée, Skroe. M. Schädler (C.).

Cantharidus Wilkiae Sowerby.

a. 2, Patrie inconnue.

Cantharidus zebroides Adams.

a. 1, Patrie inconnue.

Cantharidus japonicus Adams.

a. 5, Japon. M. von Siebold (C.).

Cantharidus indistinctus Wood.

a. 2, Patrie inconnue.

NEOMPHALIUS.

CHLOROSTOMA.

Neomphalius argyrostomus Gmelin.

a. 2, Panama. M. Marguier (C.).
b. 6, Japon. M. von Siebold (C.).
c. 1, Patrie inconnue. Collection Hoogeveen (P.).

Neomphalius nigerrimus Gmelin.

a. 1, Japon. M. von Siebold (C.).

Digitized by Google

Neomphalius rusticus Gmelin.

a. 4, Japon. M. von Siebold (C.).
b. 3, Chine, Amoy. M. G. Schlegel (P.).
c. 2, Banka. M. Buddingh (P.).
d. 1, Jeune individu. Timor. M. Zijnen Wartel (C.).
e. 3, Patrie inconnue.
f. 5, (alc.) Chine, Amoy. M. G. Schlegel (P.).

Neomphalius nigricolor Dunker.

a. 3, Jeunes individus. Japon. M. von Siebold (C.).
b. 3, (alc.) Jeunes individus. Océan indien?

Neomphalius Pfeifferi Philippi.

a. 3, Japon. M. von Siebold (C.).
b. 1, Jeune individu. Patrie inconnue. Ancien Cabinet.

Neomphalius Pfeifferi, var. *achates* Gould.

a. 2, Japon. M. von Siebold (C.).

Neomphalius Carpenteri Dunker.

a. 1, Japon. M. van Siebold (C.).

Neomphalius gallina Forbes.

a. 1, Californie. M. H. B. Preston, 1904.

Neomphalius funebralis Adams.

a. 6, Californie. M. Newcomb (C.).

Neomphalius Lischkei Pilsbry.

a. 1, Japon. M. von Siebold (C.).

Neomphalius pulligo Martijn.

a. 1, Amérique septentrionale, Sitka. Musée de St. Pétersbourg (P.).

Neomphalius rugosus Adams.

a. 3, Mexique, baie de Guaymas. M. H. ten Kate (C.).

Digitized by Google

Neomphalius rugatus Gould.

a. 2, Californie. M. Newcomb (C.).

Neomphalius ater Lesson.

a. 2, Jeunes individus. Détroit de Magellan. M. Krauss.
b. 4, Java? M. M. Kuhl et van Hasselt (C.).

Neomphalius ater, var. *maesta* Jonas.

a. 1, Pérou. M. Cuming (C.).

Neomphalius luctuosus Orbigny.

a. 2, Valparaiso. M. Cuming (C.).

OMPHALIUS.

Neomphalius viridulus Gmelin.

a. 2, Patrie inconnue. Collection Dalen et Cabinet Voigt.

Neomphalius viridulus, var. *reticulata* Wood.

a. 1, Amérique occidentale, St. Elena. M. Cuming (C.).
b. 1, Patrie inconnue. Cabinet Voigt.

Neomphalius quadricostatus Wood.

a. 1, Valparaiso. M. Cuming (C.).

Neomphalius melaleucos Jonas.

a. 1, Pérou. M. Cuming (C.).

Neomphalius scalaris Anton.

a. 1, Surinam. Cabinet Trippenhuis à Amsterdam.
b. 3, Patrie inconnue.

Neomphalius fasciatus Born.

a. 1, Curaçao. M. A. J. van Koolwijk (C.).
b. 1, Aruba. M. A. J. van Koolwijk (C.).
c. 11, Patrie inconnue. Ancien Cabinet.

Digitized by Google

Neomphalius maculostriatus Adams.

a. 9, Surinam. Musée Trippenhuis à Amsterdam.
b. 8, Curaçao. M. A. J. van Koolwijk, 1879 (C.).
c. 2, Patrie inconnue. Collection Hoogeveen (P.).

Neomphalius excavatus Lamarck.

a. 1, Ile St. Thomas. M. Epp (P.).
b. 1, Patrie inconnue. M. Kuhl (P.).

Neomphalius Pfefferi Dunker.

a. 2, Nouvelles Hébrides. M. H. Dohrn (P.).

TEGULA.

Neomphalius pellis-serpentis Wood.

a. 2, Panama. M. Marguier (C.).

GIBBULA.

FORSKÅLIA.

Gibbula magus Linné.

a. 20, Sardaigne. M. Cantraine (C.).
b. 1, Angleterre, Portsmouth. M. le Col. Worthington Wilmer (P.).
c. 1, (alc.) Patrie inconnne. M. M. Kuhl et van Hasselt (C.).

Gibbula declivis Forskål.

a. 6, Mer rouge. M. Ruijssenaers et M. Forskål (C.).
b. 2, Jeunes individus. Mascate. M. H. Fulton.

Gibbula fanulum Gmelin.

a. 9, Méditerranée. M. Cantraine et Cabinet Persoon.

Gibbula pulcherrima A. Adams.

a. 1, Iles Andaman. M. H. B. Preston, 1904.

Digitized by Google

Gibbula guttadauri Philippi.

a. 1, Méditerranée. M. Cantraine (C.).

GIBBULA.

Gibbula albida Gmelin.

a. 8, Méditerranée. M. Cantraine (C.).
b. 9, Adriatique, Zara et Ancone. M. Cantraine (C.).

Gibbula ardens Salis.

a. 40, Méditerranée. M. Cantraine (C.).
b. 5, Tripoli. M. Cantraine (C.).

Gibbula umbilicaris Linné.

a. 27, Méditerranée. M. Cantraine (C.).
b. 20, Cannes. M. von Maltzan (P.).

Gibbula umbilicaris, var. *latior* Monterosato.

a. 1, Méditerranée. M. Cantraine (C.).

PHORCUS.

Gibbula varia Linné.

a. 12, Méditerranée. M. Cantraine (C.).

Gibbula Philberti Recluz.

a. 2, Gènes. M. Cantraine (C.).

Gibbula Richardi Payraudeau.

a. 7, Méditerranée. M. Cantraine (C.).
b. 10, Tripoli. M. Cantraine (C.).
c. 1, Malaga. M. le Col. Worthington Wilmer (C.).

Gibbula divaricata Linné.

a. 25, Méditerranée. M. Cantraine (C.).
b. 2, Jeunes individus. Gènes. M. Cantraine (C.).
c. 8, Cannes. M. von Maltzan (P.).

Digitized by Google

Gibbula divaricata, var. *rarilineata* Michaud.

a. 6, Méditerranée. M. Cantraine (C.).
b. 2, Patrie inconnue.

Gibbula cineraria Linné.

a. 2, Helgoland. M. T. A. Verkrüzen (C.).
b. 13, Angleterre, Falmouth. M. T. A. Verkrüzen, 1873 (C.).
c. 8, Norvège, Christianiafjord et Varangerfjord. M. T. A. Verkrüzen (C.).

Gibbula obliquata Gmelin.

a. 10, Angleterre, Falmouth. M. Mörch et M. T. A. Verkrüzen, 1873 (C.).
b. 8, Méditerranée. Ancien Cabinet.
c. 2, Iles de la Manche.
d. 1, (alc.) Méditerranée. M. Cantraine (C.).

Gibbula obliquata, var. *agathensis* Recluz.

a. 2, Ile Guernsey.
b. 2, Patrie inconnue.

Gibbula Adansoni Payraudeau.

a. 70, Mediterranée. M. Cantraine (C.).

Gibbula Adansoni, var. *turbinoides* Deshayes.

a. 25, Méditerranée. M. Cantraine (C.).

Gibbula nivosa Adams.

a. 7, Méditerranée.

Gibbula tumida Montagu.

a. 4, Norvège, Hammerfest et Dröback. M. T. A. Verkrüzen (C.).
b. 6, Ile Guernsey.
c. 5, Angleterre. M. Kuhl (P.).

Gibbula tumida, var. *Racketti* Payraudeau.

a. 5, Méditerranée. M. Cantraine (C.).

Digitized by Google

Gibbula Coxi Angas.

a. 3, Australie méridionale. M. H. Suter, 1897.

Gibbula capensis Gmelin.

a. 10, Patrie inconnue.

Gibbula cicer Menke.

a. 2, Cap. M. Krauss (C.).
b. 5, Cap.

Gibbula blanfordiana G. & H. Nevill.

a. 2, Ceylan. Collection Hugh Nevill. Co-types.

Gibbula stoliczkana G. & H. Nevill.

a. 1, Ceylan. Collection Hugh Nevill. Co-type.

Gibbula redimita Gould.

a. 2, Ceylan. M. H. B. Preston, 1904.

CANTHARIDELLA.

Gibbula fulminata Hutton.

a. 2, Iles Chatham. M. H. Suter, 1904.

Gibbula nitida Adams & Angas.

a. 4, Détroit de Cook. M. H. Suter, 1904.

Gibbula Suteri E. A. Smith.

a. 2, La Nouvelle-Zélande, Lyttelton. M. H. Suter, 1904.

MONILEA.

Monilea callifera Lamarck.

a. 2, Madoera. Made. Mangold (C.).
b. 1, Japon. M. von Siebold (C.),
c. 1, Patrie inconnue.

Digitized by Google

Monilea preissiana Philippi.

a. 1, Patrie inconnue.

MINOLIA.

Minolia nedyma Melvill.

a. 2, Côte de Mekran. M. H. Fulton.

Minolia gradata Sowerby.

a. 2, Golfe de Perse. M. H. Fulton.

Minolia egena Gould.

a. 2, La Nouvelle-Zélande, Bay of islands. M. H. Suter.

Minolia holdworthana G. H. Nevill.

a. 2, Ceylan. Collection Hugh Nevill, 1904. Co-types.

Minolia impressa Nevill.

a. 2, Ceylan. Collection Hugh Nevill, 1904. Co-types.

Minolia solariiformis Sowerby.

a. 1, Inde, Cochin. M. H. Dohrn (C.).

LIVONA.

Livona pica Linné.

a. 9, Curaçao. M. A. J. van Koolwijk, 1879 (C.).
b. 2, St. Thomas. M. le Dr. Epp (P.).
c. 8, Océan atlantique.
d. 1, (alc.) Iles Bahama. M. A. de Haas, 1885.

PHOTINULA.

Photinula expansa Sowerby.

a. 1, Détroit de Magellan. M. Krauss.

Photinula taeniata Wood.

a. 1, Iles Falkland. M. H. B. Preston, 1904.

Digitized by Google

MARGARITA.

Margarita helicina Fabricius.

a. 20, Groenlande. M. Mörch, M. Israël et Musée de Copenhague (P.).

b. 3, Ile Grand Manan. Smithsonian Institution, 1880 (P.).

c. 8, (alc.) Ile de Spitzbergen, Smeerenburg. Expédition du „Willem Barents" 1878.

Margarita umbilicalis Broderip et Sowerby,

a. 1, Groenlande. M. Mörch.

Margarita undulata Sowerby.

a. 5, Groenlande. M. Mörch.

b. 4, (alc.) Ile de Spitsbergen, Smeerenburg. Expédition du „Willem Barents", 1878.

c. 9, (alc.) Variété. Mer de Barents. Expédition du „Willem Barents" 1878.

Margarita cinerea Couthouy.

a. 5, Groenlande. M. Mörch.

Margarita cinerea, var. *grandis* Mörch.

a. 1, Mer de Barents. Expédition du „Willem Barents" 1878.

b. 1, (alc.) Mer de Barents. Expédition du „Willem Barents" 1878.

Margarita pupilla Gould.

a. 1, Sitka. M. H. Dohrn (C.).

SOLARIELLA.

Solariella albula Gould.

a. 2, Mer de Barents. Expédition „du Willem Barents", 1879.

b. 1, (alc.) Mer de Barents. Expédition du „Willem Barents", 1879.

Digitized by Google

Solariella varicosa Mighels et Adams.

a. 1, (alc.) Mer de Barents. Expédition du „Willem Barents". 1879.

CALLIOSTOMA.

CALLIOSTOMA.

Calliostoma tigris Martijn.

a. 1, La Nouvelle-Zélande, détroit de Foveaux. M. H. Suter, 1905.

Calliostoma punctulatum Martijn.

a. 3, La Nouvelle-Zélande, Lyttelton. M. H. Suter, 1904.

Calliostoma pellucidum Valenciennes.

a. 2, La Nouvelle-Zélande, golfe de Hauraki. M. H. Suter, 1905.

Calliostoma selectum Chemnitz.

a. 2, La Nouvelle-Zélande, détroit de Cook. M. H. Suter, 1905.

Calliostoma tranquebaricum Pfeiffer.

a. 1, (alc.) Japon. M. von Siebold (C.).

Calliostoma Meyeri Philippi.

a. 1, La Nouvelle-Hollande. M. Marguier.

Calliostoma ornatum Lamarck.

a. 1, Japon. M. von Siebold (C.).
b. 1, Patrie inconnue. Collection Voigt.

Calliostoma bicingulatum Lamarck.

a. 4, Patrie inconnue. Collection Hoogeveen.

Calliostoma unicum Dunker.

a. 6, Japon. M. von Siebold (C.).

Digitized by Google

Calliostoma moniliferum Lamarck.

a. 1, Japon. M. von Siebold (C.).

Calliostoma ocellatum Reeve.

a. 2, Karachi. M. H. Fulton.

Calliostoma scobinatum Reeve.

a. 1, Bombay. M. H. Fulton.

Calliostoma canaliculatum Martyn.

a. 2, La Nouvelle-Zélande. Collection Voigt.

Calliostoma annulatum Martijn.

a. 3, Californie. M. Cuming et Collection Voigt.

Calliostoma lima Philippi.

a. 1, Panama. M. Cuming (C.).

Calliostoma eximium Reeve.

a. 1, Panama. M. Cuming (C.).

Calliostoma tricolor Gabb.

a. 1, Californie.

Calliostoma granulatum Born.

a. 9, Méditerranée. M. Cantraine (C.).
b. 2, Golfe de Naples, Tiberi.
c. 1, (alc.) Méditerranée. M. Cantraine (C.).

Calliostoma miliare Brocchi.

a. 3, Norvège, Hardangerfjord, à 60 brasses. M. L. A. Verkrüzen (C.).

Calliostoma zizyphinum Linné.

a. 1, Méditerranée.
b. 2, Corse.

Digitized by Google

Calliostoma zizyphinum, var. *violacea* Monterosato.

a. 1, Méditerranée.

Calliostoma zizyphinum, var. *cingulata* Brocchi.

a. 3, Méditerranée. M. Cantraine (C.).

Calliostoma zizyphinum, var. *conuloides* Lamarck.

a. 2, Angleterre, Torbay.

b. 4, Patrie inconnue. Collection Hoogeveen (P.).

Calliostoma conulum Linné.

a. 5, Méditerranée. M. Cantraine (C.).

b. 3, Naples. M. von Maltzan, 1864 (P.).

Calliostoma conulum, var. *dubia* Philippi.

a. 2, Méditerranée.

Calliostoma Laugieri Payraudeau.

a. 35, Méditerranée. M. Cantraine (C.).

b. 2, Adriatique.

c. 10, Golfe de Gênes. M. Cantraine (C.).

d. 30, Tripoli.

Calliostoma occidentale Mighels et Adams.

a. 1, Norvège, Reykjavik. M. L. A. Verkrüzen (C.).

Calliostoma exasperatum Pennant.

a. 50, Méditerranée. M. Cantraine (C.).

b. 5, Adriatique, Bari.

c. 19, Tripoli.

d. 10, Cannes. M. von Maltzan (P.).

e. 5, Golfe de Lyon. M. Persoon.

Calliostoma striatum Linné.

a. 55, Méditerranée. M. Cantraine (C.).

b. 1, Cannes.

c. 3, Iles de la Manche.

Digitized by Google

Calliostoma Gravesi Forbes.

a. 14, Tripoli.
b. 9, Patrie inconnue.

Calliostoma depictum Deshayes.

a. 3, Méditerranée. M. Cantraine (C.).
b. 1, Tripoli.

Calliostoma turgidulum Brocchi.

a. 6, Méditerranée. M. Cantraine (C.).

Calliostoma aequistriatum Monterosato.

a. 5, Palerme.

Calliostoma Gravinae Monterosato.

a. 2, Méditerranée. M. Cantraine (C.).

Calliostoma unidentatum Philippi.

a. 2, Palerme.

Calliostoma Montagui Wood.

a. 2, Angleterre, Weymouth.

ASTELE.

Calliostoma zonamestum Adams.

a. 1, Collection Voigt.

Calliostoma perspectivum Koch.

a. 1, Méditerranée. M. Cantraine (C.).

TURCICA.

Calliostoma imperiale Adams.

a. 1, Variété. Océan indien. Collection Dalen.

Digitized by Google

BATHYBEMBIX.

Bathybembix argenteonitens Lischke.

a. 2, Japon. M. von Siebold et M. G. B. Sowerby, 1892.

Bathybembix aeola Watson.

a. 1, Japon. M. von Siebold (C.).

EUCHELUS.

EUCHELUS.

Euchelus quadricarinatus Chemnitz.

a. 2, Patrie inconnue. Ancien Cabinet.

Euchelus asper Gmelin.

a. 1, Patrie inconnue.

Euchelus baccatus Menke.

a. 3, Sydney. M. H. Suter, 1897.

Euchelus bellus Hutton.

a. 2, Iles Chatham. M. H. Suter, 1904.

Euchelus bellus, var. *iricolor* Kirk.

a. 1, La Nouvelle-Zélande, Auckland. M. H. Suter.

Euchelus atratus Gmelin.

a. 18, Timor. M. Wienecke et M. Zijnen Wartel (C.).
b. 4, Détroit de Larantoeka. M. Semmelink (C.).
c. 1, Batjan. M. Bernstein, 1863 (C.).
d. 3, Japon. M. von Siebold (C.).
e. 2, (alc.) Océan indien.
f. 3, (alc.) Japon. M. von Siebold (C.).

Euchelus atratus, var. *denigrata* Chemnitz.

a. 1, Japon. M. von Siebold (C.).

Digitized by Google

HYBOCHELUS.

Euchelus fossulatus Souverbie.

a. 1, Océan indien. M. Blume (P.).

DELPHINULIDAE.

DELPHINULA.

Delphinula laciniata Lamarck.

a. 10, Océan indien.
b. 10, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 10, Timor. M. Wienecke et M. Zijnen Wartel (C.).
d. 3, Détroit de Larantoeka. M. Semmelink (C.).
e. 1, Banka. M. van den Bossche (P.).
f. 2, Variété. Amboine. M. Kam.
g. 10, (alc.) Amboine. M. Forsten (C.).

Delphinula laciniata, var. *atrata* Chemnitz.

a. 7, Océan indien. Musée de Paris (P.).
b. 5, Côte de Java, Tjilatjap. M. Overdijk et M. Groen (C.).
c. 3, Amboine. M. Forsten (C.).
d. 1, Timor. M. Zijnen Wartel (C.).
e. 1, (alc.) Océan indien.
f. 1, (alc.) Manipa. M. Hoedt (C.).

Delphinula laciniata, var. *formosa* Reeve.

a. 1, Japon. M. von Siebold (C.).

Delphinula sphaerula Kiener.

a. 1, Patrie inconnue. Collection Zürcher, 1890.

Delphinula distorta Linné.

a. 4, Océan indien. Musée de Paris et Cabinet Raye.

Delphinula tyria Reeve.

a. 1, Patrie inconnue. Ancien Cabinet.

Digitized by Google

LIOTIA.

LIOTIA.

Liotia Peronii Kiener.

a. 1, Philippines. M. Cuming (C.).
b. 1, (alc.) Amboine. M. Forsten (C.).

Liotia Hermanni Dunker.

a. 1, Samoa. M. H. B. Preston, 1905.

Liotia clathrata Reeve.

a. 1, La Nouvelle-Hollande, Port Jackson. M. H. B. Preston, 1905.

Liotia Angasi Crosse.

a. 2, La Nouvelle-Hollande, Port Jackson.

Liotia speciosa Angas.

a. 2, Port Jackson. M. H. B. Preston, 1905.

Liotia discoidea Reeve.

a. 1, Moluques.

Liotia Lodderae Tate.

a. 1, Tasmanie. M. H. B. Preston, 1905.

Liotia granulosa Dunker.

a. 25, Cap. M. Horstock (C.).
b. 2, Tafelbaai. M. Krauss (C.).

ARENE.

Liotia radiata Kiener.

a. 2, Curaçao. M. le Dr. Epp, 1880 (P.).

Liotia muricata Reeve.

a. 1, Océan indien. M. H. B. Preston, 1904.

Digitized by Google

LIOTINA.

Liotia australis Kiener.

a. 1, Patrie inconnue. M. Goldhuis.

UMBONIUM.

Umbonium vestiarium Linné.

a. 26, Halmaheira. M. Bernstein (C.).
b. 53, Patrie inconnue. Collection Hoogeveen (P.).

Umbonium vestiarium, var. *rosea* Lamarck.

a. 6, Océan indien.

Umbonium vestiarium, var. *elegans* Beck.

a. 6, Philippines.

Umbonium depressum Adams.

a. 4, Océan indien.

Umbonium giganteum Lesson.

a. 6, Patrie inconnue.

Umbonium costatum Valenciennes.

a. 2, Japon. M. von Siebold (C.).
b. 3, Variété Japon. M. von Siebold (C.).

Umbonium costatum, var. *elatior* Schrenck.

a. 2, Japon. M. von Siebold (C.).

Umbonium moniliferum Lamarck.

a. 5, Japon. M. von Siebold (C.).
b. 50, Moluques.

Digitized by Google

Umbonium conicum Adams et Reeve.

a. 2, Bornéo, Sarawak. M. H. B. Preston, 1903.

ETHALIA.

Ethalia guamensis Quoy et Gaimard.

a. 1, Patrie inconnue. Cabinet Trippenhuis à Amsterdam.

Ethalia zelandica Hombron et Jacquinot.

a. 2, La Nouvelle-Zélande, Banks' Peninsula. M. H. Suter, 1904.

CHRYSOSTOMA.

Chrysostoma paradoxum Born.

a. 1, Billiton.
b. 2, Détroit de Larantoeka. M. Semmelink (C.).
c. 2, Timor. M. Wienecke et M. Zijnen Wartel (C.).
d. 7, La Nouvelle-Guinée.
e. 8, Iles Cocos. M. M. Kuhl et van Hasselt (C.).
f. 10, Patrie inconnue. Cabinet Dalen et Collection Hoogeveen (P.).

CYCLOSTREMATIDAE.

CYCLOSTREMA.

CYCLOSTREMA.

Cyclostrema Dunkeri Tryon.

a. 1, Japon. M. H. Dohrn (C.).

Cyclostrema novemcarinatum Melvill.

a. 2, Golfe d'Oman, à 156 brasses. M. H. B. Preston, 1906. Co-types.

Digitized by Google

Cyclostrema quinquecarinatum Melvill.

a. 2, Golfe d'Oman, à 156 brasses. M. H. B. Preston, 1906. Co-types.

Cyclostrema porcellanum Tate et May.

a. 2, La Nouvelle-Hollande, Port Jackson.

TUBIOLA.

Cyclostrema cutlerianum Clark.

a. 10, Guernsey. M. H. B. Preston, 1903.

Cyclostrema nitens Philippi.

a. 10, Guernsey. M. H. B. Preston, 1903.

Cyclostrema serpuloides Montagu.

a. 4, Guernsey. M. H. B. Preston, 1903.

Cyclostrema trochoides Jeffreys.

a. 2, Côte de Portugal, à 1095 brasses. M. H. B. Preston, 1906. Co-types.

Cyclostrema affine Jeffreys.

a. 2, Côte de Portugal, à 1095 brasses. M. H. B. Preston, 1906. Co-types.

DARONIA.

Cyclostrema subdisjunctum Adams.

a. 1, Ceylan. M. H. B. Preston, 1904.

THARSIS.

Tharsis romettensis Seguenza.

a. 2, Côte de Portugal, à 1095 brasses. M. H. B. Preston. 1906.

Digitized by Google

TEINOSTOMA.

Teinostoma cancellatum Tate.

a. 1, Australie méridionale. M. H. B. Preston, 1903.

STOMATELLA.

Stomatella imbricata Lamarck.

a. 3, Océan indien. Ancien Cabinet.

Stomatella papyracea Chemnitz.

a. 1, Océan indien. M. Reinwardt (C.).
b. 1, Détroit de Larantoeka. M. Semmelink (C.).

Stomatella elegans Gray.

a. 2, Karachi, bouche de l'Indus.

Stomatella articulata Adams.

a. 4, Japon. M. von Siebold (C.).

Stomatella notata Adams.

a. 1, Timor. M. Zijnen Wartel (C.).

Stomatella japonica Adams.

a. 2, Patrie inconnue. Ancien Cabinet.

Stomatella concinna Gould.

a. 1, Iles Sandwich. M. H. Dohrn (C.).

GENA.

Gena planulata Lamarck.

a. 2, Philippines. M. Cuming (C.).
b. 1, La Nouvelle-Hollande. Musée de l'Université de Leyde.

Digitized by Google

Gena strigosa Adams.

a. 1, La Nouvelle-Hollande. Ancien Cabinet.

BRODERIPIA.

Broderipia iridescens Broderip.

a. 1, Océan pacifique, île Grumwood. M. Cuming (C.).

Broderipia rosea Broderip.

a. 1, Océan pacifique, île Grumwood. M. Cuming (C.).

STOMATIA.

Stomatia phymotis Helbling.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 3, Timor. M. Zijnen Wartel (C.).
c. 3, Philippines. M. Cuming (C.).
d. 1, La Nouvelle-Hollande. Ancien Cabinet.

Stomatia phymotis, var. *obscurata* Lamarck.

a. 1, Japon. M. von Siebold (C.).

Stomatia rubra Lamarck.

a. 2, Japon. M. von Siebold (C.).

HALIOTIDAE.

HALIOTIS.

HALIOTIS.

Haliotis albicans Quoy et Gaimard.

a. 1, Jeune individu. La Nouvelle-Hollande. Ancien Cabinet.

Haliotis cracherodii Leach.

a. 2, Patrie inconnue.

Digitized by Google

Haliotis corrugata Gray.

a. 2, Californie. M. Turner.

Haliotis fulgens Philippi.

a. 2, Californie. M. Prévost.
b. 1, Patrie inconnue. Ancien Cabinet.

Haliotis rufescens Swainson.

a. 1, La Nouvelle-Hollande. M. Prévost.

Haliotis gigantea Chemnitz.

a. 1, Océan indien.
b. 6, Jeunes individus. Japon. M. von Siebold (C.).
c. 1, Jeune individu. Japon, Kanagawa. M. Noordhoek Hegt (C.).
d. 3, Patrie inconnue. M. Goedhuys et Collection Dalen.

Haliotis gigantea, var. *kamschatkana* Jonas.

a. 1, Unalaska. M. von Maltzan (P.). Co-type.

Haliotis gigantea, var. *discus* Reeve.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 2, Patrie inconnue. Collection Dalen.

Haliotis tuberculata Linné.

a. 7, Méditerraneé, golfe de Gênes. M. Cantraine (C.).
b. 15, Patrie inconnue. Ancien Cabinet, Collections Dalen et Hoogeveen (P.).
c. 4, Variété. Méditerranée. M. Cantraine (C.).
d. 2, (alc.) Adriatique. M. Cantraine (C.).

Haliotis tuberculata, var. *lamellosa* Lamarck.

a. 8, Méditerranée. M. Cantraine. (C.).
b. 2, Tripoli.
c. 4, Patrie inconnue. Collection Hoogeveen (P.).

Digitized by Google

Haliotis squamata Reeve.

a. 8, Côte de Java. M. Junghuhn et Made. F. Ader (P.).
b. 12, Tjilatjap. M. Overdijk (C.).

Haliotis rosacea Reeve.

a. 2, Côte de Guinée. M. Pel (C.).
b. 2, Patrie inconnue. Collection Dalen (P.).

Haliotis rubiginosa Reeve.

a. 1, Patrie inconnue. Collection Hoogeveen (P.).

Haliotis varia Linné.

a. 10, Détroit de Larantoeka. M. J. Semmelink, 1863 (C.).
b. 6, Océan indien. M. Reinwardt (C.).
c. 3, Waigéoe et Morotai. M. Bernstein (C.).
d. 1, Batjan. M. Bernstein (C.).
e. 1, Misool. M. Hoedt (C.).
f. 1, Timor. M. Wienecke (C.).
g. 2, Kisser. M. Schädler, 1898 (C.).
h. 2, (alc.) Iles Sanghi. M. Hoedt, 1867 (C.).
i. 1, (alc.) Iles Solor. M. J. Semmelink, 1864 (C.).
j. 1, (alc.) Kisser. M. Schädler, 1898 (C.).
k. 1, (alc.) La Nouvelle-Guinée, Skroë. M. Schädler, 1897 (C.).

Haliotis varia, var. *semistriata* Reeve.

a. 1, Ceylan. M. Cuming (C.).
b. 3, Patrie inconnue. Cabinet Trippenhuis à Amsterdam.

Haliotis varia, var. *pustulifera* Pilsbry.

a. 2, Océan indien. M. Reinwardt (C.).
b. 1, Détroit de Larantoeka. M. Semmelink (C.).

Haliotis pustulata Reeve.

a. 2, Mer rouge. M. Clot Bey (P.).
b. 2, Jeunes individus. Côte de Java. M. Junghuhn (C.).

Digitized by Google

Haliotis nebulata Reeve.

a. 1, Réunion. M. M. Pollen et van Dam (C.).
b. 12, Patrie inconnue.
c. 7, (alc.) Réunion. M. M. Pollen et van Dam (C.).

Haliotis diversicolor Reeve.

a. 9, Japon. M. von Siebold (C.).
b. 1, Japon, Kanagawa. M. Noordhoek Hegt (P.).

Haliotis diversicolor, var. *Gruneri* Philippi.

a. 8, Japon. M. von Siebold (C.).
b. 1, (alc.) Japon. M. von Siebold (C.).

Haliotis glabra Chemnitz.

a. 1, Patrie inconnue. M. Cuming (C.).

Haliotis virginea Chemnitz.

a. 1, Patrie inconnue. Collection Hoogeveen (P.).

Haliotis virginea, var. *Huttoni* Filhol.

a. 1. Iles Auckland. M. H. Suter, 1897.

Haliotis iris Martyn.

a. 1, La Nouvelle-Hollande.
b. 2, La Nouvelle-Zélande, Te Onepote. M. H. Suter, 1904.
c. 1, Jeune individu. Collection Dalen.

Haliotis rugoso-plicata Chemnitz.

a. 1, Australie. M. Cuming (C.).
b. 2, La Nouvelle-Zélande, Te Onepote. M. H. Suter, 1904.

Haliotis midae Linné.

a. 3, Cap. M. Horstock (C.).
b. 2, Patrie inconnue. Collection Dalen.

Digitized by Google

Haliotis sanguinea Hanley.

a. 2, Cap. M. Horstock (C.).
b. 1, Patrie inconnue.

Haliotis naevosa Martyn.

a. 1, Océan indien. M. Reinwardt (C.).

Haliotis Roei Gray.

a. 2, La Nouvelle-Hollande. Voyage de M. Péron.

Haliotis coccoradiata Reeve.

a. 1, Jeune individu. Détroit de Larantoeka. M. J. Semmelink (C.).

Haliotis excavata Lamarck.

a. 1, La Nouvelle-Hollande. Voyage de M. Péron.

PADOLLUS.

Haliotis parva Linné.

a. 8, Cap. M. Horstock et collection Dalen.
b. 3, Variété. Cap. M. Horstock (C.).
c. 1, Patrie inconnue. Collection Hoogeveen (P.).

Haliotis emmae Gray.

a. 1, Patrie inconnue. Ancien Cabinet.

Haliotis tricostalis Lamarck.

a. 1, Océan indien. Ancien Cabinet.

Haliotis pulcherrima Martyn.

a. 3, Iles Lord Hood. M. Cuming et Collection Dalen.

Haliotis ovina Chemnitz.

a. 15, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Patrie inconnue. Collection Dalen.
c. 1, (alc.) Kisser. M. Schädler, 1898. (C.).

Digitized by Google

TEINOTIS.

Haliotis asinina Linné.

a. 11, Océan indien. M. Reinwardt (C.).
b. 1, Billiton.
c. 5, Timor. M. Wienecke (C.).
d. 1, Kisser. M. Schädler, 1898 (C.).
e. 2, Amboine. M. Hoedt (C.).
f. 5, Poeloe-Weh. M. P. J. Buitendijk (C.).
g. 1, Misool. M. Hoedt (C.).
h. 2, (alc.) Iles Solor. M. J. Semmelink (C.).
i. 2, (alc.) Amboine. M. Forsten (C.).
j. 1, (alc.) Sulla-Bessy. M. M. Pollen et van Dam (C.).

PLEUROTOMARIIDAE.

PLEUROTOMARIA.

Pleurotomaria Beyrichi Hilgendorf.

a. 1, Japon, côte de Boshú. M. H. Rolle.

SCISSURELLIDAE.

SCISSURELLA.

Scissurella crispata Fleming, var. *aspera* Philippi.

a. 2, Adventure bank, à 92 brasses. M. H. B. Preston, 1906.

Scissurella costata Orbigny var. *laevigata* Orbigny.

a. 2, Adventure bank, à 92 brasses. M. H. B. Preston, 1906.

SCHISMOPE.

Schismope pulchra Petterd.

a. 1, Australie méridionale, Spencer's golf. M. H. B. Preston 1905.

Digitized by Google

Schismope carinata Watson.

a. 1, Port Jackson. M. H. B. Preston, 1905.

INCISURA.

Incisura lyttletonensis Smith.

a. 6, La Nouvelle-Zélande, Lyttelton harbor. M. H. Suter, 1904.

FISSURELLIDAE.

FISSURELLA.

FISSURELLA.

Fissurella picta Gmelin.

a. 4, Détroit de Magellan. M. Krauss (C.).

Fissurella maxima Sowerby.

a. 2, Valparaiso. M. Cuming (C.).

Fissurella lata Sowerby.

a. 1, Chile, Concepcion. M. Cuming (C.).

Fissurella costata Lesson.

a. 1, Chile. M. Cuming (C.).

Fissurella nigra Lesson.

a. 2, Valparaiso. M. Cuming (C.).

Fissurella limbata Sowerby.

a. 2, Valparaiso. M. Cuming (C.).

Fissurella pulchra Sowerby.

a. 2, Valparaiso. M. Cuming (C.).

Fissurella oriens Sowerby.

a. 2, Valparaiso. M. Cuming (C.).

Digitized by Google

Fissurella latemarginata Sowerby.

a. 1, Pérou. M. Cuming (C.).

Fissurella latemarginata, var. *biradiata* Sowerby.

a. 1, Chile. M. Cuming (C.).

Fissurella crassa Lamarck.

a. 1, Chile. M. Cuming (C.).
b. 2, Patrie inconnue.

Fissurella peruviana Lamarck.

a. 2, Pérou. M. Cuming (C.).
b. 2, Patrie inconnue. M. Verreaux.

Fissurella sp.

a. 1, Patrie inconnue. Collection Dalen.

CREMIDES.

Fissurella virescens Sowerby.

a. 3, Panama et Californie. M. Cuming et M. Verreaux (C.).

Fissurella nigropunctata Sowerby.

a. 2, Iles Gallopagos. M. Cuming (C.).
b. 1, Panama.

Fissurella macrotrema Sowerby.

a. 2, Iles Gallopagos. M. Cuming (C.).

Fissurella asperella Sowerby.

a. 2, Iles Gallopagos. M. Cuming (C.).
b. 1, Patrie inconnue.

Fissurella obscura Sowerby.

a. 2, Iles Gallopagos. M. Cuming (C.).

Digitized by Google

Fissurella nimbosa Linné.

a. 1, Patrie inconnue.

Fissurella nodosa Born.

a. 21, Curaçao. M. A. J. van Koolwijk (P.).
b. 1, St. Thomas. M. F. van Calker, 1866 (C.).
c. 5, Antilles. Ancien Cabinet.
d. 17, Patrie inconnue.
e. 1, (alc.) Jamaïque. M. Cuvier (P.).

Fissurella barbadensis Gmelin.

a. 8, Surinam. Ancien Cabinet.
b. 3, St. Thomas. M. F. van Calker, 1866 (C.).
c. 16, Variété. Surinam. Ancien Cabinet.
d. 20, Patrie inconnue. Collection Hoogeveen (P.).

Fissurella barbadensis, var. *Schrammi* Fischer.

a. 2, Curaçao. M. A. J. van Koolwijk, 1880 (P.).

Fissurella coarctata King.

a. 1, Sénégal. M. Verreaux (C.).

Fissurella nubecula Linné.

a. 9, Méditerranée. M. Cantraine (C.).
b. 3, Alger. M. von Maltzan (P.).

Fissurella sp.

a. 1, Madoera. Made. Mangold (P.).

Fissurella mutabilis Sowerby.

a. 3, Cap. M. M. Kuhl et van Hasselt (C.).
b. 1, Côte de Natal. M. Krauss (C.).
c. 3, Patrie inconnue. Collection Dalen.
d. 3, (alc.) Océan indien. M. Macklot (C.).

Digitized by Google

Fissurella obtusa Sowerby.

a. 6, Libéria, Grand Cape Mount. M. J. Büttikofer (C.).
b. 1, Patrie inconnue. Ancien Cabinet.

CLYPIDELLA.

Fissurella pustula Linné.

a. 4, Patrie inconnue.

Fissurella fascicularis Lamarck.

a. 2, Curaçao. M. A. J. van Koolwijk (P.).
b. 1, Patrie inconnue. Ancien cabinet.

LUCAPINA.

Lucapina cancellata Sowerby.

a. 1, Guyane. Ancien Cabinet.

MEGATEBENNUS.

Megatebennus scutellum Gmelin.

a. 5, Cap. M. M. Kuhl et van Hasselt et Collection Dalen.

Megatebennus incarnatus Krauss.

a. 2, Patrie inconnue. Collection Dalen.

Megatebennus nigritus Sowerby.

a. 2, Côte septentrionale de Tasmanie. M. H. Suter, 1897.

Megatebennus trapezinus Sowerby.

a. 1, Victoria, Western Port. M. H. B. Preston, 1902.

Digitized by Google

MACROSCHISMA.

Macroschisma maximum Adams.

a. 2, Chine. M. Reinwardt et Collection Dalen.

Macroschisma angustatum Adams.

a. 1, Chine. Collection Dalen.

Macroschisma Lischkei Pilsbry.

a. 1, Chine. Collection Dalen.

GLYPHIS.

Glyphis Sieboldii Reeve.

a. 3, Japon. M. von Siebold (C.).
b. 2, Chine.

Glyphis graeca Linné.

a. 30, Méditerranée. M. Cantraine (C.).
b. 4, Cette.
c. 2, Côte d'Angleterre, île Guernsey. Collection Dalen.
d. 2, (alc.) Méditerranée. M. Cantraine (C.).

Glyphis graeca, var. *gibba* Jeffreys.

a. 3, Ile Guernsey.

Glyphis Listeri Orbigny.

a. 5, Surinam. Ancien Cabinet.
b. 5, Curaçao. M. A. J. van Koolwijk, 1880 et M. Epp, 1888 (C.).
c. 3, St. Thomas. M. F. von Calker (P.).

Glyphis sp.

a. 2, Panama, M. Cuming (C.).

Digitized by Google

Glyphis italica Defrance.

a. 5, Méditerranée. M. Cantraine (C.).
b. 3, Adriatique, Triest et Zara. M. Cantraine (C.).
c. 1, Patrie inconnue. Collection Hoogeveen (P.).
d. 3, (alc.) Méditerranée. M. Cantraine (C.).

Glyphis alternata Say.

a. 5, Guyane. Ancien Cabinet.
b. 1, Curaçao. M. Epp, 1888 (C.).

Glyphis alternata, var. *Dysoni* Reeve.

a. 4, Patrie inconnue.

Glyphis alternata, var. *fumata* Reeve.

a. 1, Cayenne. M. Cuming (C.).

Glyphis aspera Eschscholtz.

a. 2, Sitka. M. Dall (P.).

Glyphis inaequalis Sowerby.

a. 2, Iles Gallopagos. M. Cuming (C.).
b. 1, Golfe de Californie. M. Newcomb (C.).

Glyphis inaequalis, var. *pica* Sowerby.

a. 1, Golfe de Californie. M. Newcomb (C.).

Glyphis Rüppellii Sowerby.

a. 3, Patrie inconnue. Ancien Cabinet et M. Ruyssenaers (P.).

Glyphis gibberula Lamarck.

a. 30, Méditerranée. M. Cantraine (C.).
b. 2, Sicile. M. von Maltzan (P.).
c. 4, Côte de Toscan. M. von Maltzan (P.).
d. 1, (alc.) Méditerranée. M. Cantraine (C.).

Digitized by Google

Glyphis ticaonica Reeve.

a. 3, Japon. M. von Siebold (C.).

Glyphis viridula Lamarck.

a. 22, Curaçao. M. A. J. van Koolwijk, 1880 (P.).

Glyphis calyculata Sowerby.

a. 1, Afrique méridionale, Port Alfred. M. H. B. Preston, 1906.

PUNCTURELLA.

Puncturella noachina Linné.

a. 1, Groënland.
b. 3, Islande, Reykjavik. M. T. A. Verkrüzen, 1874 (C.).
c. 3, Christiania-fjord, Dröbak. M. T. A. Verkrüzen, (C.).
d. 3, Vadsö, à 35 brasses. M. T. A. Verkrüzen, 1874 (C.).

Puncturella galeata Gould.

a. 2, Unalaska, à 80 brasses. M. Dall (P.).

Puncturella nobilis Adams.

a. 1, Unalaska, à 80 brasses. M. Dall (P.).

Puncturella Harrisoni Beddome.

a. 2, Australie, Port Jackson. M. H. B. Preston, 1903.

Puncturella profunda Jeffreys.

a. 2, Côte de Portugal, à 1095 brasses. M. H. B. Preston, 1906. Co-types de l'espèce.

EMARGINULA.

Emarginula Huzardi Payraudeau.

a. 7, Méditerranée, Cagliari. M. Cantraine (C.).
b. 2, Mer de Toscan. M. von Maltzan (P.).

Digitized by Google

Emarginula elongata Costa.

a. 9, Méditerranée. M. Cantraine (C.).
b. 1, Sardaigne. M. von Maltzan (P.).
c. 2, Palerme. M. von Maltzan (P.).
d. 2, Iles Lipare, Tiberi. M. von Maltzan (P.).
e. 3, Tripoli.

Emarginula cancellata Philippi.

a. 1, Tripoli.
b. 2, Marseille.

Emarginula fissura Linné.

a. 3, Christiania-fjord, Dröbak. M. T. A. Verkrüzen (C.).
b. 4, La Manche et côte de l'Angleterre.

Emarginula fissura, var. *incurva* Jeffreys.

a. 2, Christiania-fjord, Dröbak. M. T. A. Verkrüzen (C.).

Emarginula Costae Tiberi.

a. 2, Côte d'Italie, Caifassi. M. von Maltzan (P.).
b. 3, Marseille.

Emarginula rosea Bell.

a. 5, La Manche et côte de l'Angleterre, Weymouth. M. von Maltzan (P.).

Emarginula solidula Costa.

a. 2, Alger. M. von Maltzan (P.).
b. 2, Méditerranée. M. Cantraine (C.).

Emarginula bellula Adams.

a. 1, Japon. M. von Siebold (C.).

Emarginula striatula Quoy et Gaimard.

a. 2, Iles Chatham. M. H. Suter, 1904.

Digitized by Google

Emarginula variegata Adams.

a. 1, Détroit de Larantoeka. M. J. Semmelink (C.).

Emarginula fissurata Chemnitz.

a. 1, Patrie inconnue. Ancien Cabinet.

Emarginula scabricostata Adams.

a. 1, Variété. Détroit de Larantoeka. M. J. Semmelink (C.).

SUBEMARGINULA.

SUBEMARGINULA.

Subemarginula octoradiata Gmelin.

a. 1, Curaçao. M. A. J. van Koolwijk, 1872 (P.).
b. 2, Patrie inconnue.

Subemarginula emarginata Blainville.

a. 1, St. Thomas. M. Epp (P.).

Subemarginula tricarinata Born.

a. 4, Timor. M. Wienecke et M. Zijnen Wartel (C.).
b. 1, Détroit de Larantoeka. M. J. Semmelink (C.).
c. 6, Patrie inconnue. Ancien Cabinet.

Subemarginula rugosa Quoy et Gaimard.

a. 3, Côte orientale de Tasmanie. M. H. Suter, 1897.
b. 1, Australie, Port Jackson.
c. 2, Patrie inconnue.

Subemarginula cratitia Adams.

a. 1, Variété. Océan indien. M. M. Kuhl et van Hasselt (C.).

Subemarginula notata Linné.

a. 25, Java, Tjilatjap. M. Overdijk (C.).

Digitized by Google

b. 10, Cap. M. M Kuhl. et van Hasselt (C.).
c. 1, (alc.) Java. M. M. Kuhl. et van Hasselt (C.).

Subemarginula australis Quoy.

a. 1, Tasmanie. M. H. B. Preston, 1906.

TUGALIA.

Subemarginula gigas Martens.

a. 1, Japon. M. M. Sowerby et Fulton, 1906.

Subemarginula decussata A. Adams.

a. 2, Japon. M. M. Sowerby et Fulton, 1906.

Subemarginula parmophoidea Quoy et Gaimard.

a. 2, Iles Chatham. M. H. Suter, 1904.

Subemarginula intermedia Reeve.

a. 2, La Nouvelle-Zélande, Hauraki Gulf. M. H. Suter, 1905.

SCUTUS.

Scutus anatinus Donovan.

a. 1, La Nouvelle-Galles du Sud. M. Turner.
b. 1, La Nouvelle-Zélande. M. Dupont.

Scutus anatinus, var. *australis* Quoy et Gaimard.

a. 2, Australie.

Scutus unguis Linné, var. *corrugata* Reeve.

a. 2, Japon. M. von Siebold (C.).

Digitized by Google

DOCOGLOSSA.

ACMAEIDAE.

ACMAEA.

Acmaea rubella Fabricius.

a. 4, Groenlande. M. Mörch (C.).
b. 5, Terre-neuve, St. John. M. T. A. Verkrüzen, 1876 (C.).
c. 2, Godhavn, à 20 brasses.
d. 1, Hammerfest, à 40 brasses. M. T. A. Verkrüzen, 1874 (C.).

Acmaea virginea Müller.

a. 6, Norvège, Bergen. M. T. A. Verkrüzen (C.).
b. 1, Hammerfest, à 40 brasses. M. T. A. Verkrüzen, 1874 (C.).
c. 10, Christiania-fjord. M. T. A. Verkrüzen, 1871 (C.).
d. 4, Varanger-fjord, à 30 brasses. M. T. A. Verkrüzen, 1874 (C.).
e. 4, Hardanger-fjord, à 60 brasses. M. T. A. Verkrüzen, 1874 (C.).
f. 5, Iles de la Manche. M. von Maltzan (P.).
g. 6, Islande, Reykjavik. M. T. A. Verkrüzen (C.).

Acmaea virginea, var. *conica* Jeffreys.

a. 3, Tripoli. Co-types de l'espèce.

Acmaea virginea var. *alba* Jeffreys.

a. 1, Islande, Reykjavik. M. T. A. Verkrüzen (C.).

Acmaea testudinalis Müller.

a. 29, Norvège, Hammerfest. M. T. A. Verkrüzen, 1874 (C.).
b. 9, Vadsö. M. T. A. Verkrüzen, 1874 (C.).
c. 5, Groënland. M. Mörch (C.).
d. 8, Islande, Reykjavik. M. T. A. Verkrüzen (C.).
e. 7, Écosse, Loch Fyne. M. von Maltzan (P.).
f. 3, Massachusetts.
g. 1, Fundy-bay, Digby gut. M. T. A. Verkrüzen, 1877 (C.).

Digitized by Google

h. 2, Pennsylvanie. M. Cuming (C.).
i. 2, (alc.) Groënland. M. Eschricht.
j. 4, (alc.) Maine, Casco-bay. Smithsonian Institution, 1880 (P.).

Acmaea testudinalis, var. *pallida* Verkrüzen.

a. 12, Norvège, Vadsö, Hammerfest et Bergen. M. T. A. Verkrüzen (C.).
b. 5, Islande, Reykjavik. M. T. A. Verkrüzen (C.).

Acmaea patina Eschscholtz.

a. 4, Iles Aléoutiennes. Smithsonian Institution (P.).
b. 2, Côte d'Alaska. Musée de Lubeck.

Acmaea Cumingi Reeve.

a. 2, Brésil? M. d'Orbigny (C.).

Acmaea spectrum Reeve.

a. 4, Californie, Santa Cruz. M. Newcomb.

Acmaea persona Eschscholtz.

a. 6, Alaska. Smithsonian Institution (P.).
b. 2, Californie. M. Newcomb.

Acmaea persona, var. *digitalis* Eschscholtz.

a. 6, Californie, San Matao. M. Newcomb.
b. 5, Alaska. Musée de Lubeck.

Acmaea pelta Eschscholtz.

a. 4, Iles Aléoutiennes. M. Dall (P.).
b. 2, Alaska. M. H. Suter.
c. 2, Californie. M. Newcomb.

Acmaea pelta, var. *cassis* Eschscholtz.

a. 5, Alaska. Musée de Lubeck.
b. 3, Iles Aléoutiennes. Smithsonian Institution (P.).
c. 2, Californie. M. Newcomb.

Digitized by Google

Acmaea pelta, var. *nacelloides* Dall.

a. 1, Californie, Iles San Nicolas. M. H. B. Preston, 1895.

Acmaea mitra Eschscholtz.

a. 3, Iles Aléoutiennes. Smithsonian Institution (P.).

Acmaea sybaritica Dall.

a. 3, Iles Aléoutiennes. M. Dall (P.).

Acmaea scutum Orbigny.

a. 1, Valparaiso. M. Cuming (C.).
b. 1, Californie. M. Newcomb.
c. 3, Patrie inconnue. M. Verreaux et Collection Dalen.

Acmaea viridula Lamarck.

a. 2, Chile. M. Cuming et Collection Dalen.

Acmaea variabilis Reeve.

a. 2, Chile. M. Cuming et Collection Dalen.

Acmaea araucana Orbigny.

a. 1, Valparaiso. M. Cuming (C.).

Acmaea punctulata Gmelin.

a. 6, St. Thomas.
b. 1, Curaçao. M. Epp, 1888 (P.).
c. 12, Indes occidentales.

Acmaea antillarum Sowerby.

a. 2, St. Thomas.

Acmaea leucopleura Gmelin.

a. 23, Curaçao. M. A. J. van Koolwijk (P.).
b. 4, Patrie inconnue. Collection Dalen.

Digitized by Google

Acmaea cubensis Reeve.

a. 2, Patrie inconnue. Collection Dalen.

Acmaea cubensis, var. *simplex* Pilsbry.

a. 2, St. Thomas.
b. 3, Patrie inconnue. Collection Dalen.

Acmaea Schrenckii Lischke.

a. 10, Japon. M. von Siebold (C.).

Acmaea Schrenckii, var. *concinna* Lischke.

a. 10, Japon. M. von Siebold (C.).
b. 2, Chine, Amoy. M. G. Schlegel (C.).
c. 7, Patrie inconnue. M. Newcomb et Collection Hoogeveen (P.).

Acmaea Heroldi Dunker.

a. 1, Japon. M. von Siebold (C.).

Acmaea Heroldi, var. *conulus* Dunker.

a. 2, Japon. M. von Siebold (C.).

Acmaea Heroldi, var. *pygmaea* Dunker.

a. 1, Chine, Amoy. M. G. Schlegel (C.).

Acmaea conoidalis Pease.

a. 1, Ile Elizabeth. M. Cuming (C.).

Acmaea striata Quoy et Gaimard.

a. 25, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Iles Solor. M. Semmelink, 1864 (C.).
c. 1, Iles Groot-Sangi. M. Schröder (P.).
d. 6, Cap. M. M. Kuhl et van Hasselt (C.).
e. 6, Océan indien. Ancien Cabinet, Cabinet Dalen et Collection Hoogeveen (P.).
f. 1, (alc.) Poeloe-Weh. M. P. J. Buitendijk, 1906 (C.).

Digitized by Google

Acmaea striata, var. *borneënsis* Reeve.

a. 1, (alc.) La Nouvelle-Guinée, Skroë. M. Schädler, 1897 (C.).

Acmaea neglecta Schepman.

a. 1, Flores, détroit de Larantoeka. M. Semmelink (C.).
b. 2, (alc.) Varieté. Poeloe-Weh. M. P. J. Buitendijk, 1906 (C.).

Acmaea saccharina Linné.

a. 16, Océan indien. M. Reinwardt et Mad^e. Mangold.
b. 11, Timor. M. Wienecke et M. Zijnen Wartel (C.).
c. 5, Flores, détroit de Larantoeka. M. Semmelink (C.).
d. 14, Japon. M. von Siebold (C.).
e. 2, Variété. Patrie inconnue.
f. 3, (alc.) Japon. M. von Siebold (C.).

Acmaea saccharina, var. *stellaris* Quoy et Gaimard.

a. 8, Gorontalo. M. von Rosenberg (C.).
b. 1, Iles Andaman, Port Blair. M. Worthington Wilmer (P.).
c. 1, Patrie inconnue.
d. 13, Variété voisine. Côte de Java. M. Junghuhn (C.).
e. 40, Variété voisine. Tjilatjap. M. Overdijk (C.).
f. 3, (alc.) Océan indien. M. M. Kuhl et van Hasselt (C.).

Acmaea saccharina, var. *lanx* Reeve.

a. 11, Patrie inconnue.

Acmaea costata Sowerby.

a. 2, Tasmanie septentrionale. M. H Suter.

Acmaea corticata Hutton.

a. 1, La Nouvelle-Zélande, Lyttelton harbour. M. H. Suter, 1904.

Acmaea lacunosa Reeve.

a. 1, La Nouvelle-Zélande, Lyttelton harbour. M. H. Suter, 1904.

Digitized by Google

? *Acmaea cingulata* Hutton.

a. 2, Détroit de Cook. M. H. Suter, 1905.

Acmaea Helmsi Smith.

a. 2, La Nouvelle-Zélande, Sumner. M. H. Suter, 1904.

? *Acmaea laciniata* Reeve.

a. 3, Iles Chatham. M. H. Suter, 1904.

Acmaea cantharus Reeve.

a. 2, Tasmanie orientale. M. H. Suter, 1897.

Acmaea pileopsis Quoy et Gaimard.

a. 2, La Nouvelle-Zélande, Manakan heads. M. H. Suter, 1905.

Acmaea crucis Tennison Woods.

a. 1, Timor. M. Zijnen Wartel (C.).

Acmaea fragilis Quoy et Gaimard.

a. 1, La Nouvelle-Zélande, Lyttelton harbour. M. H. Suter, 1904.

Acmaea lentiginosa Reeve.

a. 1, Patrie inconnue. Collection Dalen.

SCURRIA.

SCURRIA.

Scurria scurra Lesson.

a. 2, Valparaiso. M. Cuming (C.).

Scurria zebrina Lesson.

a. 1, Valparaiso. M. Cuming (C.).

Digitized by Google

LOTTIA.

Scurria gigantea Gray,

a. 5, Californie. M. Newcomb.
b. 2, Chile. Collection Dalen.
c. 2, Patrie inconnue. Collection Dalen.

PATELLIDAE.

PATELLA.

PATELLA.

Patella ferruginea Gmelin.

a. 9, Méditerranée. M. Cantraine (C.).
b. 1, Palerme. M. Cantraine (C.).
c. 2, Tunis. M. Cantraine (C.).
d. 1, Détroit de Magellan.
e. 4, Patrie inconnue.

Patella vulgata Linné.

a. 5, Côte de l'Angleterre.
b. 2, Norvège, Stavanger-Fjord et Christiania-fjord. M. T. A. Verkrüzen (C.).
c. 1, Variété. Islande.
d. 8, Patrie inconnue. Ancien Cabinet, Cabinet Dalen et Collection Hoogeveen.
e. 3, (alc.) St. Vaast. M. E. Selenka (C.).
f. 1, (alc.) Variété. Marseille. M. Roux.

Patella vulgata, var. *elevata* Jeffreys.

a. 4, Méditerranée.
b. 1, Ile Farö. M. Mörch (P.).
c. 6, Patrie inconnue. Ancien Cabinet et M. J. van der Hoeven (P.).

Digitized by Google

Patella vulgata, var. *athletica* Forbes and Hanley.

a. 2, Ile Guernsey.
b. 1, Méditerranée.

Patella vulgata, var. *major* Dautzenberg.

a. 3, Dublin.

Patella vulgata, var. *depressa* Pennant.

a. 3, Dublin.

Patella coerulea Linné.

a. 20, Méditerranée. M. Cantraine (C.).
b. 3, Cette.
c. 1, Livourne. M. Cantraine (C.).
d. 10, Adriatique, Zara. M. Cantraine (C.).
e. 2, Haiti? M. Ricord.
f. 6, Variété. Méditerranée. M. Cantraine (C.).
g. 6, Variété. Patrie inconnue.
h. 5, (alc.) Méditerranée. M. Cantraine (C.).
i. 6, (alc.) Variété. Marseille. M. Roux.

Patella coerulea, var. *scutellaris* Blainville.

a. 25, Méditerranée. M. Cantraine (C.).
b. 3, Tarent. M. Cantraine (C.).
c. 2, Cette.
d. 2, Cannes.
e. 4, (alc.) Tripoli. M. Cocq van Breugel (P.).

Patella coerulea, var. *aspera* Lamarck.

a. 30, Méditerranée. M. Cantraine (C.).
b. 5, Golfe de Gènes. M. Cantraine (C.).
c. 2, (alc.) Méditerranée. M. Cantraine (C.).

Patella crenata Orbigny.

a. 2, Brésil? M. d'Orbigny (C.).

Digitized by Google

Patella Lowei Orbigny.

a. 10, Cap? M. van Horstok. M. M. Kuhl et van Hasselt (C.).
b. 12, (alc.) Patrie inconnue. M. M. Kuhl et van Hasselt (C.).

Patella candei Orbigny.

a. 1, Cap? M. M. Kuhl et van Hasselt (C.).
b. 2, Patrie inconnue.
c. 1, (alc.) Patrie inconnue.

Patella lusitanica Gmelin.

a. 12, Méditerranée. M. Cantraine (C.).
b. 6, Golfe de Gênes. M. Cantraine (C.).
c. 1, Alger.
d. 4, Sardaigne.
e. 3, (alc.) Marseille. M. Roux.
f. 1, (alc.) Méditerranée. M. Cantraine (C.).

Patella safiana Lamarck.

a. 2, Patrie inconnue. Ancien Cabinet et Collection Dalen.

Patella Adansoni Dunker.

a. 4, Côte de Guinée. M. Pel (P.).
b. 2, Côte du Congo, Musserra. M. P. Kamermann, 1892 (P.).
c. 1, Patrie inconnue.
d. 3, (alc.) Côte de Guinée. M. Pel (P.).
e. 1, (alc.) Côte du Congo, Musserra. M. P. Kamermann, 1892 (P.).

Patella compressa Linné.

a. 8, Cap. M. M. Kuhl et van Hasselt (C.).
b. 22, Patrie inconnue. Cabinet Dalen et Collection Hoogeveen (P.).

Patella miniata Born.

a. 12, Cap. M. M. Kuhl et van Hasselt (C.).
b. 27, Patrie inconnue. Ancien Cabinet, Cabinet Dalen, Collection Hoogeveen et M. J. van der Hoeven (P.).

Digitized by Google

SCUTELLASTRA.

Patella Argenvillei Krauss.

a. 1, Cap. M. M. Kuhl et van Hasselt (C.).
b. 1, Tafelbaai. M. Krauss (C.).

Patella zebra Reeve.

a. 6, Océan indien.
b. 4, Patrie inconnue.
c. 2, (alc.) Côte de Java. M. M. Kuhl et van Hasselt (C.).

Patella barbara Linné.

a. 7, Cap.
b. 1, Tafelbaai. M. Krauss (C.).
c. 3, Iles Falkland. M. von Maltzan (P.).
d. 8, Patrie inconnue. Ancien Cabinet et Collection Dalen.
e. 1, (alc.) Cap. M. van Horstok (C.).

Patella pica Reeve.

a. 1, Madagascar.
b. 25, Variété. Java, Tjilatjap. M. Overdijk, 1865 (C.).
c. 4, Patrie inconnue.

Patella stellaeformis Reeve.

a. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, Madoera. Made. Mangold (P.).
c. 4, Timor. M. Zijnen Wartel (C.).
d. 3, Japon. M. von Siebold (C.).
e. 1, Chine, Amoy. M. Buddingh (P.).
f. 1, Ile Elizabeth. M. Cuming (C.).
g. 2, Patrie inconnue.

Patella stellaeformis, var. *paumotensis* Gould.

a. 1, Tahiti. M. Cuming (C.).

Digitized by Google

Patella granularis Linné.

a. 4, Cap. M. van Horstok (C.).
b. 1, Tafelbaai. M. Krauss (C.).
c. 1, Patrie inconnue.
d. 6, (alc.) Cap. M. van Horstok (C.).

Patella cochlear Born.

a. 5, Cap. M. M. Kuhl et van Hasselt (C.).
b. 4, Patrie inconnue.

Patella granatina Linné.

a. 10, Cap. M. M. Kuhl et van Hasselt (C.).
b. 1, Tafelbaai. M. Krauss (C.).
c. 8, Patrie inconnue. M. Ricord, M. Péron et Collection Dalen.
d. 1, (alc.) Cap. M. van Horstok (C.).

Patella granatina, var. *apicina* Lamarck.

a. 1, Tafelbaai. M. Krauss (C.).
b. 1, Patrie inconnue.

Patella oculus Born.

a. 12, Cap. M. M. Kuhl et van Hasselt (C.).
b. 3, Patrie inconnue.
c. 1, (alc.) Jeune individu. Cap.

Patella longicosta Lamarck.

a. 3, Cap. M. M. Kuhl et van Hasselt (C.).
b. 2, Patrie inconnue.

ANCISTROMESUS.

Patella mexicana Broderip et Sowerby.

a. 1, Mexique, Acapulco. M. Cuming (C.).

Digitized by Google

Patella kermadecensis Pilsbry.

a. 1, Iles Kermadec. M. H. Suter, 1896.

Patella sp.

a. 1, Patrie inconnue.

HELCION.

Helcion pectinatus Born.

a. 5, Cap. Ancien Cabinet.
b. 1, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 17, Patrie inconnue. Ancien Cabinet, Cabinet Dalen et Collection Hoogeveen (P.).
d. 1, (alc.) Cap. M. van Horstok (C.).
e. 1, (alc.) Côte de Java. M. M. Kuhl et van Hasselt (C.).

Helcion pellucidus Linné.

a. 19, Côte d'Angleterre.
b. 2, Islande, Reykjavik. M. T. A. Verkrüzen (C.).
c. 2, Norvège, Christiania-fjord, Dröbak. M. T. A. Verkrüzen (C.).

Helcion pellucidus, var. *laevis* Pennant.

a. 3, Angleterre.
b. 2, Méditerranée. M. Cantraine (C.).

Helcion pruinosus Krauss.

a. 3, Cap. M. M. Kuhl et van Hasselt (C.).
b. 2, False bay. M. Krauss (C.).
c. 9, Patrie inconnue. Collection Hoogeveen (P.).

NACELLA.

NACELLA.

Nacella mytilina Helbling.

a. 3, Détroit de Magellan. M. Krauss et M. von Maltzan (P.).

Digitized by Google

Nacella mytilina, var. *hyalina* Philippi.

a. 2, Patrie inconnue. Cabinet Raye et Collection Dalen.

PATINELLA.

Nacella aenea Martyn.

a. 2, Cap Horn. Ancien Cabinet.
b. 2, Détroit de Magellan. M. von Maltzan (P.).
c. 2, Variété. Collection Dalen et M. Cuming (C.).

Nacella aenea, var. *atramentosa* Reeve.

a. 1, Détroit de Magellan. Ancien Cabinet.

Nacella aenea, var. *deaurata* Gmelin.

a. 1, Détroit de Magellan. M. Krauss (C.).

Nacella aenea, var. *magellanica* Gmelin.

a. 1, Patrie inconnue.

Nacella aenea, var. *venosa* Reeve.

a. 1, Ile Chiloë. M. Cuming (C.).

Nacella fuegiensis Reeve.

a. 1, Cap Horn. M. Cuming (C.).

Nacella clypeater Lesson.

a. 1, Valparaiso. M. Cuming (C.).

HELCIONISCUS.

Helcioniscus ardosiaeus Hombron et Jacquinot.

a. 1, Ile Juan Fernandez. M. Cuming (C.).

Helcioniscus exaratus Nutall.

a. 2, Ile Elizabeth. M. Cuming et Collection Dalen.

Digitized by Google

Helcioniscus articulatus Reeve.

a. 18, Côte de Java, Tjilatjap. M. Overdijk (C.).
b. 1, (alc.) Côte de Java. M. M. Kuhl et van Hasselt (C.).

Helcioniscus testudinarius Linné.

a. 7, Océan indien. M. M. Kuhl et van Hasselt (C.).
b. 16, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 8, Iles Obi. M. Bernstein (C.).
d. 2, Amboine. M. Hoedt (C.).
e. 3, Morotai. M. Bernstein (C.).
f. 4, Halmaheira septentrional. M. Bernstein (C.).
g. 3, Célèbes, Menado. M. Forsten (C.).
h. 5, Misool.
i. 2, (alc.) Côte de Java. M. M. Kuhl et van Hasselt (C.).
j. 4, (alc.) La Nouvelle-Guinée, Skroë. M. Schädler, 1897 (C.).
k. 1, (alc.) Singapore. M. P. J. Buitendijk, 1906 (C.).

Helcioniscus pallidus Gould.

a. 2, Japon. M. von Siebold (C.).
b. 1, Ile Sachalin. M. F. Schmidt (P.).

Helcioniscus nigrolineatus Reeve.

a. 9, Japon. M. von Siebold (C.).
b. 1, (alc.) Japon. M. von Siebold (C.).

Helcioniscus toreuma Reeve.

a. 9, Japon. M. von Siebold (C.).
b. 4, Chine, Amoy. M. Buddingh (P.).

Helcioniscus toreuma, var. *amussitata* Reeve.

a. 11, Japon. M. von Siebold (C.).
b. 6, Chine, Amoy. M. Buddingh et M. G. Schlegel (P.).
c. 1, (alc.) Japon. M. von Siebold (C.).

Digitized by Google

Helcioniscus redimiculum Reeve.

a. 1, Oamaroe. M. H. Suter.
b. 2, Patrie inconnue. Collection Dalen.
c. 2, Jeunes individus? Iles Chatham. M. H. Suter, 1904.

Helcioniscus strigilis Hombron et Jacquinot.

a. 1, Iles Chatham. M. H. Suter, 1897.

Helcioniscus ornatus Dillwyn.

a. 2, La Nouvelle-Zélande, Timaroe. M. H. Suter, 1904.

Helcioniscus ornatus, var. *inconspicua* Gray.

a. 2, La Nouvelle-Zélande, Lyttelton harbour. M. H. Suter, 1904.

Helcioniscus denticulatus Martyn.

a. 2, Détroit de Cook. M. H. Suter, 1904.

Helcioniscus radians Gmelin, var. *pholidota* Lesson.

a. 2, La Nouvelle-Zélande, Te Onepoto. M. H. Suter, 1904.

Helcioniscus radians, var. *argentea* Quoy et Gaimard.

a. 3, La Nouvelle-Zélande, Sumner et Napier. M. H. Suter, 1904.

Helcioniscus radians, var. *Earlii* Reeve.

a. 1, La Nouvelle-Zélande, Te Onepoto. M. H. Suter.

Helcioniscus radians, var. *olivacea* Hutton.

a. 2, La Nouvelle-Zélande, Stonyhurst. M. H. Suter, 1904.

Helcioniscus tramosericus Martyn.

a. 2, Patrie inconnue.
b? 1, Patrie inconnue. Ancien Cabinet.

Helcioniscus stelliferus Gmelin.

a. 2, Détroit de Cook. M. H. Suter, 1904.

Digitized by Google

Helcioniscus flavus Hutton.

a. 1, La Nouvelle-Zélande, île méridionale, Motanau. M. H. Suter, 1897.

Helcioniscus limbatus Philippi.

a. 3, Tasmanie septentrionale. M. H. Suter.
b? 1, Cap? M. M. Kuhl et van Hasselt (C.).

Helcioniscus scalatus Reeve.

a. 1, Patrie inconnue.

Helcioniscus capensis Gmelin.

a. 5, Cap. M. M. Kuhl et van Hasselt (C.).
b. 1, Patrie inconnue.

Helcioniscus eucosmius Pilsbry.

a. 16, Mer rouge. M. Ruyssenaers, 1849 (P.).
b. 25, Côte de Java, Tjilatjap. M. Overdijk (C.).
c. 2, Timor. M. Wienecke, 1863 (C.).
d. 2, Cap. M. M. Kuhl et van Hasselt (C.).
e. 16, Japon. M. von Siebold (C.).
f. 5, (alc.) Côte de Java. M. M. Kuhl et van Hasselt (C.).

Helcioniscus enneagonus Reeve.

a. 10, Côte de Java, Tjilatjap. M. Junghuhn et M. Overdijk (C.).
b. 12, Détroit de Larentoeka. M. Semmelink (C.).
c. 3, Timor. M. Zijnen Wartel (C.).
d. 2, Océan indien. M. S. Müller (C.).

Helcioniscus nimbus Reeve.

a. 1, Patrie inconnne. Collection Dalen.

Digitized by Google

LEPETIDAE.

LEPETA.

LEPETA.

Lepeta coeca Müller.

a. 11, Groenlande. M. Mörch, M. Israël et Musée de Copenhague (P.).
b. 6, Islande, Reykjavik. M. T. A. Verkrüzen (C.).
c. 12, Norvège, Varanger-fjord, Hardanger-fjord et Christians-fjord. M. T. A. Verkrüzen (C.).
d. 1, Alaska, Sitka. M. Dall (P.).

CYCLOBRANCHIA.

Lepeta concentrica Middendorff.

a. 3, Alaska, Sitka. M. Dall et M. H. B. Preston, 1902.

PILIDIUM.

Lepeta fulva Müller.

a. 8, Norvège, Hardanger-fjord et Christians-fjord. M. T. A. Verkrüzen (C.).

LEPETELLA.

Lepetella laterocompressa Rayneval.

a. 2, Adventure bank, à 92 brasses. M. H. B. Preston.

PROPILIDIUM.

Propilidium ancyloides Jeffreys.

a. 3, Hébrides. Expédition du Porcupine.

Digitized by Google

POLYPLACOPHORA.

LEPIDOPLEURIDAE.

LEPIDOPLEURUS.

Lepidopleurus cancellatus Sowerby.

a. 1, Côte d'Angleterre, Weymouth.
b. 1, Norvège, Hammerfest. M. T. A. Verkrüzen, 1874 (C.).

Lepidopleurus fuliginatus Adams et Reeve.

a. 2, Mer de Behring. M. Dall (P.).

Lepidopleurus asellus Spengler.

a. 1, Norvège, Vadsö. M. T. A. Verkrüzen, 1874 (C.).

Lepidopleurus cajetanus Poli.

a. 9, Méditerraneé. M. Cantraine (C.).
b. 2, Golfe de Lyon. M. von Maltzan (P.).
c. 10, (alc.) Méditerranée. M. Cantraine (C.).

Lepidopleurus inquinatus Reeve.

a. 2, (alc.) La Nouvelle-Zélande, Auckland. M. H. Suter.

ISCHNOCHITONIDAE.

ISCHNOCHITONINAE.

SCHIZOPLAX.

Schizoplax Brandtii Middendorff.

a. 2, Iles Aléoutiennes. M. Dall (P.).

Digitized by Google

TONICELLA.

Tonicella marmorea Fabricius.

a. 6, Norvège, Vadsö et Bergen. M. T. A. Verkrüzen, 1874 (C.).
b. 3, Groenlande.
c. 1, Iles Shetland, Lerwick.
d. 4, Islande, Reykjavik. M. T. A. Verkrüzen (C.).
e. 2, Spitzbergen, Smeerenburg. Expédition du Willem Barents, 1878 (C.).
f. 5, Amérique, Fundy-bay et St. John. M. T. A. Verkrüzen (C.).
g. 2, Patrie inconnue. Cabinet Raije et M. von Maltzan (P.).

Tonicella submarmorea Middendorff.

a. 5, Alaska. M. Heller du Musée de Lubeck.

Tonicella lineata Wood.

a. 1, San Francisco. M. von Maltzan (P.).

Tonicella Hartwegii Carpenter.

a. 1, Californie. M. H. B. Preston, 1902.

Tonicella bipunctata Sowerby.

a. 3, Pérou. M. Cuming (C.).

CALLOCHITON.

Callochiton laevis Montagu.

a. 1, Côte de l'Écosse, Oban.

TRACHYDERMON.

Trachydermon cinereus Linné.

a. 2, Côte d'Angleterre. M. Cuming (C.).
b. 3, Baie de Dublin. M. von Maltzan (P.).
c. 5, Norvège, Bergen. M. T. A. Verkrüzen (C.).

Digitized by Google

d. 4, (alc.) Méditerranée. M. Cantraine (C.).
e. 2, (alc.) Ile de Walcheren. M. L. A. J. Burgersdijk (C.).

Trachydermon albus Linné.

a. 17, Norvège, Vadsö, Bergen et Hardanger. M. T. A. Verkrüzen (C.).
b. 14, Islande, Reykjavik. M. T. A. Verkrüzen (C.).
c. 1, Spitzbergen. M. von Heuglin (P.).
d. 5, Groenlande. Museé de Copenhague (P.).
e. 4, Iles Aléoutiennes. M. Dall (P.).
f. 6, (alc.) Spitsbergen et Mer de Barents. Expédition du Willem Barents, 1878 et 1879.

Trachydermon ruber Linné.

a. 1, Côte d'Angleterre. M. Damon.
b. 3, Groenlande. M. Mörch.
c. 7, Islande, Reykjavik. M. T. A. Verkrüzen (C.).
d. 17, Norvège, Vadsö et Hardanger-fjord. M. T. A. Verkrüzen (C.).
e. 1, Iles Shetland, Lerwick. M. von Maltzan (P.).
f. 2, (alc.) Maine, Eastport. Smithsonian Institution, 1880 (P.).
g. 1, (alc.) Groenlande. M. Eschricht (C.).

CHAETOPLEURA.

Chaetopleura peruviana Lamarck.

a. 2, Valparaiso. M. Cuming (C.).

Chaetopleura Hennahi Gray.

a. 2, Pérou. M. Cuming (C.).

Chaetopleura lurida Sowerby.

a. 2, Amérique centrale, Guacomajo. M. Cuming (C.).

Chaetopleura fulva Wood.

a. 2, Espagne. M. Damon.
b. 1, (alc.) Patrie inconnue.

Digitized by Google

Chaetopleura sp.

a. 1, (alc.) Patrie inconnue. M. Brugmans (C.).

DINOPLAX.

Dinoplax gigas Gmelin.

a. 1, Cap. M. Kuhl (C.).

ISCHNOCHITON.

Ischnochiton limaciformis Sowerby.

a. 2, Pérou, îles Lobos. M. Cuming (C.).

Ischnochiton fallax Carpenter.

a. 1, Californie, San Francisco.

Ischnochiton magdalensis Hinds.

a. 1, Martinique? M. Verreaux (C.).

Ischnochiton conspicuus Carpenter.

a. 1, Californie, San Pedro.

Ischnochiton cariosus Carpenter.

a. 1, Australie méridionale, Sultana bay. M. H. B. Preston; 1902.

Ischnochiton stramineus Sowerby.

a. 2, Ile Chiloë. M. Cuming (C.).

Ischnochiton smaragdinus Angas.

a. 2, (alc.) Sydney. M. H. Suter.

Ischnochiton smaragdinus, var. *picturata* Pilsbry.

a. 4, (alc.) Sydney. M. H. Suter.

Digitized by Google

Ischnochiton lentiginosus Sowerby.

a. 2, (alc.) Sydney. M. H. Suter.

Ischnochiton Haddoni Pilsbry.

a. 3, (alc.) Sydney. M. H. Suter.

Ischnochiton crispus Reeve.

a. 3, (alc.) Sydney. M. H. Suter.

Ischnochiton longicymba Quoy et Gaimard.

a. 4, Ile King, détroit de Bass. Musée de Paris (P.).
b? 2, Ile King.
c. 1, (alc.) La Nouvelle-Zélande, Sumner. M. H. Suter, 1894.

Ischnochiton Parkeri Suter.

a. 2, (alc.) Ile Campbell. M. H. Suter.

Ischnochiton fruticosus Gould.

a? 2, La Nouvelle-Hollande. Ancien Cabinet.
b. 2, (alc.) Sydney. M. H. Suter.

Ischnochiton decussatus Reeve.

a. 1, Australie méridionale. M. H. B. Preston, 1903.

Ischnochiton rugulatus Sowerby.

a. 1, Amérique centrale, Puerto Portrero. M. Cuming (C.).

Ischnochiton punctulatissimus Sowerby.

a. 2, Valparaiso. M. Cuming (C.).
b. 2, Golfe de Mexique. M. Cuming (C.).

Ischnochiton Mertensii Middendorff.

a. 1, Sitka. M. Dall (P.)..

Digitized by Google

? Ischnochiton Cooperi Carpenter.

a. 1, Patrie inconnue.

Ischnochiton clathratus Reeve.

a. 2, Californie, San Pedro.

Ischnochiton australis Sowerby.

a. 1, Australie. M. Verreaux (C.).
b. 2, Ile King, détroit de Bass.

Ischnochiton exoptandus Tate.

a. 1, Australie méridionale.

Ischnochiton calliozona Tate.

a. 1, Australie méridionale.

CALLISTOPLACINAE.

CALLISTOCHITON.

Callistochiton leidensis Nierstrasz.

a. 1, (alc.) Porta Santae Elenae. Type de l'espèce.

Callistochiton porosus Nierstrasz.

a. 1, (alc.) Rio Janeiro. Type de l'espèce.

Callistochiton antiquus Reeve.

a. 1, (alc.) Sydney. M. H. Suter.

Callistochiton pulchellus Gray.

a. 3, (alc.) Porta Santae Elenae.

Callistochiton palmulatus Carpenter.

a. 1, Californie, baie de San Pedro. M. H. B. Preston, 1905.

Digitized by Google

NUTTALLINA.

Nuttallina scabra Reeve.

a. 4, Californie, baie de Monterey.
b. 1, Californie. M. Verreaux (C.).
c. 1, Chile? M. H. B. Preston, 1902.

Nuttallina cinerea Poli.

a. 2, Cannes. M. von Maltzan (P.).
b. 1, Patrie inconnue.

MOPALIIDAE.

MOPALIA.

Mopalia lineata Wood.

a. 1, Californie. M. H. B. Preston, 1904.

Mopalia muscosa Gould.

a. 3, Californie. M. Newcomb, M. von Maltzan et M. H. B. Preston, 1904.

Mopalia muscosa, var. *Hindsii* Reeve.

a. 2, Californie. M. Newcomb.

Mopalia lignosa Gould.

a. 1, Sitka. M. Dall (P.).
b. 1, Californie. M. von Maltzan (P.).

Mopalia ciliata Sowerby.

a. 1, Sitka. M. Dall (P.).

Mopalia ciliata, var. *Wosnessenskii* Middendorff.

a. 1, Alaska. Musée de Lubeck.

Digitized by Google

PLAXIPHORA.

PLAXIPHORA.

Plaxiphora terminalis Smith.

a. 1, (alc.) La Nouvelle-Zélande, Lyttelton. M. H. Suter, 1894.

Plaxiphora biramosa Quoy et Gaimard.

a. 1, (alc.) La Nouvelle-Zélande, Te Onepoto. M. H. Suter.

Plaxiphora Suteri Pilsbry.

a. 1, (alc.) La Nouvelle-Zélande, Te Onepoto. M. H. Suter, 1897.

Plaxiphora setigera King.

a. 1, Détroit de Magellan. M. Krauss.
b. 1, Cap Horn. M. Cuming (C.).

FREMBLYA.

Plaxiphora ovata Hutton.

a. 1, (alc.) La Nouvelle-Zélande, Oamaroe. M. H. Suter.

ACANTHOCHITIDAE.

ACANTHOCHITES.

Acanthochites zelandicus Quoy et Gaimard.

a. 1, (alc.) La Nouvelle-Zélande, Lyttelton. M. H. Suter, 1894.

? Acanthochites rubrolineatus Lischke.

a. 1, (alc.) Japon. M. von Siebold (C.).
b. 3, (alc.) Océan indien. M. Macklot (C.).

Acanthochites Defilippii Taparone Canefri.

a. 1, (alc.) Japon. M. von Siebold (C.).

Digitized by Google

Acanthochites penicillatus Deshayes.

a. 4, Maurice. M. Frank.

Acanthochites violaceus Quoy et Gaimard.

a. 1, (alc.) La Nouvelle-Zélande, Auckland. M. H. Suter.

Acanthochites fascicularis Linné.

a. 1, Angleterre.
b. 2, Pays de Galles, Tenby. M. von Maltzan (P.).

Acanthochites discrepans Brown.

a. 2, Iles de la Manche, Guernsey. M. von Maltzan (P.).
b. 2, Sicile. M. von Maltzan (P.).
c. 1, Méditerranée.

Acanthochites Garnoti Blainville.

a. 1, Tafelbaai. M. Krauss (C.).
b? 2, Cap. M. van Horstok (C.).
c? 1, (alc.) Cap. M. van Horstok (C.).

Acanthochites hirudiniformis Sowerby.

a. 1, Iles Gallapagos. M. Cuming (C.).

Acanthochites porosus Burrow.

a. 1, (alc.) La Nouvelle-Zélande, Lyttelton. M. H. Suter, 1894.

Acanthochites sp.

a. 4, Chine, Amoy. M. G. Schlegel (P.).

KATHARINA.

Katharina tunicata Wood.

a. 2, San Francisco. M. von Maltzan (P.).
b. 1, Unalaska. M. von Maltzan (P.).
c. 3, Californie. M. Newcomb.

Digitized by Google

CRYPTOCHITON.

Cryptochiton Stelleri Middendorff.

a. 1, Ile Sachalin. Musée de St. Pétersbourg (P.).

CRYPTOPLAX.

Cryptoplax larvaeformis Burrow.

a. 1, (alc.) Côte de Java.
b. 1, (alc.) Amboine. M. Hoedt (C.).
c. 2, (alc.) Kisser. M. Schädler, 1893 (C.).

CHITONIDAE.

CHITONINAE.

CHITON.

CHITON.

Chiton magnificus Deshayes.

a. 5, Chile, Valparaiso. M. Cuming (C.).

Chiton Cumingi Frembly.

a. 6, Chile, Valparaiso. M. Cuming (C.).
b. 4, Chile. M. Cuming (C.).

Chiton Quoyi Deshayes.

a. 1, Variété? Patrie inconnue.
b. 2, (alc.) La Nouvelle-Zélande, Sumner. M. H. Suter, 1894.
c. 1, (alc.) Manikau harbour. M. H. Suter.

Chiton jugosus Gould.

a. 3, (alc.) Sydney. M. H. Suter, 1897.

Digitized by Google

Chiton canaliculatus Quoy et Gaimard.

a. 1, (alc.) Détroit de Foveaux. M. H. Suter.

Chiton pellis-serpentis Quoy et Gaimard.

a. 2, (alc.) La Nouvelle-Zélande, Sumner. M. H. Suter, 1894.

Chiton Sinclairi Gray.

a. 1, (alc.) La Nouvelle-Zélande, Sumner. M. H. Suter, 1894.

Chiton burmanus Carpenter.

a. 1, Bombay.

Chiton tulipa Quoy et Gaimard.

a. 1, (alc.) Cap. M. van Horstok (C.).

Chiton subfuscus Sowerby.

a. 1, Ile Chiloë. M. Cuming (C.).

Chiton Stokesii Broderip.

a. 1, Santa Elena. M. Cuming (C.).
b. 1, Panama.

Chiton granosus Frembly.

a. 2, Valparaiso. M. Cuming (C.).

Chiton tuberculatus Linné.

a. 1, Indes occidentales, Possessions danoises. M. M. Kraepelin et Holm.
b. 1, St. Thomé. M. van Calker, 1866 (P.).
c. 3, Méditerranée? M. Cantraine (C.).

Chiton olivaceus Spengler.

a. 12, Méditerranée.
b. 6, Naples. M. Cantraine (C.).
c. 5, Sicile, Palerme. M. von Maltzan (P.).

Digitized by Google

Chiton rubicundus Costa.

a. 1, Adriatique. M. von Maltzan (P.).

Chiton laevigatus Sowerby.

a. 1, Californie. M. Verreaux. (C.).

Chiton marmoratus Gmelin.

a. 2, Curaçao. M. A. J. van Koolwijk, 1879 (P.).
b. 1, Patrie inconnue. Collection Raye.

RADSIA.

Chiton Barnesii Gray.

a. 2, Chile, Coquimbo. M. Cuming (C.).

Chiton Goodallii Broderip.

a. 2, Iles Galapagos. M. Cuming (C.).
b. 2, Patrie inconnue.

Chiton sulcatus Wood.

a. 2, Iles Galapagos. M. Cuming (C.).

EUDOXOCHITON.

Eudoxochiton nobilis Gray.

a. 1, (alc.) La Nouvelle-Zélande, Te Onepoto. M. H. Suter, 1897.

TONICIINAE.

TONICIA.

Tonicia confossa Gould.

a. 1, (alc.) Côte occidentale de Java. M. J. F. van Bemmelen, 1894 (C.).

Digitized by Google

Tonicia rubiginosa Hutton.

a. 2, (alc.) Détroit de Foveaux. M. H. Suter.

Tonicia elegans Frembly.

a. 3, Pérou. M. Cuming (C.).

Tonicia chilensis Frembly.

a. 2, Valparaiso. M. Cuming (C.).

Tonicia lineolata Frembly.

a. 3, Valparaiso. M. Cuming (C.).

Tonicia fastigiata Gray.

a. 1, Cap Horn. M. Cuming (C.).
b. 1, Détroit de Magellan.

Tonicia Swainsoni Sowerby.

a. 2, Pérou, Iquiqui.
b. 1, Pérou. M. Cuming (C.).

ACANTHOPLEURA.

Acanthopleura echinata Barnes.

a. 4, Valparaiso. M. Cuming (C.).

Acanthopleura spinosa Bruguière.

a. 4, Océan indien. Voyage de M. Macklot.
b. 1, Java, Tjilatjap. M. Overdijk (C.).
c. 3, (alc.) Timor. M. Wienecke, 1863 (C.).
d. 2, (alc.) La Nouvelle-Guinée, Skroë. M. Schädler, 1897 (C.).
e. 1, (alc.) Amboine. M. Ludeking, 1864 (C.).
f. 1, (alc.) Côte occidentale de Java. M. J. F. van Bemmelen (C.).

Acanthopleura spinigera Sowerby.

a. 5, Mer rouge. M. Ruyssenaers, 1849 (P.).

Digitized by Google

b. 2, Côte occidentale de Sumatra, Padang.
c. 1, Valve intermédiaire énorme. Côte orientale de Sumatra, Tandjong Morawa. M. B. Hagen, 1883 (P.).
d. 1, Cap? M. M. Kuhl et van Hasselt (C.).
e. 1, Patrie inconnue.
f. 1, (alc.) Côte de Java. M. van Hasselt.
g. 1, (alc.) Amboine. M. Lüdeking, 1864 (C.).
h. 2, (alc.) Halmaheira et Morotai. M. Bernstein (C.).
i. 1, (alc.) Iles Sangi. M. Hoedt, 1867 (C.).
j. 1, (alc.) Côte d'Atjeh, Telok Semawé. M. G. A. J. van der Sande, 1895 (C.).
k. 4, (alc.) La Nouvelle-Guinée, Skroë. M. Schädler, 1897 (C.).

Acanthopleura granulata Gmelin.

a. 3, Détroit de Magellan.
b. 1, Cap? M. M. Kuhl et van Hasselt (C.).
c. 4, (alc.) Aruba. M. A. J. van Koolwijk (P.).

SQUAMOPLEURA.

Squamopleura imitator Nierstrasz.

a. 10, (alc.) Ile de Samao. M. H. J. ten Kate (C.).

LIOLOPHURINAE.

LORICA.

LORICA.

Lorica volvox Reeve.

a. 1, Australie, Port Jackson. M. H. B. Preston, 1902.

LORICELLA.

Lorica Angasi Adams et Angas.

a. 1, Australie, Victoria.

Digitized by Google

ENOPLOCHITON.

Enoplochiton niger Barnes.

a. 1, Valparaiso. M. Turner.

ONITHOCHITON.

Onithochiton Lyelli Sowerby.

a. 1, (alc.) Sydney. M. H. Suter.
b. 1, (alc.) Moluques.

Onithochiton undulatus Quoy et Gaimard.

a. 1, La Nouvelle-Guinée.
b. 1, (alc.) La Nouvelle-Zélande, Sumner. M. H. Suter, 1894.

LIOLOPHURA.

Liolophura Gaimardi Blainville.

a. 6, (alc.) Moluques. M. Macklot (C.).
b. 2, (alc.) Sydney.

Liolophura japonica Lischke.

a. 2, Japon. M. von Siebold (C.).
b. 2, (alc.) Japon. M. von Siebold (C.).

Liolophura japonica, var. *tessellata* Pilsbry.

a. 2, (alc.) Moluques. M. Macklot.

Digitized by Google

TABLE ALPHABÉTIQUE

DES GROUPES ET DES ESPÈCES.

A.

abbas (Conus). 34
abbatis (Mitra). 75
abbreviata (Cassis). 179
„ (Pleurotoma). 39
abjecta (Rissoa). 303
Abretia. 3
abyssicola (Rissoa). 302
acanthica (Melania). 261
Acanthina. 155
Acanthochites. 521
Acanthochitidae. 521
Acanthopleura. 526
acanthopterus (Murex). 136
achates (Neomphalius pfeifferi, var.). 462
achatina (Cassis). 181
Achatini. 27
achatinum (Leptopoma). 324
achatinus (Conus). 27
acicula (Eulimella). 392
acicularis (Melanopsis). 270
aciculata (Ocinebra). 144
„ (Terebra). 5
Acinopsis. 301
Acinus. 299
Acirsa. 388
Acmaea. 497
Acmaeidae. 497
Acmella. 351
Acrostoma. 247
Actonia. 302
aculeata (Crepidula). 368
„ (Neritina). 418
Aculeatae 418
aculeatus (Murex). 137
aculeus (Rissoa). 297
acuminata (Ancilla). 57
„ (Olivancillaria). 54
„ (Strigatella). 84
„ (Buccinum undatum, var.) 103
acuminatus (Conus). 18
acupicta (Turricula). 81
acus (Pyramidella). 390
acuta (Hipponyx australis, var.). 363
„ (Odostomia). 391
„ (Trochus obeliscus, var.). 449
acutangula (Turritella duplicata, var.) 245
acutangulus (Conus). 29
„ (Trochus). 449
acuti-marginatus (Cyclophorus). 330
acutissima (Helicina). 397
„ (Melania). 252
adamsi (Ovula). 189
„ (Tudora). 361
Adamsiella. 357
adansoni (Cerithium). 225
„ (Gibbula). 466
„ (Marginella). 61
„ (Patella). 505
adenense (Cerithium). 226
Adeorbiidae. 384
Adeorbis. 384
Admete. 45
adriatica (Ovula). 188
adspersa (Septaria luzonica, var.). 434
adusta (Mitra). 74
adustum (Cerithium). 232
adustus (Murex). 138
adversus (Paxillus). 348
aegrota (Purpura). 149
aegrotus (Conus). 21
aenea (Nacella). 509
aeola (Bathybembix). 474
aequistriatum (Calliostoma). 473
aerea (Melania). 253
„ (Paludomus loricatus, var.). 271
aetarum (Cyclophorus). 330
aethiopica (Phasianella). 437
aethiopicus (Yetus). 66
aethiops (Monodonta). 457
Aferulus. 332
affine (Cyclostrema). 479

Digitized by Google

affinis (Cyclophorus). 331
„ (Murex). 137
„ (Purpura). 150
„ (Ranella). 173
„ (Terebra). 3
„ (Turricula). 83
afra (Melania hollandri, var.). 246
„ (Neritina). 419
africana (Littorina). 280
africanus (Triton). 167
Agaronia. 54
agassizi (Cistula). 358
agathensis (Gibbula obliquata, var.). 466
Agathirses. 242
agglutinans (Helicina). 397
agnata (Melania hollandri, var.). 246
alabatensis (Cyclophorus). 330
ala-papilionis (Natica). 373
alata (Scalaria). 386
alatus (Potamides). 236
„ (Strombus). 212
alba (Acmaea virginea, var.). 497
„ (Rissoa cimex, var.). 300
albella (Rissoa). 296
albescens (Melania). 254
„ (Nassa). 113
albicans (Haliotis). 481
albicilla (Nerita). 404
albida (Gibbula). 465
„ (Terebra). 2
albina (Pleurotoma). 38
albisulcata (Ancilla). 57
albo-callosa (Ancilla). 58
albocingulata (Triton tuberosus, var.). 170
albolabris (Pentadactylus ricinus, var.). 157
albolineata (Scalaria). 388
albomarginata (Terebra). 6
albotuberculata (Drillia). 40
albuginosa (Cyprnea). 206
albula (Solariella). 469
albumen (Natica). 379
albus (Trachydermon). 516
Alcadia. 400
Alcithoë. 68
alderi (Rissoa). 303
Alectryon. 112
algeriana (Rissoa). 298
algoensis (Cypraea). 203
Alora. 239
alternata (Glyphis). 492
altivagus (Cyclophorus). 329
altus (Coptochilus). 340
aluco (Cerithium). 231
Alvania. 298
alveare (Pleurocera). 272
alveolata (Engina). 108
„ (Purpura). 151
alveolus (Conus). 26
Alvinia. 301
Alycaeidae. 342
Alycaeus. 342
amabilis (Melania). 256
„ (Rissoa). 303
amadis (Conus). 18
Amaea. 388
amaliae (Helicina). 397
amanda (Choanopoma hillianum, var.). 356
amarula (Melania). 261
Amathina. 365
Amaura. 383
ambidextra (Melania japonica, var.). 248
ambigua (Mitra). 74
„ (Nassa). 121
ambiguus (Conus). 11
„ (Murex nigritus, var.). 142
„ (Potamides). 236
amboinensis (Cyclotus). 335
ambustus (Fusus). 89
americana (Buccinum undatum, var.). 102
Amethystina. 385
Ammirales. 17
ammiralis (Conus). 17
Amnicola. 309
Amoria. 69
Amphicyclotus. 338
Amphinerita. 412
Amphiperas. 187
amphorella (Strigatella). 85
ampla (Ancilla). 58
„ (Natica). 376
ampullacea (Ampullaria). 319
Ampullaria. 317
Ampullariidae. 317
Ampullina. 383
amussitata (Helcioniscus toreuma, var.). 510
Amycla. 123
amygdala (Marginella). 62
„ (Purpura). 153
Anachis. 129
anamallayanum (Cyathopoma). 337
anatinus (Scutus). 496
anatolica (Neritina). 419
Anaulacia. 58
Anaulax. 58
anaxares (Pentadactylus). 159
anazora (Olivella). 56
anceps (Conus). 23
„ (Ranella). 176
Ancilla. 57, 69
ancilla (Voluta). 69
Ancillarina. 58
Ancistromesus. 507
ancyloides (Propilidium). 513
Ancylotus. 276
anemone (Conus). 28
angasi (Liotia). 476
„ (Lorica). 527
Angitrema. 273
anglicana (Cominella). 104
anguina (Tenagodes). 242

Digitized by Google

angularis (Columbella). 130
„ (Paludina). 313
angulata (Melongena galeodes, var.). 99
„ (Oliva). 51
„ (Zidona). 65
angulifera (Littorina). 283
„ (Nassa). 119
„ (Purpura). 154
anguliferus (Murex). 140
angulosa (Neritina). 427
angulosum (Buccinum). 104
angusta (Melania). 256
angustatum (Macroschisma). 491
annulata (Mitra). 77
„ (Nerita chamaeleon, var.). 406
annulatum (Buccinanops). 125
„ (Calliostoma). 471
„ (Craspedopoma) 348
annuliferum (Pleurocera). 273
annulus (Cypraea). 199
anocampta (Platyraphe). 334
anomala (Melongena). 99
anostoma (Coptochilus). 340
anthracina (Melania). 252
„ (Turricula). 84
anthostoma (Alycaeus). 343
antillarum (Acmaea). 499
„ (Cerithium). 227
„ (Helicina) 396
„ (Megalomastoma). 339
„ (Nassa). 121
antiqua (Chrysodomus). 100
„ (Valvata). 316
antiquatus (Hipponyx). 363
antiquus (Callistochiton). 519
„ (Magilus). 162
antonellii (Turricula). 81
anus (Clanculus). 453
„ (Persona). 171
Aphanistylus. 236
Aphera. 44
apicata (Helicina citrinella, var.). 399
„ (Neritina). 424
apicina (Marginella). 62
„ (Patella granatina, var.). 507
Apicularia. 292
Apollo. 175
aponensis (Bithinella). 307
appendiculatus (Cyclophorus). 329
aquatilis (Doryssa). 263
„ (Triton). 165
aquilus (Cyclophorus). 331
Aquillus. 167
arabica (Cypraea). 196
arabicula (Cypraea). 197
araneosa (Oliva). 50
araucana (Acmaea) 499
arboricola (Littorina). 284
archiepiscopus (Conus). 34
archithalassa (Conus ammiralis, var.). 17
architectonicus (Trochus). 450
arcta (Nerita insculpta, var.). 412
arctecava (Melania). 254
arctica (Littorina). 279
arcularia (Nassa). 111
ardens (Gibbula). 465
ardosiaeus (Helcioniscus). 509
arenaria (Rissoa). 297
arenarius (Vermetus). 240
Arenati. 18
arenatus (Conus). 18
Arene. 476
arenosa (Cypraea). 194
„ (Turricula). 88
areola (Cassis). 180
argentea (Helcioniscus radians, var.). 511
argenteonitens (Bathybembix). 474
argenvillei (Patella). 506
Argobuccinum. 171
argus (Cypraea). 191
„ (Nerita). 418
„ (Terebra). 6
„ (Triton). 171
argyrostomus (Neomphalius). 461
„ (Turbo). 439
Ariadna. 239
Aricia. 194
Arinia. 343
aristophanes (Conus coronatus, var.). 15
armata (Cynodonta). 96
„ (Tudora). 361
armatum (Astralium). 446
„ (Cerithium). 226
armigera (Purpura). 150
armigerum (Pleurocera). 274
armillata (Melania). 263
Arrhoges. 223
arthuri (Melania). 257
articularis (Harpa). 59
articulata (Monodonta). 457
„ (Stomatella). 480
„ (Tropidophora). 358
articulatum (Cerithium). 231
articulatus (Helcioniscus). 510
artuffeli (Cypraea). 203
asellus (Cypraea). 203
„ (Lepidopleurus). 514
asinina (Haliotis). 486
Aspa. 175
Aspella. 176
asper (Euchelus). 474
„ (Pentadactylus). 158
aspera (Glyphis). 492
„ (Neritina). 427
„ (Patella coerulea, var.). 504
„ (Scissurella crispata, var.). 486
„ (Terebra). 6
asperata (Melania). 250
asperella (Cancellaria). 44
„ (Fissurella). 488

Digitized by Google

Asperi. 29
asperula (Melania lirata, var.). 264
asperulata (Neritina). 418
asperulus (Neocyclotus). 338
asperum (Cerithium). 231
aspirans (Melania). 253
Assiminea. 321
Assimineidae. 321
Astele. 473
astericola (Stylifer). 389
Astralium. 445
astyages (Mitra). 78
Astyris. 131
ater (Faunus). 267
„ (Neomphalius). 463
athletica (Patella vulgata, var.). 504
Atilia. 131
atra (Doryssa). 265
„ (Paludina). 312
atramentosa (Nacella aenea, var.). 509
atrata (Delphinula laciniata, var.). 475
„ (Nerita). 413
atratum (Cerithium). 225
atratus (Euchelus). 474
atricapillum (Leptopoma). 325
attenuata (Turritella). 245
augur (Conus). 23
augustae (Tudora). 361
Aulacopoma. 337
Aulica. 68
aulicus (Conus). 35
Aulopoma. 333
aurantia (Littorina obtusata, var.). 280
„ (Marginella). 60
„ (Mitra). 75
„ (Natica). 377
„ (Pterocera). 221
aurantiaca (Omphalotropis). 350
aurantiacus (Cyclophorus). 331
aurantius (Conus). 16
aurata (Conus aulicus, var.). 35
aureola (Lucidella). 401
aureus (Conus). 32
auricomum (Choanopoma). 357
auricularia (Olivancillaria). 54
auriculata (Crucibulum scutellatum, var.). 366
auriculata (Neritina). 414
Auriculatae. 414
auriculatum (Megalomastoma). 339
auriculatus (Cyclotus). 337
auriculifera (Drillia). 40
auriscalpium (Rissoa). 294
auris-cati (Pyramidella). 391
auris-dianae (Strombus). 215
aurisiacus (Conus). 31
aurita (Scalaria). 387
auritus (Claviger). 266
„ (Pomatias). 350
aurora (Cypraea). 200
Ausoba. 66
austeni (Opisthostoma). 345
austenianus (Cataulus). 340
australis (Ancilla). 58
„ (Conus). 29
„ (Hipponyx). 363
„ (Ischnochiton). 519
„ (Liotia). 477
„ (Monodonta). 456
„ (Nassa). 113
„ (Nerita polita, var.). 411
„ (Oliva). 52
„ (Phasianella). 436
„ (Potamides). 236
„ (Scutus anatinus, var.). 496
„ (Struthiolaria). 223
„ (Subemarginula). 496
„ (Surcula). 37
„ (Triton). 164
Austrocochlea. 456
Austrofusus. 102
avellana (Neritina). 428
„ (Persicula persicula, var.). 63
avena (Marginella). 63
axicornis (Murex). 139

B.

babylonia (Pleurotoma). 37
„ (Terebra). 6
baccatus (Euchelus) 474
bachmanni (Georissa) 403
bacillum (Turritella). 245
bacillus (Terebra). 8
bacqueanum (Stoastoma) 402
baculum (Goniobasis). 275
badia (Rissoa). 299
badius (Cantharidus). 460
bairdi (Theobaldius). 328
Baizea. 306
balanoidea (Ampullaria). 320
balanoides (Mitrularia equestris, var. tortilis, mut.). 364
balteata (Ancilla). 58
„ (Janthina). 385
„ (Nassa). 118
„ Tritonidea). 106
balteatus (Conus). 15
„ (Murex). 143
„ (Potamides). 235
balteolata (Turricula). 79
baltica (Neritina fluviatilis, var.). 432
bandana (Conus marmoreus, var.). 9
bangueyensis (Georissa). 402
Bankivia. 460
banksianus (Colobostylus). 363
banksii (Murex). 139
„ (Turritella). 245
barbadensis (Conus). 15
„ (Fissurella). 489
„ (Mitra). 72

Digitized by Google

barbara (Patella). 506
barclayana (Tropidophora). 352
baritense (Opisthostoma). 345
„ (Diplommatina). 346
Barleeia. 305
barnesii (Chiton). 525
Bathybembix. 474
bathyraphe (Terebra). 5
Batillus. 441
batyanensis (Cyclotus). 336
becki (Neritina). 417
beddomei (Spiraculum). 334
Bela. 41
belangeri (Dorsanum) 124
Belgrandia. 307
bella (Turricula). 82
bellicosa (Melania). 261
bellula (Emarginula). 494
„ (Helicina). 395
bellulum (Lagochilus). 326
bellus (Euchelus). 474
„ (Murex). 135
bengalensis (Paludina) 313
bermondiana (Paludina). 314
bernardi (Melania). 252
„ (Tenagodes). 242
bernardii (Conus). 26
bernhardi (Nerita). 407
bernsteini (Cyclotus). 336
bertini (Choanopoma). 355
bertrandi (Mangelia). 41
betulinus (Conus). 12
beyrichi (Pleurotomaria). 486
bezoar (Rapana). 146
Bezoardica. 179
bicallosa (Cypraea). 207
bicanaliculata (Neritina). 415
„ (Pupina). 341
bicarinata (Trichotropis). 239
„ (Tropidophora). 352
Bicatillus. 366
bicincta (Oliva inflata, var.). 47
bicinctus (Semisinus). 266
bicingulata (Turritella). 243
bicingulatum (Calliostoma). 470
bicolor (Leptopoma vitreum, var.). 323
„ (Murex). 141
„ (Nassa). 114
„ (Neritina). 429
biconicus (Pentadactylus). 159
bicornis (Cypraea mus, var). 198
bicostalis (Purpura). 150
bifasciata (Nassa incrassata, var.). 121
„ (Natica). 378
bifrons (Terebra). 5
bilabiata (Truncatella). 322
bilabiatum (Ctenopoma). 357
bilabiatus (Pterocyclus). 333
bilineata (Marginella zonata, var.). 63
bilirata (Ditropis). 328
bimaculosa (Nassa). 118
bimarginata (Clavatula). 36
Biplex. 176
biplicata (Olivella). 54
bipunctata (Tonicella). 515
biradiata (Fissurella latemarginata, var.). 488
biramosa (Plaxiphora). 521
birostris (Opisthoporus). 337
bisulcata (Cassis). 178
Bithinella. 307
Bithinia. 309
Bittium. 232
bitubercularis (Purpura). 149
„ (Ranella). 176
bituberculatum (Megalomastoma). 339
Bivonia. 241
blainvillei (Murex cristatus, var.). 143
„ (Purpura). 151
blandiana (Choanopoma lima, var.). 356
„ (Helicina). 395
blanfordi (Cataulus). 340
blanfordiana (Diplommatina). 346
„ (Gibbula). 467
blatta (Melania). 252
bocageana (Cancellaria). 44
boëticus (Conus). 16
boettgeri (Diplommatina). 347
bogensis (Bithinia). 310
boissieri (Bithinia). 310
boivini (Cypraea gangrenosa, var.). 206
„ (Tropidophora). 352
Bolina. 445
Bolinus. 136
bombyx (Litiopa). 290
borealis (Scalaria). 388
„ (Trichotropis). 239
Boreotrophon 133
borneënsis (Acmaea striata, var.). 501
„ (Cyclophorus). 331
„ (Georissa). 402
„ (Melania). 251
bothropoma (Helicina). 397
bougainvillei (Septaria). 434
bovei (Mitra). 73
bracteatus (Triton) 165
brandaris (Murex). 136
brandti (Schizoplax). 514
brasiliana (Voluta). 69
brasilianus (Planaxis). 238
brasiliensis (Olivancillaria). 53
„ (Semisinus). 266
brassica (Murex). 141
brazieri (Rissoa). 304
brevialis (Mesalia). 245
brevicaudatus (Latirus). 93
brevicula (Assiminea). 321
„ (Littorina) 278
breviculum (Cerithium). 229
breviculus (Planaxis). 238

Digitized by Google

brevidentata (Acanthina). 156
brevifrons (Murex calcitrapa, var.). 140
brevis (Melania). 248
„ (Melanopsis buccinoidea, var.). 268
„ (Rissoa variabilis, var.). 292
brevispina (Astralium). 446
„ (Murex). 135
„ (Neritina). 426
Broderipia. 481
broderipiana (Turritella). 244
bronni (Colobostylus). 362
„ (Purpura). 151
brookei (Melania). 251
broti (Alycaeus). 343
brownii (Alcadia). 400
bruguierei (Neritina). 417
„ (Rissoina). 305
brunnea (Pyramidella). 391
brunneus (Conus). 17
brunonis (Diplommatina). 347
bryonia (Pterocera). 220
bubonius (Strombus). 211
buccinata (Pusionella). 86
Buccinanops. 125
Buccinidae. 100
buccinoidea (Melanopsis). 268
buccinoides (Cancellaria). 44
„ (Columbella). 132
Buccinum. 102
bucephala (Melongena). 98
bufo (Purpura). 151
Bufonaria. 174
bufonia (Ranella). 174
Bulbi. 31
bulbiformis (Oliva). 47
bulbosa (Rapana). 146
bulimoides (Cleopatra). 315
bullata (Marginella). 62
bullatus (Conus). 82
„ (Tectarius). 285
Bullia. 125
burmanus (Chiton). 524
Bursa. 174
busanense (Opisthostoma). 345
busanensis (Diplommatina). 346
buschi (Astralium). 448
büttikoferi (Melania). 249
buxeus (Murex). 143
byronensis (Claviger). 266

C.

Caecidae. 246
Caecum. 246
Caesia. 115
caffra (Turricula). 79
cajetanus (Lepidopleurus). 514
calathus (Rissoa). 300
calcadensis (Cataulus). 340
calcar (Acanthina). 156
„ (Astralium). 447
calcitrapa (Murex). 140
calculus (Persicula). 64
californica (Ovula). 189
„ (Ranella) 175
„ (Trivia). 209
californicus (Conus). 13
calida (Helicina). 400
callaöensis (Purpura). 148
Callia. 342
Callianax. 54
callichloros (Leptopoma). 324
callifera (Monilea). 467
Calliostoma. 470
calliozona (Ischnochiton). 519
Callistochiton. 519
Callistoplacinae. 519
Callithea. 81
Callochiton. 515
Callopoma. 444
callosa (Purpura bufo, var.). 151
callospira (Nassa). 113
Calpurnus 190
calyculata (Glyphis). 493
Calyptraea. 369
calyptraeiformis (Calyptraea). 370
Campanile. 232
campanulata (Tropidophora). 352
campbelli (Strombus). 214
canaliculata (Ampullaria). 317
„ (Cassis). 178
„ (Nassa). 118
„ (Purpura). 152
„ (Rissoina). 305
canaliculatum (Calliostoma). 471
„ (Chondropoma). 359
„ (Fulgur). 97
„ (Pleurocera). 272
canaliculatus (Chiton). 524
„ (Dipsaccus). 110
canalifera (Monodonta). 456
canaliferus (Cyclophorus). 329
canalis (Lacuna divaricata, var.). 287
„ (Neritina). 416
canarica (Diplommatina). 347
Canarium. 217
canarium (Strombus). 213
Cancellaria. 43
Cancellariidae. 43
cancellata (Cancellaria). 43
„ (Emarginula). 494
„ (Lucapina). 490
„ (Nassa). 118
„ (Nassa reticulata, var.). 115
„ (Oniscia). 183
„ (Rissoa). 301
„ (Rostellaria). 222
„ (Terebra). 6
„ (Vanikoro). 370
cancellatum (Teinostoma). 480
cancellatus (Conus). 29

Digitized by Google

cancellatus (Lepidopleurus). 514
Cancilla. 77
candei (Patella). 505
candelabrum (Latirus). 93
candida (Cancellaria). 43
„ (Mitra). 77
„ (Oliva ispidula, var.). 53
„ (Rissoa). 303
„ (Turritella). 244
candisata (Ranella). 174
Canidia. 124
canonicus (Conus). 34
canrena (Natica). 373
Cantharidella. 467
Cantharidus. 459
Cantharus. 107
cantharus (Acmaea). 502
Canthidomus. 268
capensis (Cypraea). 208
„ (Gibbula). 467
„ (Helcioniscus). 512
„ (Mitra). 74
„ (Nassa). 119
„ (Phasianella). 437
capillulata (Neritina retifera, var.). 430
Capitanei 19
capitaneus (Conus). 19
capitellum (Cynodonta). 96
capucinus (Murex). 138
Capulidae. 365
Capulus. 365
caput-serpentis (Cypraea). 198
carbonarium (Cerithium). 228
Cardinalia. 449
cardinalis (Conus). 17
„ (Mitra). 71
caricum (Fulgur). 97
carinata (Ampullaria globosa, var.). 318
„ (Littorina). 281
„ (Omphalotropis). 351
„ (Pleurotoma) 39
„ (Rissoa). 302
„ (Schismope). 487
„ (Tropidophora). 353
carinatus (Lanistes). 320
carinella (Realia). 350
carinifera (Goniobasis). 274
„ (Purpura). 154
„ (Syrnolopsis). 307
„ (Tropidophora). 353
„ (Turritella). 245
cariniferus (Latirus). 92
cariosa (Melanopsis). 269
„ (Neritina). 414
cariosus (Ischnochiton). 517
carnea (Ovula). 188
carneola (Cypraea). 194
„ (Oliva). 53
carneolata (Voluto'yria musica, var.). 70
carnicolor (Mitra). 77
carolensis (Purpura). 148
caroli (Cyclotus). 336
„ (Leptopoma). 326
carpenteri (Neomphalius). 462
Casmaria. 180
cassidariaeformis (Siphonalia). 101
Cassididae. 176
cassidiformis (Cancellaria). 45
„ (Cynodonta). 96
cassidula (Lyria). 70
Cassis. 176
cassis (Acmaea pelta, var.). 498
casta (Mitra). 72
castanea (Columbella). 128
„ (Nassa costulata, var.). 116
„ (Nassa incrassata, var.). 121
„ (Rissoa). 297
castaneus (Latirus). 92
„ (Turbo). 441
castelloi (Ampullaria). 317
Cataulus. 340
catena (Natica). 382
catenata (Natica). 374
„ (Persicula). 64
catenulatus (Modulus). 237
catus (Conus). 27
caudatus (Triton). 170
caurica (Cypraea). 194
ceciliae (Conus). 20
cedonulli (Conus). 17
cedo-nulli (Trichotropis). 239
celebensis (Melania). 263
centiquadrata (Cassis abbreviata, var.). 179
ceramensis (Omphalotropis). 351
ceramica (Cynodonta). 96
„ (Pupinella). 341
Ceratodes. 318
Ceratostoma. 145
ceratus (Latirus). 92
cerealis (Columbella). 130
cerina (Neritina fluviatilis, var.). 432
Cerithidea. 234
Cerithiidae. 224
cerithina (Terebra). 8
Cerithium. 224
cernica (Cypraea). 206
cernicus (Turbo). 439
cerotina (Nassa). 119
cervicornis (Murex). 139
cervus (Conus). 32
„ (Cypraea). 190
cetra (Pterocyclus). 333
ceylonicus (Conus). 13
Chaetopleura. 516
chalarostoma (Palaina). 344
chamaeleon (Nerita). 405
Chamalycaeus. 343
chantrei (Melanopsis costata, var.). 269
characteristicus (Conus). 11
Charax. 343

Digitized by Google

charbonnieri (Potamides). 236
chathamensis (Trochus). 453
chelys (Pomatias auritus, var.). 350
chemnitzii (Ampullaria). 348
„ (Natica ampla, var.). 377
„ (Natica marochiensis,var.). 374
Chenopodidae. 223
Chenopus. 223
Chicoreus. 137
childreni (Cypraea). 208
chilensis (Tonicia). 526
chilinoides (Paludomus). 271
chimnoi (Neritina). 425
chinense (Dolium). 184
chinensis (Mitra). 73
„ (Natica). 373
„ (Paludina). 313
chiragra (Pterocera). 231
Chiton. 523
Chitonidae. 523
Chitoninae. 523
chittyanum (Stoastoma). 402
chittyi (Choanopoma). 356
chlorata (Terebra). 1
Chlorodiloma. 458
chloromphalus (Trochus). 452
Chlorostoma. 461
„ (Neritina). 428
chlorostomus (Triton). 165
Choanopoma. 355
chocolata (Purpura). 147
Chondropoma. 358
Chorus. 156
christobalensis (Melania). 255
christovalensis (Neritina). 414
Chromotis. 438
Chrysame. 75
chrysacme (Arinia). 343
„ (Georissa). 403
chrysalis (Mitra). 75
„ (Raphaulus). 340
Chrysodomus. 100
chrysomelina (Persicula). 64
Chrysostoma. 478
chrysostoma (Mitra). 74
„ (Neritina danubialis,var.). 431
chrysostomus (Pentadactylus). 159
„ (Turbo). 440
cicatricosa (Cassis). 179
„ (Mitrularia equestris, var. tortilis, mut.). 364
cicer (Gibbula). 467
cicercula (Cypraea). 208
Cidaris. 438
cidaris (Turbo). 442
ciliata (Mopalia). 520
ciliferum (Lagochilus). 327
cimelium (Melania). 256
cimex (Rissoa). 299
cimicoides (Rissoa). 300
Cincinna. 316
cinclidodes (Cistula). 358
cincta (Melania). 254
„ (Conus pulchellus, var.). 22
cinctella (Leptopoma vitreum, var.). 323
„ (Turricula). 79
cineraria (Gibbula). 466
cinerea (Crucibulum scutellatum, var. tubifera, mut.). 366
cinerea (Cypraea). 192
„ (Margarita). 469
„ (Nuttalina). 520
„ (Terebra). 4
cinereus (Conus). 25
„ (Trachydermon). 515
„ (Urosalpinx). 146
cingillus (Rissoa). 302
Cingula. 302
cingulata (Acmaea). 502
„ (Calliostoma zisyphinum, var.). 472
cingulata (Persicula). 64
„ (Purpura). 151
„ (Turritella). 243
cingulatae (Pleurotoma). 39
cingulatus (Latirus). 93
„ (Triton). 168
cingulifera (Pleurotoma). 38
„ (Terebra). 6
„ (Turritella). 243
Cingulina. 304
cingulum (Solarium). 288
cinnamomea (Ancilla). 57
cinnamomeus (Fusus). 89
circae (Conus magus, var.). 24
circumcincta (Nassa gibbosula, var.). 117
circumcisus (Conus). 30
circumsignata (Conus planorbis, var.). 23
Cirsotrema. 388
cisius (Yetus). 65
Cistula. 358
Cistulidae. 358
citharella (Cythara). 43
citrina (Acanthina crassilabrum, var.). 156
„ (Littorina obtusata, var.). 280
citrinella (Helicina). 399
citrinum (Cerithium). 226
Clanculus. 453
clandestina (Cypraea). 203
clandestinus (Triton). 168
clangulus (Clanculus). 453
classiarius (Conus). 20
clathrata (Liotia). 476
„ (Nassa). 115
„ (Turricula). 83
clathratulum (Otopoma). 352
clathratus (Ischnochiton). 519
„ (Pentadactylus) 157
„ (Trophon). 133
Clathrus. 387

Digitized by Google

claudicans (Chondropoma). 359
clausa (Natica). 375
clava (Melania laevissima, var.). 248
clavator (Triton). 170
Clavatula. 86
clavatula (Cancellaria). 45
Clavella. 90
Claviger. 266
Clavus. 40
clavus (Conus). 30
„ (Melania). 255
„ (Murex). 136
Clea. 124
Cleopatra. 315
Clionella. 36
Clithon. 425
clypeata (Nacella). 509
clypeolum (Septaria tessellata, var.). 435
Clypidella. 490
coarctata (Cassis). 177
„ (Fissurella). 489
„ (Mitra). 75
coccinea (Nerita forskälii, var.). 405
„ (Turricula). 79
coccineus (Conus). 31
coccoradiata (Haliotis). 485
cochlea (Turritella). 245
cochlear (Patella). 507
cochlidium (Melania sobria, var.). 255
„ (Melongena). 98
cocca (Lepeta). 518
coelata (Cantharidus sanguineus, var.). 460
„ (Ranella). 173
coelatum (Astralium). 446
coeloconus (Micraulax). 327
Coelotrochus. 453
coerulans (Mangelia). 41
coerulea (Patella). 504
„ (Surcula). 37
coerulescens (Terebra). 8
coeruleum (Cerithium). 228
coffea (Conus). 20
„ (Cypraea neglecta, var.). 193
collaria (Natica). 375
colliei (Natica). 374
collistricta (Melania). 263
collisus (Conus). 25
coloba (Cypraea variolaria, var.). 195
Colobostylus. 361
colosseus (Semifusus). 99
Colubraria. 164
Colubrellina. 174
colubrinus (Vermetus). 240
columba (Conus). 27
„ (Strombus). 214
Columbarium. 36
Columbella. 126
columbellaeformis (Strigatella). 85
Columbellidae. 126
columbelloides (Cythara). 43
columbiensis (Ampullaria). 317
columellaris (Littorina). 280
„ (Olivella). 56
„ (Purpura). 147
columna (Cerithium). 226
„ (Tudora). 361
columnaris (Natica). 379
„ (Turritella). 244
colus (Fusus). 87
Cominella. 104
commersoni (Melania). 258
communis (Neritina). 422
„ (Scalaria). 387
„ (Turritella). 242
commutata (Scalaria). 387
complanata (Crepidula hepatica, var.). 368
compressa (Patella). 505
„ (Septaria borbonica, var.). 434
„ „ suborbicularis, var.). 435
„ (Septaria tessellata, var.). 436
concatenatus (Pentadactylus). 158
concavospirum (Heteropoma). 351
concavus (Sigaretus). 383
„ (Trochus). 452
concentrica (Helicina). 397
„ (Lepeta). 513
Concholepas. 161
conchyliophora (Xenophora). 370
concinna (Acmaea Schrenckii, var.). 500
„ (Engina). 108
„ (Goniobasis). 275
„ (Nassa). 120
„ (Ranella). 176
„ (Stomatella). 480
„ (Terebra strigilata, var.). 4
„ (Voluta). 69
concinnus (Murex). 134
„ (Turbo). 440
concolor (Conus). 19
„ (Diplommatina). 347
„ (Fasciolaria tulipa, var.). 90
conferta (Neritina unlanensis, var.). 431
confossa (Tonicia). 525
confusa (Monodonta labio, var.). 455
„ (Scalaria). 386
„ (Terebra). 4
congener (Alycaeus). 342
„ (Diplommatina). 347
congicus (Lanistes). 321
conica (Acmaea virginea, var.). 497
„ (Calyptraea). 369
„ (Emmericia patula, var.). 308
„ (Imbricaria). 87
„ (Natica). 378
conicum (Umbonium). 478
conicus (Cantharidus) 461
„ (Paludomus). 271
„ (Potamides). 233
„ (Vermetus). 241

Digitized by Google

Conidae. 8
Conidea. 131
coniformis (Oliva peruviana, var.). 45
„ (Strombus mauritianus, var.). 220
conoidalis (Acmaea). 500
„ (Harpa). 58
„ (Neritina lineolata, var.). 423
conoidea (Cyclotopsis). 352
„ (Odostomia). 392
Conomurex. 219
Conradi (Pleurocera). 273
consobrina (Olivella). 57
„ (Terebra subulata, var.). 8
consors (Conus). 23
conspersus (Conus). 25
conspicuus (Ischnochiton). 517
constricta (Monodonta). 456
constrictus (Latirus). 92
consul (Purpura). 150
contabulata (Admete). 45
contecta (Paludina). 311
contectoides (Paludina). 312
contermina (Helicina). 398
contigua (Melania). 257
contorta (Eulima). 389
„ (Rissoa). 304
conuloides (Calliostoma zizyphinum, var.). 472
conulum (Calliostoma). 472
conulus (Acmaea Heroldi, var.). 500
„ (Solarium). 289
Conus. 8
conus (Imbricaria). 86
convexa (Ditropis). 328
convolutus (Conus). 33
„ (Triton). 170
Cookia. 445
cooperi (Ischnochiton). 519
Coptochilus. 340
coracina (Monodonta). 458
coralium (Cerithium). 226
corallinus (Clanculus). 454
Coralliophila. 161
Coralliophilidae. 161
coreënsis (Turbo granulatus, var.). 443
coriacea (Ranella). 173
cornea (Euthria). 107
„ (Hydrobia). 306
„ (Marginella). 62
„ (Melanopsis acicularis, var.). 270
„ (Mitra). 74
„ (Neritina). 424
„ (Rissoa membranacea, var.). 291
cornicula (Mitra). 74
corniculum (Nassa). 123
„ (Opisthoporus). 337
cornigera (Cynodonta). 95
cornu (Heteropoma). 351
cornucopiae (Neritina crepidularia, var.). 415
cornuta (Cassis). 176
cornutus (Murex). 136
„ (Turbo). 441
coromandeliana (Tritonidea). 106
corona (Melongena). 97
coronaria (Echinella). 286
coronata (Columbella versicolor, var.). 126
„ (Fasciolaria). 91
„ (Melongena morio, var.). 98
„ (Mitra). 75
„ (Nassa). 111
„ (Purpura). 154
„ (Scalaria). 387
coronatus (Conus). 15
„ (Turbo). 443
coronensis (Cyclophorus). 330
coronulata (Cassis). 179
corporosa (Melania). 257
corrugata (Calyptraea radians, var.). 370
„ (Haliotis). 482
„ (Scutus unguis, var.). 496
„ (Turricula). 80
corrugatus (Murex) 139
„ (Triton). 165
corticata (Acmaea). 501
costae (Emarginula). 494
„ (Paludina). 312
costata (Acmaea). 501
„ (Arinia). 344
„ (Cominella). 105
„ (Crepidula aculeata, var.). 368
„ (Fissurella). 487
„ (Harpa). 58
„ (Lyria). 70
„ (Mangelia). 41
„ (Melanopsis). 268
„ (Nerita). 406
„ (Paludina). 314
„ (Purpura). 154
„ (Rissoa). 296
„ (Trivia). 209
„ (Tudora). 361
costatum (Umbonium). 477
costatus (Fossarus). 287
„ (Leptoconchus). 162
„ (Potamides). 236
„ (Potamides tenerrimus, var.). 234
„ (Strombus). 211
Costellaria. 83
costellaris (Melania). 256
„ (Turricula). 80
costellata (Melanopsis cariosa, var.). 269
„ (Truncatella). 323
costularis (Coralliophila). 162
costulata (Canidia). 124
„ (Mangelia). 42
„ (Melania hollandri, var.). 246
„ (Melania pagoda, var.). 261
„ (Nassa). 116
costulatum (Cyclostoma). 354

Digitized by Google

coxi (Gibbula). 467
cracherodii (Haliotis). 481
Craspedopoma. 348
Craspedopomatidae. 348
Craspedotropis. 327
crassa (Ancilla). 57
„ (Fissurella). 488
„ (Harpa minor, var.). 60
„ (Monodonta). 457
„ (Nassa). 122
„ (Paludina). 313
„ (Ranella). 173
„ (Rissoina). 305
crassicauda (Semifusus tuba, var.). 99
crassilabris (Helicina). 399
Crassilabrum. 144
crassilabrum (Acanthina). 156
„ (Ocinebra). 144
Crassispira. 41
crassus (Conus). 11
„ (Turbo). 439
craticulata (Ocinebra). 145
craticulatus (Latirus). 93
„ (Trophon). 133
cratitia (Subemarginula). 495
crebricostata (Goniobasis). 275
crebrigranosus (Trochus). 452
crebrilirata (Turricula). 80
Cremides. 488
crenata (Harpa). 60
„ (Patella). 504
crenella (Torinia). 289
crenifera (Mitra). 76
„ (Turbo coronatus, var.). 443
creniferus (Trochus). 451
crenilabre (Leptopoma). 324
crenocarina Semisinus). 267
crenolirata (Nassa). 121
crennlaris (Drillia). 40
crenulata (Cylindromitra). 86
„ (Melania). 252
„ (Nassa). 118
„ (Terebra). 2
crenulatus (Latirus). 94
crepidinata (Melania). 258
Crepidula. 367
crepidularia (Neritina). 415
Crepipatella. 368
cribellum (Cypraea). 204
cribraria (Columbella). 132
„ (Cypraea). 204
Cricophorus. 332
crinita (Monodonta). 458
crispa (Pleurotoma). 87
„ (Xenophora). 370
crispata (Cancellaria). 44
„ (Purpura). 153
„ (Rostellaria). 222
crispus (Ischnochiton). 518
cristata (Palaina). 344
cristata (Valvata). 316
cristatus (Murex). 142
Crocidopoma. 339
Cronia. 158
Crossata. 175
crosseana (Tropidophora). 353
crosseanus (Conus). 9
crossei (Helicina). 399
Crossopoma. 328
cruciata (Helicina). 397
cruciatus (Clanculus). 454
Crucibulum. 365
crucis (Acmaea). 502
cruentata (Natica fulminea, var.). 372
„ (Ranella). 174
„ (Turricula). 82
cruentus (Cyclophorus). 329
crumena (Cassis). 182
„ (Ranella). 172
Crypta. 368
Cryptochiton. 523
Cryptoplax. 523
cryptoraphe (Pleurotoma). 39
Cryptospira. 68
cryptospira (Neritina). 417
„ (Velutina). 371
Ctenopoma. 357
cubensis (Acmaea). 500
cucumerina (Mitra). 75
Cuma. 154
cumingi (Acmaea). 498
„ (Amphicyclotus). 338
„ (Ampullaria). 317
„ (Chiton). 523
„ (Echinella). 286
cumingiana (Neritina turrita, var.). 421
„ (Pupina). 341
„ (Ranella). 174
„ (Septaria). 434
cumingii (Murex). 140
„ (Triton). 164
„ (Turritella). 244
curta (Chrysodomus). 101
„ (Marginella). 61
„ (Melania). 262
curvirostris (Rostellaria). 223
cuspidata (Craspedotropis). 327
cutaceus (Triton). 167
cutlerianum (Cyclostrema). 479
cuvieriana (Tropidophora). 353
Cyathopoma. 337
cybele (Melania). 262
Cyclobranchia. 513
Cyclohelix. 332
Cyclomorpha. 351
Cyclonassa. 123
Cyclophoridae. 323
Cyclophorus. 328
Cyclostoma. 354
Cyclostomatidae. 352

Digitized by Google

Cyclostrema. 478
Cyclostrematidae. 478
Cyclosurus. 349
Cyclotopsis. 352
Cyclotus. 335
cylindracea (Melania). 259
cylindraceum (Megalomastoma). 339
cylindraceus (Conus). 31
cylindrica (Cypraea). 193
Cylindromitra. 86
Cylindropalaina. 344
Cyllene. 105
Cymba. 65
cymbiola (Voluta). 66
Cymostyla. 407
cynocephalus (Triton). 169
Cynodonta. 95
Cyphoma. 189
Cypraea. 190
Cypraecassis. 181
Cypraeidae. 187
Cypraeovula. 208
cyrtocheila (Diplommatina). 347
Cyrtotoma. 339
Cythara. 48
Cytora. 327
cytora (Lagochilus). 327

D.

Dactylidia. 55
dactyliola (Oliva). 47
dactylus (Cylindromitra). 86
„ (Marginella). 62
„ (Melania). 249
dalli (Conus). 33
dama (Olivella). 55
danieli (Triton cutaceus, var.). 167
danubialis (Neritina). 431
daphne (Conus). 25
daraganicus (Cyclophorus). 329
Daronia. 479
Dauci. 22
daucus (Conus). 22
dealbata (Olivella). 56
deaurata (Nacella aenea, var.). 509
debeauxianus (Faunus). 267
debilis (Sigaretus). 384
„ (Littorina). 281
deburghiae (Rapana). 146
„ (Conus nocturnus, var.). 9
decemcostata (Chrysodomus). 100
decipiens (Cypraea). 199
decisa (Melantho). 315
declivis (Gibbula). 464
decollata (Littorina). 281
„ (Melania laevissima, var.). 247
„ (Melania). 249
decollatus (Potamides). 235
„ (Planaxis). 239
decora (Georissa). 403
decorata (Rissoa). 293
decrespignyi (Opisthostoma). 345
decurtata (Strigatella). 85
decussata (Cassis). 180
„ (Subemarginula). 496
„ (Ampullaria). 317
„ (Columbella). 129
decussatum (Choanopoma). 356
decussatus (Ischnochiton). 518
deficiens (Ctenopoma). 357
defilippii (Acanthochites). 521
deformis (Chrysodomus). 101
Defrancia. 42
delatreanum (Chondropoma). 360
delesserti (Sigaretus). 384
delessertiana (Lyria). 70
delicatula (Rostellaria). 222
delosina (Rissoa). 299
Delphinula. 475
Delphinulidae. 475
deltoidea (Neritina aspera, var.). 427
„ (Purpura). 149
denanei (Tropidophora zonata, var.). 353
dendritica (Neritina fluviatilis, var.). 432
denigrata (Euchelus atratus, var.). 474
denselirata (Georissa). 403
dentata (Ovula). 190
dentatum (Dolium). 186
„ (Chondropoma). 360
dentatus (Strombus). 217
denticulatus (Helcioniscus). 511
dentifera (Nassa). 120
depauperata (Rissoa cimex, var.). 300
depictum (Calliostoma). 473
deplanatus (Theobaldius). 328
depressa (Helicina). 397
„ (Patella vulgata, var.). 504
„ (Septaria). 434
depressum (Umbonium). 477
dermestina (Turricula). 84
derouledei (Helicina). 400
deshayesii (Dolium). 185
„ (Nerita ornata, var.). 409
„ (Turricula). 81
Desmoulea. 123
despecta (Chrysodomus). 100
devians (Arinia). 344
diadema (Melania). 262
„ (Neritina). 426
„ (Scalaria). 387
„ (Yetus). 66
Diala. 290
dialeucum (Cerithium). 227
Diancta. 346
diaphana (Mitrularia equestris, var. tortilis, mut.). 364
Dibaphus. 87
dichroa (Arinia). 343
dictyophora (Rissoa). 301

Digitized by Google

digitale (Buccinanops). 125
digitalis (Acmaea persona, var.). 498
„ (Melania). 255
„ (Mitra). 73
digitatus (Pentadactylus). 157
digna (Mitra). 73
dilatata (Crepidula). 368
„ (Neritina). 414
„ (Paludomus neritoides, var.). 272
dilatatus (Cantharidus). 460
„ (Strombus). 214
„ (Tectarius). 285
dillwyni (Natica). 374
dillwynii (Terebra). 3
Diloma. 457
dilutum (Buccinanops). 125
dimidiata (Melania). 263
„ (Terebra). 2
dimidiatus (Cyclotus). 336
Dinoplax. 517
Dioryx. 342
Diplommatina. 346
Diplommatinidae. 343
Diplopterum. 334
Dipsaccus. 58, 110
diremta (Neritina ualauensis, var.). 431
discoidea (Liotia). 476
discoideus (Cyclotus). 336
discoloria (Turricula). 83
discors (Columbella). 131
„ (Neritina). 427
discrepans (Acanthochites). 522
discus (Haliotis gigantea, var.). 482
dispar (Nassa). 116
distans (Conus). 22
„ (Fasciolaria). 90
„ (Fusus). 88
distinctus (Latirus). 92
disjuncta (Turbo ticaonicus, var.). 441
dissimilis (Paludina). 318
distomellus (Cyclotus). 335
distorta (Cominella). 105
„ (Delphinula). 475
„ (Eulima). 389
distortus (Triton). 164
Ditropis. 328
divaricata (Gibbula). 465
„ (Lacuna). 286
diversicolor (Haliotis). 484
Docoglossa. 497
dolabrata (Pyramidella). 390
doliarius (Triton). 167
doliata (Cassis abbreviata, var.). 179
Doliidae. 183
doliolum (Palaina). 344
Dolium. 183
donovaniana (Cyclonassa neritea, var.). 124
Dorsanum. 124
Doryssa. 265
Drillia. 39
dubia (Calliostoma conulum, var.). 472
„ (Neritina). 424
dubius (Murex). 143
duclosi (Oliva). 52
dufourii (Melanopsis). 269
dunkeri (Clanculus). 453
„ (Cyclostrema). 478
„ (Marginella). 63
dupetit-Thouarsi (Fusus). 87
duplicata (Drillia). 40
„ (Natica). 377
„ (Terebra). 3
„ (Turritella). 245
dussumieri (Pirula). 187
dussumierii (Terebra). 3
dysoni (Glyphis alternata, var.). 492

E.

earlii (Helcioniscus radians, var.). 511
ebeninus (Potamides). 233
ebenus (Turricula). 81
eboreus (Planaxis). 238
eburna (Cypraea). 204
eburneum (Cerithium). 225
eburneus (Conus). 10
echinata (Acanthopleura). 526
„ (Drillia). 40
„ (Nassa). 128
„ (Purpura). 149
echinatum (Cerithium). 225
„ (Ctenopoma). 357
Echinella. 286
echinophora (Morio). 182
echinulata (Purpura). 150
echinus (Crepidula aculeata, var.). 368
edentula (Cypraea). 204
edentulus (Dibaphus). 87
edgari (Odostomia). 392
edwardsii (Ocinebra). 144
effusa (Natica). 378
egea (Realia). 350
egena (Minolia). 468
egira (Oliva). 53
egregium (Chondropoma). 358
Eione. 117
elata (Rissoa). 291
„ (Rissoa membranacea, var.). 291
elatior (Umbonium costatum, var.). 477
elatus (Pentadactylus). 159
elegans (Ampullaria). 317
„ (Columbella). 131
„ (Cyclostoma). 354
„ (Georissa). 403
„ (Melania hollandri, var.). 246
„ (Murex). 135
„ (Nassa). 112
„ (Oliva). 47
„ (Ranella). 172
„ (Stomatella). 480

Digitized by Google

elegans (Strombus). 218
„ (Tectarius bullatus, var.). 285
„ (Tonicia). 526
„ (Tritonidea). 107
„ (Umbonium vestiarium, var.). 477
elegantina (Neritina communis, var.). 422
elevata (Patella vulgata, var.). 503
elongata (Columbella rustica, var.). 127
„ (Emarginula). 494
„ (Hydrobia ventrosa, var.). 307
„ (Nassa reticulata, var.). 115
„ (Phasianella). 437
elongatus (Cantharidus). 461
„ (Conus). 28
„ (Murex). 140
„ (Pentadactylus). 158
„ (Semifusus). 99
elventina (Conus mindanus, var.). 30
emaciatus (Conus). 21
emarginata (Purpura saxicola, var.). 153
„ (Subemarginula). 495
Emarginula. 493
emergens (Neritina flavovirens, var.). 430
emmae (Haliotis). 485
Emmericia. 308
Enaeta. 71
endivia (Murex). 142
Engina. 108
enneagonus (Helcioniscus). 512
Enoplochiton. 528
Entochilus. 326
epidromis (Strombus). 213
episcopalis (Mitra). 71
„ (Oliva). 46
episcopus (Conus). 35
Epona. 208
eppi (Latirus). 92
equestris (Mitrularia). 364
Erato. 190
erinacea (Cassis vibex, var.). 181
erinaceus (Ocinebra). 143
ernesti (Helicina concentrica, var.). 397
erosa (Cypraea). 205
„ (Ocinebra). 144
„ (Turritella). 243
erronea (Mitra). 72
errones (Cypraea). 201
erythraeensis (Conus). 26
„ (Cypraea). 194
erythraeonense (Cerithium). 224
erythraeus (Murex). 139
„ (Trochus). 452
erythrostoma (Oliva). 50
esperi (Melanopsis). 270
Ethalia. 478
Euarinia. 343
Euchelus. 474
Euclia. 45
eucosmius (Helcioniscus). 512
Eucyclophorus. 331
Eucyclotus. 336
Eudiplommatina. 346
Eudoxochiton. 525
Eulima. 389
Eulimella. 393
Eulimidae. 389
Eunaticina. 384
Euopisthostoma. 345
Eupalaina. 344
Eupomatias. 349
Euprotomus. 215
europaea (Trivia). 210
euryomphalus (Opisthoporus). 337
eurystoma (Platyraphe). 334
Euryta. 5
euspirum (Heteropoma). 351
Euthria. 107
Eutrochatella. 401
Eutropidophora. 353
Evalea. 392
everetti (Dianeta). 346
„ (Opisthostoma). 345
evoluta (Licina). 355
exaltata (Neritina crepidularia, var.). 415
exanthema (Cypraea). 190
exarata (Bela). 41
„ (Georissa). 403
exaratus (Helcioniscus). 509
„ (Triton). 170
exasperata (Turricula). 82
exasperatum (Calliostoma). 472
excavata (Crepidula). 368
„ (Haliotis). 485
excavatus (Neomphalus). 464
excuratum (Pleurocera). 272
exigua (Janthina). 386
„ (Moulinsia). 341
„ (Purpura). 154
exilis (Nassa). 119
„ (Rissoa parva, var.). 295
„ (Triton). 170
eximium (Calliostoma). 471
eximius (Cyclophorus). 330
„ (Triton). 165
exoleta (Turritella). 245
exoptandus (Ischnochiton). 519
expansa (Photinula). 468
expansilabris (Platyraphe). 334
extinctorium (Crucibulum). 366
exuta (Xenophora). 370
exuvia (Nerita). 403

F.

faba (Marginella). 60, 61
„ (Neritina). 429
fabagina (Oliva inflata, var.). 47
Fagotia. 270
fairbanki (Spiraculum). 334

Digitized by Google

falcata (Ocinebra). 145
„ (Murex trunculus, var.). 141
fallax (Ischnochiton). 517
fanulum (Gibbula). 464
fascia (Tudora). 361
fascialis (Pleurotoma). 39
„ (Turritella). 244
fasciata (Columbella). 129
„ (Helicina). 394
„ (Littorina). 288
„ (Melania junghuhni, var.). 248
„ (Nassa). 122
„ (Cerithium martinianum, var.) 230
fasciatum (Dolium). 184
fasciatus (Cantharidus). 460
„ (Neomphalius). 468
„ (Phos). 109
„ (Strombus). 220
fascicularis (Acanthochites). 522
„ (Fissurella). 490
Fasciolaria. 90
Fasciolariidae. 87
fasciolata (Nassa corniculum, var.). 123
fastigiata (Tonicia). 526
Faunus. 267
fecunda (Tudora). 361
femoralis (Triton). 168
fenestrata (Cylindromitra). 86
„ (Nassa). 113
„ (Turbonilla). 393
fenestratus (Murex). 139
„ (Trochus). 449
fernandesi (Cyclophorus). 332
ferruginea (Crucibulum scutellatum, var. quiriquina, mut.). 365
ferruginea (Fasciolaria filamentosa, var.). 91
„ (Mitra). 74
„ (Patella). 503
„ (Terebra). 8
„ (Tudorella). 354
festiva (Nassa). 120
„ (Conus pertusus, var.) 24
festivus (Murex). 137
fibrosa (Natica melanostoma, var.). 381
fibula (Leptopoma). 325
fibulinum (Leptopoma). 325
ficoides (Pirula reticulata, var.). 187
„ (Triton). 167
ficulina (Turricula). 84
ficus (Pirula). 187
Figulini. 12
figulinus (Conus). 12
figurata (Melania). 253
filamentosa (Fasciolaria). 91
filaris (Mitra). 77
filicosta (Scalatella). 321
filiferus (Trochus). 451
filosa (Littorina). 284
„ (Nassa). 116
filum (Mitra). 72
filum (Pleurocera). 272
fimbriata (Cassis). 177
„ (Cypraea). 193
„ (Tropidophora). 354
fimbriatulum (Choanopoma). 356
fimbriatum (Astralium). 447
finmarkianum (Buccinum). 103
fiscellum (Murex). 143
fissura (Emarginula). 494
fissurata „ 495
„ (Mitra). 78
Fissurella. 487
Fissurellidae. 487
flammea (Cassis). 177
„ (Nerita variegata, var.). 410
„ (Terebra). 7
flammeus (Conus). 11
flammulata (Melania junghuhni, var.). 248
„ (Nerita). 409
„ (Oliva). 52
„ (Terebra coerulescens, var.). 8
flava (Cyclomorpha). 351
flaveola (Cypraea gangrenosa, var.). 206
„ (Oliva ispidula, var.). 53
flavicans (Voluta). 68
flavida (Columbella). 128
flavidula (Drillia). 89
flavidus (Conus). 21
flavovirens (Neritina). 430
flavus (Helcioniscus). 512
flemingiana (Natica). 380
flexuosa (Buccinum undatum, var.). 103
floccosa (Littorina ziczac, var.). 281
floccosum (Crocidopoma). 339
floralia (Olivella). 56
floridana (Purpura). 150
floridus (Clanculus). 453
„ (Cyclophorus). 332
„ (Strombus). 217
fluctuata (Ampullina). 383
„ (Columbella). 129
„ (Leptothyra). 445
fluctuosus (Turbo). 444
fluminensis (Lithoglyphus). 308
flumineus (Faunus). 267
fluviale (Pleurocera). 273
fluviatilis (Neritina). 432
„ (Potamides). 235
foliacea (Crepidula). 369
foliata (Ocinebra). 145
„ (Ranella). 172
footei (Alycaeus). 343
formicula (Marginella). 61
formosa (Delphinula laciniata, var.). 475
fornicata (Chrysodomus). 100
„ (Crepidula). 367
Forskâlia. 464
forskâlii (Latirus). 94
„ (Nerita). 404
Fossaridae. 287

Digitized by Google

Fossarus. 287
fossulatus (Euchelus). 475
foveata (Helicina). 396
fragile (Buccinum). 103
fragilis (Acmaea). 502
„ (Janthina). 385
„ (Omphalotropis). 350
„ (Scalaria). 388
franciscanus (Conus mediterraneus, var.). 28
francolinus (Purpura). 155
fratercula (Nassa). 120
frauenfeldi (Conus magus, var.). 24
Fremblya. 521
freycineti (Septaria). 434
„ (Purpura). 153
frigata (Terebra). 6
frondicincta (Neritina ualanensis, var.). 431
fruticosus (Ischnochiton). 518
fuegiensis (Nacella). 509
fulgens (Haliotis). 482
fulgetrum (Conus) 15
„ (Voluta). 69
fulgida (Rissoa). 304
Fulgoraria. 69
Fulgur. 97
fulgurans (Columbella). 127
fulgurata (Olivella). 57
fuliginatus (Lepidopleurus). 514
fuliginosa (Neritina). 430
fulmen (Conus). 28
fulminans (Oliva maura, var.). 49
fulminata (Gibbula). 467
fulminea (Natica). 372
fultoni (Alycaeus). 342
fulva (Ancilla). 57
„ (Chaetopleura). 516
„ (Lepeta). 513
„ (Melongena pugilina, var.). 98
„ (Mitra). 74
fulvescens (Mitra). 78
fumata (Glyphis alternata, var.). 492
fumosa (Tritonidea). 106
funebralis (Neomphalius). 462
„ (Oliva). 48
funiculata (Cythara). 43
„ (Mitra). 77
„ (Surcula). 37
„ (Terebra). 6
funiculatus (Coptochilus). 340
„ (Murex). 135
funiculosus (Turbo). 439
funiculus (Melania). 253
furcato-radiata (Septaria suborbicularis, var.). 435
furvus (Conus). 23
fusca (Choanopoma kobelti, var.). 355
„ (Moulinsia). 342
„ (Rissoa). 303
fuscata (Columbella). 127
„ (Oliva araneosa, var.). 51
fuscata (Rissoa parva, var.). 295
„ (Conus imperialis, var.). 9
fuscatus (Potamides). 233
fuscescens (Drillia). 41
fusiformis (Fasciolaria), 91
„ (Oliva). 51
„ (Turricula). 82
„ (Voluta). 69
fusoides (Siphonalia). 102
Fusus. 87
fusus (Rostellaria). 222

G.

gagates (Neritina). 420
gaimardi (Liolophura). 528
galapagiuis (Cerithium). 230
galbanus (Alycaeus). 342
galea (Coralliophila). 161
„ (Dolium). 183
galeata (Puncturella). 493
galeatus (Strombus). 211
galeodes (Melongena). 99
Galeodina. 302
gallina (Neomphalius). 462
gallus (Strombus). 216
gangrenosa (Cypraea). 206
„ (Neritina). 419
garnonsi (Pleurotoma). 37
garnoti (Acanthochites). 522
Garnotia. 368
gayi (Nassa). 115
gemmatum (Cerithium). 232
gemmatus (Triton). 167
Gemmula. 39
gemmulata (Nassa). 114
gemmulifer (Clanculus). 454
Gena. 480
generalis (Conus). 18
geniculata (Nassa). 123
geniculatum (Pleurocera) 273
Genotia. 35
genuanus (Conus). 11
geographus (Conus). 32
Geomelania. 321
Geomelanidae. 321
georgiana (Paludina). 312
Georissa. 402
Geothauma. 346
geotrochiforme (Leptopoma). 326
gergonia (Rissoa). 300
gervillei (Columbella). 132
geveana (Ampullaria). 318
geversianus (Trophon). 132
gibba (Bithinella). 307
„ (Glyphis graeca, var.). 491
Gibberula. 64
gibberula (Glyphis). 492
gibberulus (Strombus). 218
gibbosa (Drillia). 40

Digitized by Google

gibbosa (Ocinebra). 145
» (Olivancillaria). 54
» (Ovula). 189
gibbosula (Helicina). 398
» (Nassa). 117
gibbosus (Triton). 170
Gibbula. 464, 465
gibbulus (Latirus). 93
gigantea (Acanthina). 156
» (Haliotis). 482
» (Scurria). 503
giganteum (Umbonium). 477
giganteus (Neocyclotus). 338
» (Triton). 171
gigas (Bithinia tentaculata, var.). 309
» (Dinoplax). 517
» (Strombus). 211
» (Subemarginula). 496
ginnaniana (Mangelia). 42
giraudi (Baizea). 306
glabella (Marginella). 60, 61
glabra (Haliotis). 484
glabrata (Acanthina). 156
» (Ancilla). 58
» (Littorina). 281
» (Neritina). 423
» (Rissoa). 304
glabratum (Lagochilus). 327
glaciale (Buccinum). 104
gladiator (Conus). 17
glandiformis (Melania). 247
» (Neritina subpunctata, var.). 429
glans (Conus). 30
» (Cylindromitra). 86
» (Melania). 247
» (Nassa). 112
glauca (Ampullaria). 318
» (Cassis). 179
» (Natica). 377
glaucus (Conus). 12
globosa (Ampullaria). 318
» (Janthina). 385
» (Nassa). 117
» (Neritina latissima, var.). 418
» (Trivia). 210
globosus (Alycaeus). 342
globularis (Jeffreysia). 290
globulina (Helicina). 394
globulus (Dioryx). 342
» (Rissoa). 303
glomeratus (Vermetus). 241
glomus (Clanculus jussieui, var.). 454
gloria-maris (Conus). 33
Glossostylus. 329
Glyphis. 491
godeffroyana (Neritina). 424
gomantonensis (Diancta). 346
Goniobasis. 274
goniostoma (Cancellaria). 44
» (Leptopoma). 326
goodallii (Chiton). 525
gracilis (Cerithium vulgatum, var.). 225
» (Cantharidus leucostigma, var.). 460
» (Chrysodomus). 101
» (Defrancia). 42
» (Diplommatina). 347
» (Goniobasis). 274
» (Melania scabra, var.). 260
» (Mitra). 76
» (Olivella). 56
» (Pisania). 107
» (Pupina). 341
» (Yetus cisius, var.). 65
gracilior (Strombus). 212
gracillima (Choanopoma bertini, var.). 355
gradata (Minolia). 468
» (Platyraphe). 334
» (Buccinanops cochlidium, var.). 125
gradatus (Fusus). 89
graeca (Glyphis). 491
graellsii (Melanopsis). 270
granatina (Mitra). 76
» (Patella). 507
grandipilum (Lagochilus). 326
grandis (Acanthina). 156
» (Margarita cinerea, var.). 469
» (Melania). 265
» (Moulinsia). 342
» (Pleurotoma). 87
grandispinosum (Opisthostoma). 346
granifera (Melania). 264
» (Nassa). 117
» (Ranella). 173
granosa (Fasciolaria). 91
» (Littorina striata, var.). 280
» (Neritina). 414
» (Trochus maculatus, var.). 451
» (Turricula stigmataria, var.). 81
granosum (Cerithium). 226
granosus (Chiton). 524
granularis (Patella). 507
granulata (Acanthopleura). 527
granulatum (Calliostoma). 471
» (Solarium). 288
granulatus (Conus). 31
» (Strombus). 212
» (Turbo). 443
granulosa (Liotia). 476
» (Mitra). 76
granulosum (Dorsanum). 125
granum (Melania). 260
» (Nassa). 112
gravesi (Calliostoma). 473
gravida (Hybocystis). 340
gravinae (Calliostoma). 473
gravis (Turbinella). 95
grayana (Adamsiella). 357
» (Assiminea). 321
» (Nerita). 409
greyana (Scalatella). 321

Digitized by Google

groenlandica (Littorina rudis. var.). 278
„ (Volutomitra). 71
groenlandicum (Buccinum). 103
grönlandica (Natica). 382
grossa (Nerita). 407
„ (Rissoa). 290
gruneri (Conus litteratus, var.). 10
„ (Haliotis diversicolor, var.). 484
„ (Turricula). 80
guamensis (Ethalia). 478
guayaquilensis (Semisinus). 267
gubernator (Conus). 31
guerini (Rissoa). 293
Guildfordia. 445
guillemini (Natica). 382
guimarasense (Lagochilus). 327
guinaica (Volutolyria musica, var.). 70
guinaicum (Cerithium). 224
guinaicus (Conus). 28
guineënsis (Clanculus). 454
gundlachi (Chondropoma). 359
guppyi (Helicina). 395
guttadauri (Gibbula). 465
guttata (Cypraea). 204
„ (Littorina). 282
„ (Marginella). 61
„ (Oliva). 46
„ (Pisania). 107
guttatus (Cyclotus). 336
„ (Strombus). 216
Gymnoglossa. 389
Gyrina. 171
gyrina (Ranella). 175
Gyrotoma. 277

H.

habichii (Colobostylus). 362
haddoni (Ischnochiton). 518
Hadriania. 145
haemastoma (Columbella). 128
„ (Purpura). 150
haematragus (Astralium). 447
haïtensis (Helicina). 396
Halia. 48
Haliotidae. 481
Haliotis. 481
halmahericum (Leptopoma). 324
halophilus (Leptopomatioides). 327
hamiltoni (Paludina). 314
hanleyana (Mitra). 72
Harpa. 58
harpa (Enaeta). 71
Harpago. 221
Harpidae. 58
Harpula. 69
harrisoni (Puncturella). 493
hartwegii (Tonicella). 515
hastata (Terebra). 8
Hastula. 4
hastula (Melania). 253
Haustator. 243
haustellum (Murex). 135
haustrum (Purpura). 147
haysiana (Goniobasis). 276
Hebra. 123
hebraea (Natica). 372
„ (Volutolyria). 70
hebraeus (Conus). 14
hebraicus (Cyclotus). 335
Helcion. 508
Helcioniscus. 509
heldreichi (Neritina). 433
Helicina. 394
helicina (Astralium calcar, var.). 447
„ (Margarita). 469
Helicinidae. 394
helicoides (Amaura). 383
„ (Leptopoma). 325
heliotropium (Astralium). 445
hellenica (Bithinia). 310
helleri (Melania). 247
helmsi (Acmaea). 502
helvacea (Natica). 375
„ (Xenophora). 370
helvola (Cypraea). 206
Heminerita. 413
Hemisphaericae. 416
hemitriptera (Ocinebra) 145
hemprichi (Turbo coronatus, var.). 443
hennahi (Chaetopleura). 516
hennigiana (Helicina). 398
hepatica (Crepidula). 367
herklotsi (Cyclophorus). 332
„ (Melania). 263
herklotsiana (Mitra). 76
hermanni (Liotia). 476
heroldi (Acmaea). 500
heros (Natica). 381
herziana (Diplommatina). 347
Heteropoma. 351
hexagonus (Murex). 143
heydeniana (Pomatias septemspiralis, var.). 349
hiatula (Agaronia). 54
hieroglyphicus (Conus). 31
hillianum (Choanopoma). 356
Hima. 119
Hindsia. 110
hindsii (Mopalia muscosa, var.). 520
„ (Scalaria). 386
Hinea. 238
Hinia. 114
hippocastanum (Purpura). 148
Hipponycidae. 363
hipponyciformis (Mitrularia equestris, var. tortilis, mut.). 364
Hipponyx. 363
hirsutum (Mychopoma). 338
hirudiniformis (Acanthochites). 522

Digitized by Google

hirundo (Cypraea). 193
hispida (Crucibulum scutellatum, var. tubifera, mut.). 366
hispidum (Spiraculum). 334
histrio (Engina). 108
hochstetteri (Realia). 350
Holcopoma. 349
holdworthana (Minolia). 468
hollandi (Alcadia). 400
hollandri (Melania). 246
Homalocantha. 142
homalomphalus (Clanculus). 453
hongkongiensis (Melania). 249
hordacea (Ovula). 190
„ (Trivia). 210
Horea. 305
horei (Reymondia). 306
„ (Typhobia). 270
horrida (Nassa). 122
horridus (Murex). 143
„ (Pentadactylus). 157
hosei (Alycaeus). 343
„ (Opisthostoma). 345
hottentota (Drillia). 40
humboldti (Potamides). 233
humilis (Helicina). 396
humphreyanus (Colobostylus). 362
hungaricus (Capulus). 365
hungerfordiana (Acmella). 351
hungerfordianum (Lagochilus). 327
huttoni (Cantharidus tenebrosus, var.). 459
„ (Haliotis virginea, var.). 484
huzardi (Emarginula). 493
hwassi (Conus). 16
Hyala. 298
hyalina (Nacella mytilina, var.). 509
Hybochelus. 475
Hybocystis. 340
hybridum (Solarium). 289
hydei (Goniobasis). 274
hydii (Colobostylus). 362
Hydrobia. 306
Hydrobiidae. 306
hystrix (Crepidula aculeata, var.). 368
„ (Pentadactylus). 157

I.

icterina (Cypraea moneta, var.). 198
idae (Helicina). 398
ignilabris (Adamsiella). 358
illustris (Cistula). 358
Ilyanassa. 122
Ilynerita. 411
Imbricaria. 86
imbricata (Acanthina). 155
„ (Purpura lapillus, var.). 152
„ (Stomatella). 480
„ (Turritella variegata, var.). 244
imbricatum (Astralium). 446
imbricatus (Vermetus). 240
imitator (Squamopleura). 527
immaculata (Natica). 383
„ (Scalaria). 388
immersa (Neritina). 417
Imperator. 445
imperforata (Natica). 372
imperiale (Calliostoma). 473
imperialis (Clavatula). 36
„ (Conus). 9
„ (Murex). 141
„ (Purpura). 154
„ (Turbo). 438
„ (Voluta). 68
impolita (Columbella). 132
„ (Odostomia). 392
impressa (Minolia). 468
inaequale (Astralium). 448
inaequalis (Glyphis). 492
incarnatus (Latirus). 94
„ (Megatebennus). 490
incerta (Nerita). 412
incisa (Purpura). 153
„ (Turritella). 243
incisum (Cerithium). 229
Incisura. 487
incisus (Tenagodes). 242
inconspicua (Doryssa). 265
„ (Helcioniscus ornatus, var.). 511
„ (Rissoa). 295
inconstans (Terebra). 4
incrassata (Nassa). 120
incrassatus (Trochus). 451
inculta (Cistula). 358
incurva (Crepidula). 368
„ (Emarginula fissura, var.). 494
indecora (Monodonta). 458
indefinita (Melania). 257
indentata (Mitra). 77
indica (Conus magus, var.). 24
indicus (Cyclophorus). 330
indistincta (Turbonilla). 393
indistinctus (Cantharidus). 461
inermis (Melania granum, var.). 260
„ (Melania scabra, var.). 260
„ (Turricula). 83
infantula (Goniobasis). 275
inflata (Cassis). 179
„ (Nassa mutabilis, var.). 112
„ (Oliva). 46
„ (Rissoa). 303
inflatum (Cerithium). 229
inflatus (Murex). 137
infracinctus (Latirus). 94
infraconstricta (Turritella). 244
infracostata (Melania). 251
infrenatus (Conus). 24
Infundibulops. 452
Infundibulum. 452
infundibulum (Latirus). 93

Digitized by Google

ingallsiana (Paludina). 318
inhonesta (Melania). 257
inquinata (Melania asperata, var.). 250
inquinatus (Lepidopleurus). 514
insculpta (Nerita). 412
insularum (Ampullaria). 317
integra (Melantho decisa, var.). 315
intercostalis (Turbo). 440
interlirata (Mitra). 77
intermedia (Eulima). 389
» (Helicina lazarus, var.). 397
» (Littorina). 284
» (Neritina). 418
» (Ovula). 189
» (Purpura hippocastanum, var.). 148
» (Subemarginula). 496
» (Turricula). 78
intermedium (Leptopoma). 324
intermedius (Conus). 32
intermittens(Neritina sowerbyana,var.).428
interrupta (Cypraea). 192
» (Neritina avellana, var.). 428
» (Persicula). 64
» (Rissoa parva, var.). 295
interruptum (Choanopoma). 355
interruptus (Conus). 27
interstitialis (Cistula). 358
intorta (Rissoa). 304
intortus (Capulus). 365
» (Lanistes). 320
intricata (Natica). 376
intusplicata (Helicina). 394
invicta (Melania). 264
involvulus (Cyclophorus). 328
Io. 278
iodostomus (Pentadactylus). 157
Iphinoe. 289
iricolor (Euchelus bellus, var.). 474
iridescens (Broderipia). 481
iris (Cantharidus). 459
» (Haliotis). 484
» (Neritina). 416
irisans (Oliva). 50
irisodontes (Cantharidus). 460
irradians (Chondropoma). 359
irrorata (Cypraea). 192
isabella (Cypraea). 192
» (Strombus). 213
Ischnochiton. 517
Ischnochitonidae. 514
islandica (Chrysodomus). 101
ispidula (Oliva). 52
italica (Bithinia leachi, var.). 310
» (Glyphis). 492
itieri (Aulopoma). 333

J.

jacksoniana (Nassa). 113
jamaicensis (Helicina). 395
» (Littorina). 281
jamaicensis (Neocyclotus). 338
» (Terebra cinerea, var.). 4
Janacus. 369
janellei (Septaria). 434
Janthina. 385
Janthinidae. 385
janthostoma (Natica clausa, var.). 376
janus (Conus). 26
Japonia. 327
japonica (Cassis). 178
» (Drillia). 40
» (Helicina). 395
» (Lachesis). 104
» (Liolophura). 528
» (Melania). 248
» (Nassa). 115
» (Paludina). 312
» (Pupina). 341
» (Rapana bezoar, var.). 146
» (Stomatella). 480
» (Turbo cornutus, var.). 442
japonicum (Astralium). 448
japonicus (Cantharidus). 461
» (Dipsaccus). 110
» (Pseudomurex). 146
» (Strombus). 214
jaspidea (Olivella). 56
javacensis (Columbella). 129
javana (Nassa). 128
» (Surcula). 37
javanica (Melania). 258
» (Paludina). 314
jayanus (Colobostylus). 361
jeffreysii (Rissoa). 301
Jeffreysia. 290
Jeffreysiidae. 290
Jerdonia. 337
Jodes. 385
Jodina. 386
Jopas. 154
jordani (Neritina). 419
jordanica (Melanopsis costata, var.). 269
josephinae (Eutrochatella). 401
josephiniae (Natica). 377
jucundum (Opisthostoma). 345
jugosa (Littorina rudis, var.). 279
jugosus (Chiton). 523
jukesi (Conus). 29
jukesii (Natica). 379
julieta (Oliva). 51
Jumala. 101
junghuhni (Melania). 248
» (Nerita). 413
» (Pupina). 341
» (Septaria). 434
jussieui (Clanculus). 454

K.

kalaöensis (Helicina). 395

Digitized by Google

kaleontina (Oliva). 52
kamschatkana (Haliotis gigantea, var.). 482
Katharina. 522
Kelletia. 102
kelletti (Siphonalia). 102
kermadecensis (Patella). 508
Kieneri (Nassa). 114
kina-baluensis (Cyclophorus). 331
kingiana (Nicida). 343
kiosquiformis (Purpura). 154
kirki (Limnotrochus). 309
knorri (Neritina). 417
knysnaënsis (Littorina). 280
kobelti (Cerithium). 227
„ (Choanopoma). 355
kochi (Cerithium). 232
„ (Phasianella). 437
„ (Trochus). 452
kochiana (Diplommatina). 348
kordofana (Ampullaria ovata, var.). 319
kraussiana (Nassa). 117
kubaryi (Cyclophorus). 332
„ (Helicina). 397
kükenthali (Leptopoma). 324

L.

labiatum (Pleurocera). 273
labio (Monodonta). 455
labiosa (Columbella). 126
„ (Diplommatina). 347
„ (Eutrochatella pulchella, var.). 401
„ (Neritina). 414
„ (Rissoa membranacea, var.). 291
labiosus (Triton). 167
abuanensis (Cyclotus). 337
Lachesis. 104
lachneri (Choanopoma). 356
lachryma (Erato). 190
laciniata (Acmaea). 502
„ (Delphinula). 475
laciniatus (Murex). 139
„ (Strombus). 215
„ (Trophon). 133
laciniosa (Helicina). 396
lactea (Marginella). 63
„ (Mesalia). 245
„ (Natica). 379
„ (Ovula). 188
„ (Rissoa). 301
„ (Turbonilla). 392
lactescens (Dolium). 185
lacteum (Bittium). 233
lacteus (Conus). 25
Lacuna. 286
Lacunopsis. 308
lacunosa (Acmaea). 501
lacustris (Paludina contecta, var.). 311
laeta (Leptothyra). 445
„ (Paludina). 312
laeve (Cerithium). 232
laevicostata (Leptothyra rubra, var.). 444
laevigata (Columbella). 130
„ (Melania). 255
„ (Melania hollandri, var.). 246
„ (Melanopsis). 268
„ (Scissurella costata, var.). 486
„ (Terebra). 6
„ (Truncatella truncata, var.). 322
„ (Velutina). 371
laevigatum (Buccinanops). 126
„ (Solarium). 288
laevigatus (Chiton). 525
„ (Sigaretus). 383
laevis (Callochiton). 515
„ (Erato). 190
„ (Helcion pellucidus, var.). 508
laevis-fasciata (Melongena paradisiaca, var.). 98
laevissima (Melania). 247
Lagena. 94
lagenaria (Cominella). 105
Lagochilus. 326
lamarcki (Cypraea). 204
„ (Oniscia). 183
lamarckiana (Doryssa). 265
lamarckii (Buccinanops). 125
„ (Leptoconchus). 162
„ (Terebra). 3
lambis (Pterocera). 220
Lamellaria. 371
Lamellaridae. 371
lamellosa (Coralliophila). 162
„ (Haliotis tuberculata, var.). 482
„ (Scalaria). 387
„ (Turbo stramineus, var.). 444
Lampadopsis. 175
Lampania. 236
Lampas. 175
lampas (Ranella). 175
Lamprodoma. 55
Lamprostoma. 450
lancea (Melania). 257
lanceata (Terebra). 4
lanceolata (Columbella). 130
„ (Drillia). 40
lanceolatus (Latirus). 92
„ (Triton). 165
lanceus (Latirus). 92
lanciae (Rissoa). 298
landaueri (Melania). 257
Lanistes. 320
lanx (Acmaea saccharina, var.). 501
lapidaria (Pomatiopsis). 306
lapillus (Purpura). 151
lapponica (Voluta). 69
laqueata (Goniobasis). 274
largillierti (Melania). 247
„ (Nerita atrata, var.). 413
larvaeformis (Cryptoplax). 523

Digitized by Google

larvaeformis (Terebra). 8
lata (Fissurella). 487
latecostata (Platyraphe). 334
latemarginata (Fissurella). 488
lateritia (Melania). 264
laterocompressa (Lepetella). 513
Latiaxis. 146
latilabre (Chondropoma). 359
„ (Leptopoma). 323
latilabrum (Pterocyclus). 333
latior (Gibbula umbilicaris, var.). 465
Latirus. 92
latispina (Astralium). 446
latissima (Neritina). 418
latissimus (Strombus). 211
latruncularia (Mitra). 72
latum (Chondropoma). 360
laugieri (Calliostoma). 472
lauta (Engina). 109
layardi (Cataulus). 340
leachi (Bithinia). 310
lecontei (Neritina). 415
legata (Harpa conoidalis, var.). 59
legatus (Conus). 33
leidensis (Callistochiton). 519
lens (Mitra). 73
lentiginosa (Acmaea). 502
„ (Cypraea). 202
„ (Melania). 259
„ (Nassa). 116
lentiginosus (Ischnochiton). 518
„ (Strombus). 212
Leonia. 354
leoninus (Conus). 11
Lepeta. 513
Lepetella. 513
Lepetidae. 513
lepida (Oliva). 53
Lepidopleuridae. 514
Lepidopleurus. 514
Leptoconchus. 162
Leptopoma. 323
Leptopomatiodes. 327
leptospira (Nassa). 117
Leptothyra. 444
lessoni (Crepidula). 367
lesueuri (Cantharidus). 460
Leucarinia. 344
leucodesma (Turricula). 84
leucophaea (Oliva guttata, var.). 46
leucopleura (Acmaea). 499
Leucoptychia. 324
leucoraphe (Leptopoma). 326
leucostigma (Cantharidus). 460
leucostoma (Triton). 171
leucotropis (Pleurotoma). 39
leucozona (Tritonidea). 106
leucozonalis (Latirus). 94
Leucozonia. 93
leufroyi (Defrancia). 42
Levenia. 177
lia (Rissoa). 293
liberiana (Paludina). 314
liberiensis (Melania). 249
libycus (Lanistes). 320
Licina. 355
Licinidae. 355
lienardi (Cypraea cicercula, var.). 208
„ (Marginella). 61
ligata (Tropidophora). 354
„ (Vanikoro). 371
Ligatella. 353
ligatula (Tropidophora). 354
lignaria (Crucibulum scutellatum, var. quiriquina, mut.). 365
„ (Fasciolaria). 91
lignarius (Conus). 23
„ (Triton). 167
lignosa (Mopalia). 520
ligula (Columbella). 132
lilacina (Rissoa). 293
lima (Calliostoma). 471
„ (Choanopoma). 356
„ (Pleurocera). 274
limaciformis (Ischnochiton). 517
limacina (Cypraea). 207
limata (Littorina). 279
„ (Nassa). 115
limbata (Fissurella). 487
„ (Marginella). 61
limbatus (Helcioniscus). 512
limbosa (Cominella). 105
Limneria. 371
Limnotrochus. 309
limosa (Amnicola). 309
Linatella. 168
lincina (Licina). 355
lincinellum (Choanopoma). 356
Lindsleya. 402
linearis (Defrancia). 42
lineata (Engina). 108
„ (Euthria). 107
„ (Mopalia). 520
„ (Natica). 375
„ (Nerita). 412
„ (Rissoa). 298
„ (Septaria tessellata, var.). 436
„ (Tonicella). 515
lineatus (Conus). 23
„ (Planaxis). 238
lineolata (Columbella terpsichore, var.). 129
„ (Cominella testudinea, var.). 105
„ (Neritina). 423
„ (Rissoa). 292
„ (Tonicia). 526
lineolatus (Conus princeps, var.). 17
„ (Semisinus). 266
linita (Platyraphe). 335
linguiferus (Cyclophorus). 329
linterae (Opisthostoma). 346

Digitized by Google

Liolophura. 528
Liolophurinae. 527
Lioplax. 316
Liotia. 476
Liotina. 477
lirata (Helicina). 395
„ (Melania). 264
liratula (Platyraphe). 335
lirella (Nassa). 120
lischkeana (Terebra). 2
lischkeanum (Dolium). 185
lischkei (Macroschisma). 491
„ (Neomphalius). 462
listeri (Cypraea). 206
„ (Glyphis). 491
Lithasia. 274
Lithoglyphus. 308
lithoglyphus (Conus). 23
Lithopoma. 446
Litiopa. 290
Litiopidae. 290
Litostylus. 328
litterata (Oliva). 51
„ (Strigatella). 85
Litterati. 10
litteratum (Cerithium). 227
litteratus (Conus). 10
littorea (Littorina). 277
littoricola (Helicina). 399
Littorina. 277
littorina (Assiminea). 321
Littorinidae. 277
litturatum (Chondropoma). 360
livescens (Goniobasis). 275
„ (Nassa). 114
lividum (Dorsanum). 124
lividus (Conus). 21
Livona. 468
lobata (Pentadactylus digitatus, var.). 158
lobatus (Strombus). 217
löbbeckii (Melania). 256
lodderae (Liotia). 476
Lonchaeus. 390
longicauda (Fusus). 87
longicosta (Patella). 507
longicymba (Ischnochiton). 518
longirostrata (Ovula). 189
longispina (Astralium). 445
„ (Neritina). 425
longissimus (Fusus). 87
longurionis (Conus). 29
lorcana (Melanopsis). 270
Lorica. 527
loricata (Claviger matoni, var.). 266
loricatus (Paludomus). 271
Loricella. 527
loroisii (Conus figulinus, var.). 13
Lotorium. 168
lotorium (Triton). 168
Lottia. 503
lowei (Patella). 505
lubrica (Callia). 342
Lucapina. 490
lucida (Turricula). 82
Lucidella. 401
lucidus (Conus). 33
luctuosa (Drillia). 41
„ (Melania). 257
luctuosus (Neomphalius). 463
lugubris (Acanthina). 156
„ (Monodonta). 457
„ (Oliva episcopalis, var.). 46
lühdorfi (Genotia). 35
luhuanus (Strombus). 219
lumbricalis (Vermetus). 240
Luponia. 199
lurida (Chaetopleura). 516
„ (Cypraea). 191
„ (Natica marochiensis, var.). 374
„ (Neritina). 433
lusitanica (Patella). 505
lutea (Cypraea). 203
„ (Littorina scabra, var.). 283
luteola (Columbella). 127
luteostoma (Ampullaria). 318
„ (Nassa). 121
„ (Purpura). 151
luteostomum (Dolium). 184
luteum (Solarium). 289
lutosus (Dipsaccus). 110
lyelli (Onithochiton). 528
lynx (Cypraea). 200
lyra (Scalaria). 387
lyrata (Cyllene). 105
„ (Turricula). 79
Lyria. 70
lyttletonensis (Incisura). 487

M.

macandrewi (Ouiscia). 183
macapa (Doryssa). 265
macilenta (Melania hollandri, var.). 247
„ (Natica). 382
„ (Turbonilla). 393
mackinlayi (Cistula). 358
maclaeya (Oliva). 49
macrii (Neritina). 419
Macropalaina. 345
Macroschisma. 491
macrostoma (Opisthostoma). 345
„ (Valvata). 316
macrotrema (Fissurella). 488
macula (Cypraea). 194
maculata (Terebra). 1
„ (Turritella). 244
maculatum (Dolium). 185
„ (Leptopoma). 325
maculatus (Trochus). 450
maculosa (Columbella). 131

Digitized by Google

maculosa (Natica). 372
„ (Persicula). 64
„ (Pisania). 107
„ (Surcula). 86
maculostriatus (Neomphalius). 464
maculosum (Cerithium). 225
maculosus (Triton). 164
madagascariensis (Ampullaria). 320
„ (Cassis). 177
„ (Faunus). 267
„ (Tropidophora). 352
madecassina (Neritina). 425
madreporarum (Coralliophila). 161
maesta (Mitra). 73
„ (Neomphalius ater, var.). 463
magdalensis (Ischnochiton). 517
magellanica (Nacella aenea, var.). 509
„ (Voluta). 69
Magi. 23
Magilus. 162
magnifica (Tylotoma). 315
„ (Voluta). 68
magnificus (Chiton). 523
magus (Conus). 23
„ (Gibbula). 464
mahogani (Conus). 27
major (Alcadia). 400
„ (Columbella). 128
„ (Eulima). 389
„ (Nassa costulata, var.). 116
„ (Patella vulgata, var.). 504
„ (Rissoa aspera, var.). 299
majusculum (Choanopoma). 355
malayanus (Cyclophorus). 331
maldiva (Conus generalis, var.). 18
Malea. 186
malleata (Ampullaria). 318
„ (Paludina stelmophora, var.). 312
maltzanianus (Conus). 21
Mamilla. 380
mamilla (Natica). 379
mamillaris (Calyptraea). 369
„ (Leonia). 354
„ (Natica). 378
mancinella (Purpura). 149
Mangelia. 41
mani (Megalomastoma). 339
manoëli (Neritina). 433
mantichora (Oliva guttata, var.). 46
Manzonia. 296
mappa (Cypraea). 196
marchionatus (Conus). 10
Margarita. 469
margaritacea (Turbo argyrostomus, var.). 440
margaritifera (Nassa). 114
margaritula (Ranella). 172
marginalbum (Chondropoma). 359
marginata (Marginella). 62
„ (Ranella). 175
marginata (Rissoa). 295
marginater (Pentadactylus). 160
marginatus (Cataulus). 340
„ (Strombus). 215
Marginella. 60
Marginellidae. 60
marginelloides (Cythara). 43
marginulata (Nassa). 113
mariae (Mitra). 72
mariei (Cyclosurus). 349
„ (Terebra). 5
maritima (Tudora). 361
marmorata (Phasianella). 437
„ (Pleurotoma). 38
„ (Voluta). 68
marmoratus (Chiton). 525
„ (Turbo). 438
marmorea (Tonicella) 515
Marmorei. 8
marmoreus (Conus). 8
Marmorostoma. 442
maroccanus (Fusus). 90
marochiensis (Natica). 374
marratii (Nassa). 116
martensi (Helicina). 395
„ (Pentadactylus). 160
„ (Rolleia). 357
martensianus (Cyclophorus). 332
martinianum (Cerithium). 230
martinianus (Murex). 135
„ (Sigaretus). 384
„ (Triton pilearis, var.). 165
martinii (Scalaria). 388
masaris (Oliva erythrostoma, var.). 50
Massotia. 301
mathildae (Leptopoma). 325
matoni (Claviger). 266
mauiensis (Melania). 264
maura (Natica). 381
„ (Nerita semirugosa, var.). 408
„ (Oliva). 48
mauriciae (Melania tuberculata, var.). 259
mauritiana (Ancilla). 58
„ (Cypraea). 197
„ (Littorina). 281
mauritianus (Strombus). 219
„ (Trochus). 450
mauritii (Pentadactylus). 158
maxima (Fissurella). 487
„ (Nerita). 407
maximum (Macroschisma). 491
„ (Solarium). 288
maximus (Trochus). 448
„ (Vermetus). 241
mederi (Trochus chloromphalus, var.). 452
mediolaeve (Buccinanops dilutum, var.). 125
mediterraneus (Conus). 28
medusae (Vermetus). 240
megacerus (Murex). 140
megachile (Tudora). 360

Digitized by Google

Megalatractus. 100
Megalomastoma. 339
megaspira (Voluta). 68
megastoma (Alcadia). 400
„ (Ampullaria). 318
Megastomia. 392
Megatebennus. 490
Meladomus. 321
melaleucos (Neomphalius). 463
Melanatria. 267
Melanella. 246
Melanerita. 413
Melania. 246, 252
Melaniidae. 246
Melanoides. 249
melanoloma (Monodonta). 458
melanomathos (Murex). 142
Melanopsis. 268
melanostoma (Cypraea). 196
„ (Littorina). 283
„ (Natica). 380
„ (Tritonidea). 107
melanostomoides (Natica melanostoma, var.). 381
melanostomus (Strombus). 216
Melantho. 315
meleagris (Neritina virginea, var.). 423
melitense (Cyclostoma). 354
Melo. 65
melo (Yetus). 65
melones (Purpura). 150
Melongena. 97
melongena (Melongena). 97
membranacea (Rissoa). 291
memnonia (Oliva reticularis, var.). 52
mendicaria (Engina). 108
menkeanus (Cyclophorus). 329
mercator (Conus). 24
mercatoria (Columbella). 126
Merica. 45
meridionalis (Neritina). 433
mertensii (Ischnochiton). 518
merula (Monodonta). 458
Mesalia. 245
mespilus (Turbo porphyrites, var.). 442
messorius (Murex). 135
metcalfei (Conus magus, var.). 24
„ (Eulima). 390
Metcalfeia. 402
metulina (Turbonilla). 393
mexicana (Patella). 507
mexicanum (Cyrtoma). 339
mexicanus (Murex). 140
meyeri (Calliostoma). 470
micans (Terebra). 8
Microcalpia. 270
microdon (Clanculus). 455
„ (Cypraea). 193
Microsetia. 304
microphyllus (Murex). 138
microstoma (Diplommatina). 348
„ (Nassa). 120
microzonias (Turricula). 83
midae (Haliotis). 484
miles (Conus). 19
miliare (Calliostoma). 471
miliaria (Persicula). 64
miliaris (Conus). 15
„ (Cypraea). 204
„ (Ocinebra). 145
millegranum (Tectarius). 285
Millepes. 221
millepeda (Pterocera). 221
millepunctata (Natica). 371
millepunctatus (Conus). 10
miltonis (Yetus). 66
mindanus (Conus). 29
mindorensis (Melania). 255
miniata (Patella). 505
miniatus (Clanculus). 453
minima (Lachesis). 104
minimus (Potamides). 236
„ (Strombus). 214
Minolia. 468
minor (Columbella). 131
„ (Eutrochatella pulchella, var.). 401
„ (Fusus perplexus, var.). 88
„ (Geomelania). 321
„ (Harpa). 60
„ (Helicina acutissima, var.). 397
„ (Helicina neritella, var.). 394
„ (Leptopoma vitreum, var.). 323
„ (Lucidella aureola, var.). 402
„ (Megalomastoma orbignyi, var.). 339
„ (Nassa corniculum, var.). 123
„ (Nassa festiva, var.). 120
„ (Nassa mutabilis, var.). 112
„ (Rissoa hirta, var.). 298
„ (Rissoa lilacina, var.). 293
„ (Rissoa membranacea, var.). 291
„ (Tomocyclus simulacrum, var.). 339
minutissima (Arinia). 344
mirabile (Opisthostoma). 346
Miraulax. 327
mitescens (Melania sumatrensis, var.). 250
mitis (Cynodonta capitellum, var.). 96
„ (Voluta vespertilio, var.). 67
Mitra. 71
mitra (Acmaea). 499
mitraeformis (Genotia). 35
„ (Lyria). 71
mitratus (Conus). 31
Mitrella. 131
mitreola. 78
Mitridae. 71
Mitrulae. 415
Mitrularia. 364
mittrei (Natica aurantia, var.). 378
Modelia. 444
modestum (Astralium). 445

Digitized by Google

modestum (Solarium). 287
modica (Turbonilla). 393
Modulidae. 237
Modulus. 237
modulus (Modulus). 237
moesta (Melania). 256
moestum (Chondropoma). 359
möllendorffi (Alycaeus). 343
moluccensis (Conus). 16
monachus (Conus). 27
moneta (Cypraea). 198
monile (Conus). 18
Monilea. 467
monilifera (Olivella nivea, var.). 56
„ (Cerithium morus, var.). 228
moniliferum (Calliostoma). 471
„ (Umbonium). 477
monilis (Litiopa). 290
„ (Nassa). 113
„ (Persicula). 64
„ (Terebra). 7
monoceros (Ocinebra). 145
Monodactylus. 215
monodon (Murex). 189
Monodonta. 455
monodonta (Rissoa). 294
Monophorus. 224
montacuti (Neritina brevispina, var.). 426
montagui (Calliostoma). 473
„ (Natica). 382
„ (Rissoa). 298
Mopalia. 520
Mopaliidae. 520
moreleti (Melania). 262
„ (Omphalotropis). 351
„ (Rissoa). 297
moreletiana (Tudora). 361
Morio. 182
morio (Melongena). 98
„ (Monodonta). 457
morongensis (Palaina). 344
Morula. 158
morus (Cerithium). 228
„ (Pentadactylus). 158
motacilla (Murex). 135
Moulinsia. 341
moulinsii (Crepidula). 367
„ (Tropidophora). 358
moussoni (Paludina javanica, var.). 314
mucronata (Turricula). 82
mülleri (Melania). 255
multicarinata (Monodonta zebra, var.). 456
multiformis (Potamides). 236
multilineata (Goniobasis virginica, var.). 276
mundula (Rissoa). 297
Mures. 14
Murex. 133
Muricantha. 141
muricata (Acanthina). 155
„ (Clavatula). 86
muricata (Cynodonta). 95
„ (Liotia). 476
muricatus (Pentadactylus). 159
„ (Strombus). 218
„ (Tectarius). 286
Muricidae. 132
muricinus (Pentadactylus). 160
Muricopsis. 142
muriculatus (Conus). 16
mus (Conus). 14
„ (Cypraea). 197
muscaria (Marginella). 61
„ (Terebra). 2
muscosa (Mopalia). 520
musica (Volutolyria). 70
musicus (Conus). 10
musivus (Pentadactylus). 159
mustelina (Oliva). 48
mustelinus (Conus). 19
mutabilis (Conus). 19
„ (Fissurella). 489
„ (Monodonta). 457
„ (Nassa). 112
mutica (Neritina brevispina, var.). 426
Mychopoma. 338
myosoroides (Rissoina). 305
Myristica. 99
mytilina (Nacella). 508
myura (Melania scabra, var.). 260
Myurella. 6
myuros (Terebra). 7

N.

nablium (Harpa conoidalis, var.). 59
Nacella. 508
nacelloides (Acmaea pelta, var.). 499
naevosa (Haliotis). 485
nagasakiensis (Latirus). 93
nana (Natica). 383
„ (Olivella). 55
„ (Risella). 286
nanus (Conus). 16
„ (Pterocyclus). 333
Naricidae. 370
Narona. 45
Nassa. 111
nassa (Latirus). 93
nassatulus (Latirus). 94
Nassidae. 111
natalensis (Neritina). 420
„ (Tectarius). 285
Natica. 371
Naticidae. 371
Naticina. 381
naticoides (Lithoglyphus). 308
„ (Otopoma). 352
natunense (Lagochilus). 326
„ (Leptopoma). 325
natunensis (Paxillus adversus, var.). 348

Digitized by Google

nauticus (Yetus). 66
Nebularia. 74
nebulata (Haliotis). 484
nebulosa (Olivancillaria). 54
„ (Terebra). 5
nebulosus (Conus). 17
nedulina (Olivella undatella, var.). 55
nedyma (Minolia). 468
neglecta (Acmaea). 501
„ (Cypraea). 193
nemocanus (Conus). 19
Neocyclotidae. 338
Neocyclotus. 338
Neodiloma. 457
Neomphalius. 461
Neovolvaria. 63
Neptunea. 100
neptuni (Yetus). 65
Nerita. 403
Neritaea. 414
neritea (Cyclonassa). 123
neritella (Helicina). 394
Neritidae. 403
Neritilia. 433
Neritina. 414
neritina (Phasianella). 438
Neritodryas. 424
neritoidea (Coralliophila). 161
„ (Purpura). 148
neritoides (Littorina). 280
„ (Monodonta). 458
„ (Paludomus). 272
neritoideus (Sigaretus). 383
Neritona. 414
Neritopsidae. 436
Neritopsis. 436
Neverita. 376
newcombi (Latirus). 94
„ (Littorina). 284
niagarensis (Goniobasis livescens, var.). 275
niahensis (Pterocyclus). 338
Nicida. 343
nicobaricus (Conus). 9
„ (Fusus). 89
nifat (Pusionella). 35
niger (Enoplochiton). 528
„ (Turbo). 444
nigerrima (Monodonta). 457
nigerrimus (Neomphalius). 461
nigra (Cleopatra bulimoides, var.). 315
„ (Fissurella). 487
„ (Rissoa). 304
nigrescens (Potamides minimus, var.). 237
nigricans (Canidia). 124
„ (Leptopoma). 324
„ (Paludomus). 271
nigricolor (Neomphalius). 462
Nigritella. 249
nigritellus (Planaxis). 238
nigritina (Melania). 249
nigritus (Megatebennus). 490
„ (Murex). 142
nigro-fasciata (Neritina malanensis, var.) 481
nigrolineatus (Helcioniscus). 510
nigropunctata (Fissurella). 488
nigropunctatus (Conus). 27
nigrospinosus (Murex). 134
nigrum (Bittium). 232
nilagiricus (Cyclophorus). 329
nilgirica (Nicida). 343
nilotieus (Trochus). 448
nimbosa (Fissurella). 489
nimbus (Helcioniscus). 512
Nina. 286
Ninella. 444
Niotha. 113
Niso. 390
nitens (Cyclostrema). 479
„ (Tudora augustae, var.). 361
nitida (Columbella). 130
„ (Gibbula). 467
„ (Nassa reticulata, var.). 115
„ (Proserpina). 394
Nitidella. 130
nitidula (Olivella). 55
nitidulus (Triton). 164
nitidum (Cyathopoma). 337
nivea (Hindsia). 110
„ (Nassa). 119
„ (Olivella). 56
„ (Rissoina). 305
„ (Trivia). 210
nivosa (Cypraea vitellus, var.). 196
„ (Gibbula). 466
„ (Phasianella). 437
„ (Voluta). 68
nivosus (Turbo). 440
nixa (Eulima). 390
noachina (Puncturella). 493
nobile (Cerithium). 230
nobilis (Conus). 18
„ (Eudoxochiton). 525
„ (Fusus). 88
„ (Harpa). 59
„ (Oliva tremulina, var.). 50
„ (Puncturella). 493
„ (Ranella). 172
„ (Triton). 163
nocturnus (Conus). 9
nodata (Nassa). 120
nodatus (Latirus). 92
nodicincta (Nassa). 122
nodicostatus (Phos). 109
nodifera (Nassa). 119
nodiferus (Triton). 164
nodilirata (Drillia). 39
nodosa (Fissurella). 489
„ (Melongena paradisiaca, var.). 98
„ (Siphonalia). 102
„ (Turricula). 88

Digitized by Google

nodoso plicatus (Fusus). 88
nodulifera (Cancellaria). 44
noduliferus (Trochus). 450
nodulosa (Goniobasis). 275
„ (Turritella). 243
„ (Cerithium vulgatum, var.). 225
nodulosum (Cerithium). 224
nodulosus (Pentadactylus). 160
Nodulus. 304
Northia. 125
notata (Stomatella). 480
„ (Subemarginula). 495
nouletiana (Neritina). 430
novae-hollandiae (Fusus). 87
novemcarinatum (Cyclostrema). 478
novo-guineënsis (Cyclotus). 336
nubecula (Fissurella). 489
nucea (Cylindromitra). 86
nucleola (Mitra). 77
nucleolus (Neritina). 429
nucleus (Cypraea). 208
„ (Planaxis). 238
nuda (Helicina). 396
nussatella (Conus). 30
nutallii (Ocinebra). 145
Nuttallina. 520
nux (Conus). 15

O.

obeliscus (Cerithium). 231
„ (Trochus). 449
„ (Turricula). 81
obesa (Cylindromitra). 86
„ (Littorina). 281
„ (Persicula). 64
obesulum (Cerithium). 229
obesum (Cerithium). 230
„ (Chondropoma). 360
obligata (Littorina rudis, var.). 278
obliquata (Gibbula). 466
oblitus (Fusus). 89
oblonga (Rissoa). 294
obovatum (Pleurocera). 274
obscura (Fissurella). 488
„ (Marginella). 63
obscurata (Neritina). 427
„ (Stomatia phymotis, var.). 481
obscurus (Conus). 32
„ (Pomatias). 349
„ (Triton). 164
obsoleta (Leptopoma manadense, var.). 325
„ (Nassa). 122
„ (Tropidophora). 352
obtusa (Fissurella). 490
„ (Rissoa). 304
obtusata (Littorina). 279
obtusus (Potamides). 234
„ (Tenagodes). 241
obvelata (Cypraea). 199
Ocana. 442
occa (Murex). 134
occata (Goniobasis). 274
occidentale (Calliostoma). 472
occidentalis (Chenopus). 223
occlusa (Tropidophora). 353
Ocellaria. 204
ocellata (Cypraea). 205
ocellatum (Calliostoma). 471
„ (Cerithium). 227
ocellatus (Latirus). 93
ocelliferus (Fusus). 89
ochroleucus (Conus). 26
Ocinebra. 143
Ocinebrina. 144
octona (Rissoa). 291
octoradiata (Subemarginula). 495
oculata (Terebra). 7
oculus (Patella). 507
odontis (Monodonta). 458
Odostomia. 391
olearium (Dolium). 184
oligogyra (Diplommatina). 348
Oliva. 45
olivacea (Helcioniscus radians, var.). 511
„ (Neritina). 429
olivaceus (Chiton). 524
olivaeformis (Marginella). 61
Olivancillaria. 53
Olivella. 54, 56
Olividae. 45
Olivina. 57
olla (Yetus). 65
omaicus (Conus). 12
omaria (Conus). 34
Omphalius. 463
Omphalotropis. 350
Oniscia. 183
Onisicidia. 183
oniscus (Oniscia). 183
„ (Trivia). 209
Onithochiton. 528
Onoba. 297
Onustus. 370
onyx (Crepidula). 367
„ (Cypraea). 202
oostoma (Diplommatina). 348
opaca (Bithinella). 307
Opalia. 387
Opisthoporus. 337
Opisthostoma. 345
orbiculata (Helicina). 396
orbignyi (Conus). 29
„ (Rissoina). 305
„ (Tritonidea). 106
oregonensis (Triton). 168
oriens (Fissurella). 487
orientalis (Mitra). 73
„ (Natica). 378
ornata (Littorina obtusata, var.). 280

Digitized by Google

ornata (Nerita). 409
„ (Siphonalia). 101
ornatum (Calliostoma). 470
ornatus (Helcioniscus). 511
„ (Potamides). 235
„ (Semisinus). 266
orosminus (Strombus). 214
Orthalycaeus. 342
oryza (Trivia). 210
Osilinus. 456
ostrina (Purpura saxicola, var.). 153
Otopleura. 391
Otopoma. 352
otostoma (Opisthostoma). 345
ottonis (Chondropoma). 359
ovata (Cancellaria). 43
„ (Plaxiphora). 521
ovatula (Palaina). 344
ovina (Haliotis). 485
ovoidea (Gyrotoma). 277
„ (Turbinella). 95
Ovula. 187
ovulata (Columbella). 131
„ (Trivia). 209
ovum (Lanistes). 320
„ (Ovula). 187
oweniana (Neritina). 418
Oxystele. 458
oxytropis (Helicina). 398
„ (Pleurotoma). 39

P.

pachychila (Diplommatina). 347
Pachychilus. 247
Pachylabra. 318
Pachypoma. 446
pacifica (Nerita insculpta, var.). 412
„ (Trivia). 209
„ (Voluta). 68
pacificus (Strombus). 215
Padollus. 485
pagoda (Melania). 261
pagodula (Rissoa). 301
pagodus (Columbarium). 36
„ (Hindsia). 110
„ (Tectarius). 284
paladilhianus (Pomatias). 349
Palaina. 344
palawanensis (Cyclophorus). 330
palawanicus (Cyclotus). 336
pallasii (Scalaria). 386
pallescens (Littorina filosa, var.). 284
palliata (Alcadia). 400
„ (Littorina). 279
pallida (Acmaea testudinalis, var.). 498
„ (Cypraea). 202
„ (Janthina). 385
„ (Marginella). 68
pallidula (Xenophora). 370
pallidus (Helcioniscus). 510
„ (Phos). 109
„ (Semisinus). 266
palmarosae (Murex). 137
palmulatus (Callistochiton). 519
Paludina. 311
Paludinidae. 311
Paludomus. 271
palustris (Potamides). 233
panayana (Neritina). 433
panayense (Leptopoma). 326
panniculus (Conus). 34
pantherina (Cypraea). 200
„ (Melania). 255
papalis (Mitra). 72
papilio (Strombus). 212
papilionaceus (Conus). 11
papilla (Sigaretus). 384
papillosa (Nassa). 118
„ (Conus puncticulatus, var.). 27
papyracea (Mitrularia equestris, var. tortilis, mut.). 364
papyracea (Rapa). 162
„ (Stomatella). 480
Paradiancta. 346
paradisiaca (Melongena). 98
paradoxa (Rissoa). 294
paradoxum (Chrysostoma). 478
Paramelania. 265
pardalina (Columbella). 128
parius (Conus). 26
parkeri (Ischnochiton). 518
parmophoidea (Subemarginula). 496
parthenope (Triton). 165
parva (Haliotis). 485
„ (Helicina). 398
„ (Rissoa). 295
parvula (Melania). 247
pastinaca (Conus daucus, var.). 22
Patella. 503
Patellidae. 503
patina (Acmaea). 498
Patinella. 509
patriarchalis (Turricula). 83
patula (Emmericia). 308
„ (Melongena). 97
„ (Nerita). 405
„ (Purpura). 147
„ (Buccinum groenlandicum, var.). 103
patulum (Cerithium). 229
paucirugis (Cassis) 181
paumotensis (Patella stellaeformis, var.). 506
paupercula (Strigatella). 85
pauperculus (Conus). 28
pavonia (Columbella). 131
Paxillus. 348
paxillus (Diplommatina). 348
Payraudeautia. 376
paytensis (Columbella). 128
pearsoni (Cyclophorus). 330

Digitized by Google

pectinatus (Helcion). 508
Pectinibranchiata. 1
pediculus (Mitra). 76
„ (Trivia). 209
Pelicaria. 224
pellis-serpentis (Chiton). 524
„ (Mitra). 75
„ (Neomphalius). 464
„ (Voluta vespertilio, var.). 67
pellis-tigrina (Natica). 372
pellucida (Leptopoma vitreum, var.). 323
„ (Olivella). 56
pellucidum (Calliostoma). 470
pellucidus (Helcion). 508
„ (Vermetus). 241
peloronta (Nerita). 410
pelta (Acmaea). 498
penicillata (Terebra lanceata, var.). 4
penicillatus (Acanthochites). 522
pennaceus (Conus). 34
pennata (Neritina). 418
Pentadactylus. 156
peplum (Conus). 9
Perdix. 186
perdix (Cyclophorus). 331
„ (Dolium). 186
„ (Solarium). 288
perfecta (Melania). 250
Peringia. 306
Peringiella. 304
Peristernia. 94
perobtusa (Cantharidus pruininus, var.). 459
peronii (Liotia). 476
perplexus (Fusus). 88
Perrona. 36
perrottetiana (Neritina). 419
Persephona. 293
persica (Purpura). 147
Persicula. 63
persicula (Persicula). 63
Persona. 171
persona (Acmaea). 498
perspectiviuncula (Torinia). 289
perspectivum (Calliostoma). 473
„ (Solarium). 287
perspectivus (Sigaretus). 384
perspicua (Lamellaria). 371
pertusa (Terebra). 5
pertusus (Conus). 24
peruviana (Chaetopleura). 516
„ (Concholepas). 161
„ (Fissurella). 488
„ (Littorina). 282
„ (Oliva). 45
„ (Trophon geversianus, var.). 132
peruvianus (Strombus). 216
perversa (Triphoris). 224
perversum (Fulgur). 97
pes-pelecani (Chenopus). 223
pes-struthiocameli (Struthiolaria). 223
petholatus (Turbo). 438
petiti (Neritina). 417
petitianum (Chondropoma). 360
petiveriana (Natica ampla, var.). 377
petrosa (Cerithium tuberculatum, var.). 229
petrosum (Astralium). 447
pfefferi (Cerithium). 232
„ (Neomphalius). 464
pfeifferi (Neomphalius). 462
„ (Triton). 167
„ (Truncatella). 322
pharaonius (Clanculus). 453
Phasianella. 436
phasianoïa (Columbella). 129
Phasianotrochus. 460
philberti (Defrancia). 42
„ (Gibbula). 465
Philippia. 288
philippinarum (Cyclophorus). 332
„ (Mitra). 77
„ (Scalaria). 387
Philopotamis. 271
pholidota (Helciouiscus radians, var.). 511
Phorcus. 465
Phos. 109
Photinula. 468
Phrontis. 121
phymotis (Stomatia). 481
pica (Glyphis inaequalis, var.). 492
„ (Livona). 468
„ (Nerita). 413
„ (Nerita variegata, var.). 410
„ (Oliva). 50
„ (Patella). 506
„ (Purpura). 149
picta (Cypraea). 202
„ (Fissurella). 487
„ (Littorina). 282
„ (Nassa). 116
„ (Natica). 374
„ (Neritina). 430
„ (Pleurotoma). 38
Pictae. 37, 420
pictum (Chondropoma). 359
„ (Dolium). 186
„ (Solarium). 288
picturata (Ischnochiton smaragdinus, var.). 517
picturatus (Cyclophorus). 329
piger (Planaxis brasilianus, var.). 239
Pila. 409
pila (Cassis). 178
pilearis (Triton). 165
pileopsis (Acmaea). 502
pileus (Leptopoma). 325
Pilidium. 513
pilosus (Hipponyx). 363
pilula (Dioryx). 342
pineticola (Pupina). 341
pingelii (Bela). 41

Digitized by Google

pinnae (Rissoa). 292
pinnatus (Murex). 136
pintado (Littorina). 282
Pirenella. 233
Pirula. 187
Pisania. 107
piscatoria (Cancellaria). 44
piscinalis (Valvata). 316
Pisinna. 304
pisum (Choanopoma). 355
„ (Melania). 247
plana (Buccinum undatum, var.). 103
Planaxidae. 237
Planaxis. 237
planaxis (Littorina). 278
planicostatus (Planaxis). 238
Planithaïs. 147
planorbis (Conus). 22
„ (Ditropis). 328
„ (Skeneia). 290
planorbulum (Crossopoma). 328
planospira (Nerita). 411
„ (Purpura). 147
planulata (Gena). 480
„ (Torinia perspectiviuncula, var.). 289
planulatus (Sigaretus). 384
planus (Adeorbis). 385
Platyraphe. 334
Plaxiphora. 521
plebecula (Nassa). 119
plebeja (Platyraphe). 334
Plectocyclotus. 338
Plectostoma. 345
pleëi (Columbella). 126
Plesioniscia. 188
Pleurocera. 272
Pleuroceridae. 272
Pleurotoma. 87
Pleurotomaria. 486
Pleurotomariidae. 486
plexa (Nerita). 403
plicaria (Turricula). 80
plicata (Cassis). 180
„ (Coralliophila). 161
„ (Nerita). 409
„ (Odostomia). 391
„ (Terebra). 5
plicatulum (Chondropoma). 360
pliciferus (Murex). 135
plicosa (Nassa). 122
„ (Omphalotropis). 351
„ (Platyraphe). 335
Plotia. 260
plumbea (Monodonta melanoloma, var.) 458
„ (Natica). 378
„ (Pomatias henricae, var.). 349
„ (Pseudoliva). 110
poecilia (Columbella). 127
poeyianum (Chondropoma). 360
polita (Ampullaria). 319
polita (Eulima). 389
„ (Nerita). 410
„ (Turricula). 81
politus (Cyclotus). 335
Pollinices. 377
polpasta (Oliva). 51
polydelta (Neritina ualanensis, var.). 431
Polygona. 93
polygonoides (Fusus). 89
polygonum (Cerithium). 226
polygonus (Latirus). 92
Polyplacophora. 514
Polytropa. 151
polyzonata (Paludina). 313
polyzonatum (Leptopoma). 325
Pomatias. 349
Pomatiasidae. 349
Pomatiopsis. 306
Pomaulax. 447
Pomella. 318
pomum (Dolium). 186
„ (Murex). 140
ponderosa (Melantho). 315
„ (Ranella). 173
„ (Conus quercinus, var.). 12
ponsonbyi (Horea). 305
pontificalis (Conus). 16
„ (Mitra). 72
popayanus (Neocyclotus). 338
poraria (Cypraea). 206
porata (Amnicola). 309
porcata (Cominella). 104
„ (Neritina). 418
porcatus (Turbo). 443
porcellana (Crepidula). 367
„ (Odostomia). 391
porcellanum (Cyclostrema). 479
porcifera (Monodonta). 458
porcinus (Yetus). 65
porifera (Rissoa violacea, var.). 294
porosus (Acanthochites). 522
„ (Callistochiton) 519
porphyria (Oliva). 45
porphyrites (Turbo). 442
portoricana (Conus testudinarius, var.). 28
Potamides. 233
poucheti (Rissoa). 299
powisiana (Natica). 378
„ (Neritina). 416
praelatus (Conus). 34
praerosa (Melanopsis). 268
praerosus (Ancylotus). 276
prasinus (Lithoglyphus). 308
preissiana (Monilea). 468
priamus (Halia). 43
Priene. 168
princeps (Conus). 17
„ (Fasciolaria). 91
„ (Murex). 141
Prisogaster. 444

Digitized by Google

proboscidalis (Yetus). 65
proboscidiferus (Semifusus). 100
procera (Rissoa). 297
procerula (Hydrobia). 307
producta (Bithinia tentaculata, var.). 310
profunda (Puncturella). 493
prometheus (Conus). 11
Propilidium. 513
Proserpina. 394
Proserpinidae. 394
Prosobranchiata. 1
proteus (Conus). 11
proxima (Rissoa). 298
pruinosa (Marginella). 62
pruinosus (Cyclotus). 336
„ (Helcion). 508
prunum (Marginella). 62
Psephaea. 69
pseudo-cumingi (Pterocyclus). 333
Pseudocyclophorus. 335
Pseudoliva. 110
pseudomphala (Helicina). 398
Pseudomurex. 146
Pseudoneptunea. 102
pseudoscalaris (Scalaria). 387
Ptenoglossa. 385
Pterocera. 220
Pterocyclus. 333
Pteronotus. 136
pudicum (Chondropoma). 359
puelchana (Olivella). 57
Pugilina. 97
pugilina (Melongena). 97
pugilis (Strombus). 212
pulchella (Cypraea). 203
„ (Eutrochatella). 401
„ (Goniobasis). 275
„ (Natica). 382
„ (Olivella). 55
„ (Pyramidella). 390
pulchellum (Leptopoma). 324
„ (Opisthostoma). 346
pulchellus (Callistochiton). 519
„ (Fusus). 89
„ (Strombus). 214
pulcherrima (Gibbula). 464
„ (Haliotis). 485
„ (Helicina). 399
„ (Rissoa). 303
pulcherrimus (Cantharidus). 460
pulchra (Cypraea). 191
„ (Fissurella). 487
„ (Littorina). 277
„ (Ranella). 176
„ (Schismope). 486
pulchrior (Adamsiella). 357
pulex (Trivia). 211
pulicaris (Natica). 373
pulicarius (Conus). 13
pulla (Phasianella). 437
pullata (Turricula). 79
pulligera (Neritina). 416
pulligo (Neomphalius). 462
pullus (Nassa arcularia, var.). 111
pumilio (Opisthostoma). 346
punctata (Acanthina). 155
„ (Columbella fulgurans, var.). 127
„ (Cypraea). 203
„ (Littorina). 282
„ (Littorina scabra, var.). 283
„ (Nassa). 117
„ (Turritella). 244
punctatum (Cerithium). 227
„ (Terebellum). 223
punctatus (Conus). 14
„ (Cyclophorus). 332
puncticulata (Mitra). 73
puncticulatus (Conus). 26
punctulata (Acmaea). 499
„ (Cypraea). 197
„ (Neritina). 419
punctulatissimus (Ischnochiton). 518
punctulatum (Calliostoma). 470
punctulum (Rissoa). 304
punctura (Rissoa). 302
Puncturella. 493
puniceus (Clanculus). 453
pupa (Neritina). 423
pupilla (Margarita). 469
pupillus (Cantharidus). 460
Pupina. 341
Pupinella. 341
Pupinidae. 340
pupoides (Colobostylus). 362
pura (Rissoa semistriata, var.). 303
Purpura. 147
purpurascens (Conus). 28
purpurea (Defrancia). 42
purpureus (Lanistes). 321
purpuroides (Ocinebra). 144
Pusia. 88
pusilla (Natica). 376
„ (Platyraphe). 334
„ (Ranella). 176
„ (Rissoa). 296
Pusillina. 296
pusio (Pisania). 107
Pusionella. 35
pustula (Fissurella). 490
Pustularia. 207
pustulata (Cypraea). 207
„ (Haliotis). 483
„ (Conus puncticulatus, var.). 27
pustulifera (Haliotis varia, var.). 483
putre (Choanopoma). 357
pygmaea (Acmaea heroldi, var.). 500
„ (Natica). 375
„ (Scalatella). 321
pygmaeus (Conus). 27
pyramidalis (Bela). 41

Digitized by Google

pyramidalis (Paludina). 311
„ (Scalaria). 386
pyramidata (Drillia). 40
„ (Gyrotoma). 277
pyramidatum (Heteropoma). 351
Pyramidella. 390
Pyramidellidae. 390
pyramis (Leptopoma). 326
„ (Melania). 259
Pyrazus. 233
Pyrgisculus. 393
Pyrgostelis. 393
Pyrgostylus. 393
Pyrgulina. 392
pyriformis (Conus). 13
Pyrulofusus. 101
pyrum (Cassis). 181
„ (Cypraea). 202
„ (Fulgur). 97
„ (Marginella). 60
„ (Triton). 169
„ (Turbinella). 95

Q.

quadrasi (Georissa). 403
„ (Opisthoporus). 337
„ (Palaina). 344
quadratus (Potamides). 235
quadricarinatus (Euchelus). 474
quadricolor (Nerita). 409
quadricostatus (Neomphalius). 463
quadrifrons (Murex). 139
quadrimaculata (Cypraea). 193
quadripunctata (Trivia). 210
quaternata (Tudora). 361
quercinus (Conus). 12
quinquecarinatum (Cyclostrema). 479
quinqueplicata (Marginella). 63
quiriquina (Crucibulum scutellatum, var.). 365
quoyi (Chiton). 523
Quoyia. 239

R.

rabongense (Lagochilus). 326
Rachiglossa. 45
racketti (Gibbula tumida, var.). 466
radians (Calyptraea). 369
„ (Trivia). 209
radiata (Liotia). 476
„ (Rissoa). 295
radiatum (Crucibulum). 366
radiatus (Conus). 26
„ (Trochus). 452
„ (Turbo). 440
Radius. 189
radix (Murex). 142
Radsia. 525
radula (Neritopsis). 436
radula (Potamides). 233
rafflesi (Cyclophorus). 330
rana (Ranella). 172
Ranella. 172
ranelloides (Ranella). 175
rangelinus (Colobostylus). 362
rangiana (Neritina). 434
Ranularia. 169
ranunculus (Conus achatinus, var.). 27
Rapa. 162
rapa (Turbinella). 95
Rapana. 146
raphanula (Terebra). 4
raphanus (Conus magus, var.). 24
Raphaulus. 340
rarilineata (Gibbula divaricata, var.). 466
rarispina (Murex). 134
rattus (Conus). 20
„ (Cypraea stercoraria, var.). 199
ravidus (Theobaldius). 328
raynaudiana (Natica). 373
Realia. 350
Realidae. 350
recluziana (Natica). 377
„ (Nerita tessellata, var.). 406
„ (Neritina). 425
rectilateralis (Turricula). 81
recurva (Columbella). 130
„ (Conus regularis, var.). 19
„ (Mitra). 78
recurvatus (Cataulus). 340
recurvum (Cerithium). 231
redfieldianum (Stoastoma). 402
redfieldianus (Colobostylus). 362
redimiculum (Helcioniscus). 511
redimita (Gibbula). 467
reeveana (Cancellaria). 45
reevei (Melania). 250
reflexa (Ampullaria). 318
regia (Conus princeps, var.). 17
regina (Eutrochatella). 401
„ (Turricula). 79
regius (Murex). 141
„ (Yetus). 66
regularis (Conus). 18
renisectus (Vermetus). 241
retecosa (Nassa). 114
reticularis (Oliva). 52
reticulata (Cancellaria). 44
„ (Cypraea). 197
„ (Defrancia). 42
„ (Nassa). 114
„ (Neomphalius viridulus, var.). 463
„ (Nerita). 405
„ (Neritina). 424
„ (Neritina lineolata, var.). 423
„ (Persona). 171
„ (Pirula). 187
„ (Rissoa). 300
reticulatum (Bittium). 232

Digitized by Google

reticulatus (Cyclotus). 336
„ (Triton). 165
retropicta (Neritina). 428
retrorsus (Colobostylus). 362
retusa (Desmoulea). 123
„ (Neritina). 427
„ (Strigatella). 85
retusus (Triton). 170
Reymondia. 306
Rhabdotacra. 349
rhinoceros (Cynodonta). 95
Rhipidoglossa. 394
rhodia (Ovula). 188
rhodostoma (Buccinanops). 126
„ (Helicina). 396
„ (Strombus gibberulus, var.). 219
Rhytidoraphe. 332
richardi (Gibbula). 465
ricinus (Pentadactylus). 156
ridens (Persona). 171
rigida (Cancellaria). 44
„ (Turricula). 83
Rimella. 222
ringens (Clanculus). 455
„ (Tritonidea). 106
riparia (Helicina). 395
riqueti (Melania). 265
Risella. 286
Rissoa. 290
Rissoidae. 290
rissoides (Odostomia). 391
Rissoina. 305
rivularis (Conus boëticus, var.). 16
robertsi (Clanculus). 454
robusta (Terebra). 6
robustus (Strombus). 215
rodatzi (Natica). 379
roebelini (Alycaeus). 343
„ (Diplommatina). 347
roei (Haliotis). 485
rohri (Helicina). 399
roissyana (Neritina). 422
rollei (Colobostylus). 362
„ (Licina). 355
Rolleia. 357
romettensis (Tharsis). 479
rosacea (Columbella). 131
„ (Haliotis). 483
rosaceus (Conus). 25
rosaliae (Helicina). 398
rosalina (Olivella). 57
rosarium (Murex). 141
rosea (Broderipia). 481
„ (Emarginula). 494
„ (Harpa). 60
„ (Marginella). 60
„ (Ovula). 189
„ (Umbonium vestiarium, var.). 477
roseatus (Phos). 109
roseum (Leptopoma). 325
roseus (Conus). 14
„ (Pentadactylus). 159
rosselliana (Pupinella). 341
rossmässleri (Melanopsis cariosa, var.). 269
Rostellaria. 222
rostratus (Fusus). 88
rota (Murex). 142
rotelloidea (Helicina). 396
rotunda (Helicina). 395
rotundata (Janthina). 385
rotundicosta (Canidia helena, var.). 124
rotundilirata (Mitra). 76
rubecula (Triton). 165
rubella (Acmaea). 497
„ (Diplommatina). 347
ruber (Trachydermon). 516
rubicunda (Neritina). 415
rubicundus (Chiton). 525
„ (Turbo). 444
rubiginosa (Haliotis). 483
„ (Tonicia). 526
„ (Tritonidea). 106
rubra (Barleeia). 305
„ (Stomatia). 481
„ (Tenagodes anguina, var.). 342
rubricata (Neritina). 449
rubrolineatus (Acanthochites). 521
rudicostis (Melania). 261
rudis (Littorina). 278
„ (Melania). 263
„ (Rissoa). 302
„ (Terebra). 5
„ (Triton). 169
rudolphi (Fusus). 89
„ (Purpura). 147
rufa (Cassis). 181
„ (Helicina). 400
„ (Natica). 375
„ (Rissoa cimex, var.). 299
„ (Turbonilla). 393
rufescens (Amphicyclotus). 338
„ (Georissa). 402
„ (Haliotis). 482
„ (Melania). 249
rufilabris (Cistula). 358
„ (Rissoa). 296
rufilirata (Mitra). 77
rufo-filosa (Tanganyicia). 308
rufula (Georissa). 403
„ (Oliva). 46
„ (Rissoa algeriana, var.). 298
rufus (Murex). 139
rugata (Neritina). 428
rugatus (Neomphalius). 463
ruginosa (Neritina). 428
rugosa (Cancellaria). 43
„ (Columbella). 129
„ (Littorina). 277
„ (Pterocera). 222
„ (Subemarginula). 495

Digitized by Google

rugoso-plicata (Haliotis). 484
rugosum (Astralium). 445
„ (Cerithium). 228
rugosus (Neomphalius). 462
rugulatus (Ischnochiton). 518
rugulosa (Mangelia). 41
rugulosum (Ctenopoma). 357
rumphii (Nassa arcularia, var.). 111
„ (Nerita polita, var.). 411
rupestre (Cerithium). 225
rupestris (Pterocyclus). 333
„ (Voluta). 69
rupicola (Diplommatina). 347
rüppelli (Strombus). 218
„ (Cerithium). 226
„ (Glyphis). 492
rustica (Columbella). 127
„ (Tectarius bullatus, var.). 285
rusticus (Neomphalius). 462
rutila (Voluta). 68

S.

Sabanea. 294
saburon (Cassis). 178
saccharina (Acmaea). 501
sacellum (Purpura). 153
sacerdos (Clavatula). 36
sacratus (Potamides). 235
sadlerianus (Lithoglyphus). 308
safiana (Patella). 505
sagena (Columbella). 128
sagittifera (Monodonta). 459
sagraiana (Natica). 373
„ (Helicina). 399
salebrosa (Ocinebra). 145
salebrosum (Cerithium). 225
salleanum (Chondropoma). 360
salonitana (Neritina fluviatilis, var.). 432
Salpingophorus. 331
samar (Strombus). 220
samuelis (Strigatella). 84
sancti-pauli (Melania). 249
sandriana (Mangelia). 42
sandwichensis (Neritina). 414
sanguinea (Haliotis). 485
„ (Leptothyra). 444
„ (Trivia). 210
sanguinolenta (Cypraea). 202
„ (Oliva). 49
„ (Tritonidea). 106
„ (Trochus maculatus, var.). 451
sanguisuga (Turricula). 82
sapotilla (Marginella). 62
sarcodes (Tropidophora). 353
sarmaticus (Turbo). 438
sarsi (Rissoa albella, var.). 296
Saulea. 320
sauliae (Murex). 137
„ (Triton nodiferus, var.). 164
savignyi (Planaxis). 288
„ (Purpura hippocastanum, var.). 148
savinieri (Melania). 261
saxatilis (Murex). 142
saxicola (Purpura). 153
scaber (Micraulax). 327
„ (Triton). 169
scabra (Littorina). 288
„ (Melania). 260
„ (Nuttallina). 520
„ (Rissoa). 301
scabrella (Terebra). 5
scabricostata (Emarginula). 495
Scabricula. 76
scabriculum (Choanopoma). 356
scabriuscula (Trivia oryza, var.). 210
scabriusculus (Conus). 30
scalare (Leptopoma). 324
Scalaria. 386
Scalariidae. 386
scalarina (Palaina). 345
scalarinus (Pomatias). 349
scalaris (Ampullaria). 317
„ (Buccinum finmarkianum, var.). 108
„ (Nassa). 113
„ (Neomphalius). 468
„ (Scalaria). 386
„ (Vermetus spiratus, var.). 241
scalaroides (Ocinebra). 144
Scalatella. 321
scalatus (Helcioniscus). 512
scapha (Voluta). 68
schiedeana (Melania). 248
Schismope. 486
Schizoplax. 514
schmidtii (Bithinella). 307
schrammi (Fissurella barbadensis, var.). 489
schrenckii (Acmaea). 500
schwaneri (Melania). 251
Schwarzia. 294
Scissurella. 486
Scissurellidae. 486
scitula (Rissoa). 299
scobina (Purpura). 153
scobinatum (Calliostoma). 471
scolopax (Murex). 133
scolymus (Turbinella). 95
Scousia. 183
Scorpio (Murex). 142
scorpio (Pterocera). 221
scotti (Cypraea). 199
scripta (Columbella). 131
„ (Oliva). 51
scrobiculator (Ranella). 173
sculptilis (Diplommatina). 348
„ (Turricula). 82
scurra (Cypraea). 197
„ (Scurria). 502
Scurria. 502
scutata (Ampullaria). 319

Digitized by Google

scutellaris (Patella coerulea, var.). 504
Scutellastra. 506
scutellatum (Crucibulum). 365
scutellum (Megatebennus). 490
Scutibranchiata. 394
scutulata (Littorina). 282
„ (Strigatella). 85
„ (Struthiolaria). 224
scutum (Acmaea). 499
Scutus. 496
sebae (Natica melanostoma, var.). 381
secalina (Marginella). 63
seguenzae (Triton nobilis, var.). 163
selectum (Calliostoma). 470
semicancellata (Melania). 252
semicarinata (Goniobasis). 275
Semicassis. 178
Semicirculatae. 418
semiconica (Neritina). 422
semiconvexa (Columbella). 132
semicostata (Clionella). 36
„ (Melania). 263
„ (Truncatella). 322
semicostatum (Astralium). 447
semifasciata (Turricula). 83
semiferrugineum (Cerithium). 228
Semifusus. 99
semigranosa (Cassis). 178
„ (Nassa). 114
„ (Ranella). 174
semigranosum (Cerithium). 230
semilabre (Chondropoma). 359
seminuda (Rissoa). 294
seminudus (Neocyclotus). 338
seminulum (Rissoa). 305
semiornata (Melania). 254
semiplicata (Nassa). 119
„ (Nassa corniculum, var.). 123
semirugosa (Nerita). 407
semisculpta (Arinia minor, var.). 344
Semisinus. 266
semistriata (Haliotis varia, var.). 483
„ (Nassa). 117
„ (Olivella). 56
„ (Rissoa). 303
semisulcatus (Cyclophorus). 329
semisurrectus (Vermetus). 241
semitrisulcatus (Potamides). 234
semiusta (Buccinanops digitale, var.). 125
semmelinki (Oliva). 52
Senectus. 439
senegalensis (Turricula). 81
senticosus (Phos). 109
septangularis (Mangelia). 42
Septaria. 434
septemspiralis (Pomatias). 349
septentrionalis (Purpura crispata, var.). 153
septima (Strombus succinctus, var.). 215
sepulturalis (Oliva maura, var.). 48
sericatum (Leptopoma). 324
sericea (Chondropoma subreticulatum, var.). 360
sericinus (Cyclophorus). 330
Sermyla. 265
serotina (Clavella). 90
serpentina (Voluta vespertilio, var.). 67
serpuloides (Cyclostrema). 479
Serpulorbis. 240
serrata (Marginella). 61
serratum (Dorsanum). 125
serratus (Hipponyx). 364
„ (Leptoconchus). 162
sertum (Purpura). 154
Setia. 303
setigera (Melania). 262
„ (Plaxiphora). 521
setosa (Melania). 262
setosus (Turbo). 439
sevillensis (Melanopsis cariosa, var.). 269
shuttleworthi (Chondropoma). 358
siamensis (Cyclophorus). 331
sibirica (Bithinia leachi, var.). 310
sicula (Mangelia). 41
sidera (Neritina). 430
sieboldi (Fusus). 90
„ (Conus). 19
„ (Glyphis). 491
Sigapatella. 370
Sigaretus. 383
silacea (Helicina). 399
simiae (Natica). 381
simile (Lagochilus). 327
similis (Arinia). 344
„ (Cancellaria). 48
„ (Cypraea). 204
„ (Georissa). 402
„ (Moulinsia). 342
„ (Paludomus loricatus, var.). 271
„ (Rissoa). 292
simplex (Acmaea cubensis, var.). 500
„ (Conus). 24
„ (Mitra). 73
Simpulum. 165
simulacrum (Tomocyclus). 339
sinclairi (Chiton). 524
sinensis (Calyptraea). 369
„ (Murex). 137
„ (Potamides). 235
Sinica. 347
Sinistralia. 90
sinuata (Clionella). 36
Sipho. 101
Siphonalia. 101
siphonata (Ranella). 174
Siphonium. 241
Siphopatella. 369
siquijorensis (Nassa). 115
„ (Neritina). 416
siquijorica (Helicina dichroa, var.). 398
sitchana (Littorina). 279

Digitized by Google

situlus (Purpura). 155
Skeneia. 290
Skeneiidae. 290
sloanei (Eutrochatella). 401
sloanii (Strombus pugilis, var.). 212
Smaragdia. 433
smaragdinus (Ischnochiton). 517
smaragdulus (Latirus). 94
smaragdus (Turbo). 443
smithi (Pentadactylus). 160
smithianum (Choanopoma). 356
smithii (Neritina). 421
snellemanni (Melania). 254
sobria (Melania). 255
societatis (Melania). 257
soembaensis (Cyclotus). 335
Sol. 445
solandri (Trivia). 209
Solariella. 469
Solariidae. 287
solariiformis (Minolia). 468
solaris (Xenophora). 370
Solarium. 287
solida (Natica). 379
solidula (Emarginula). 494
„ (Helicina). 400
solidulum (Chondropoma). 359
sordida (Natica). 382
sordidum (Ctenopoma). 357
souleyetiana (Neritina). 425
souvillei (Choanopoma). 356
souverbiana (Neritina). 434
sowerbyana (Neritina). 428
„ (Ovula). 189
sowerbyi (Cyclophorus). 332
„ (Cypraea). 202
„ (Triton). 164
„ (Tropidophora). 353
spadicea (Cypraea). 202
„ (Natica rufa, var.). 375
„ (Siphonalia). 102
sparsimnodosa (Melania brookei, var.). 251
sparverius (Turbo). 439
speciosa (Liotia). 476
„ (Phasianella). 437
„ (Purpura). 150
spectabilis (Melania). 264
„ (Pleurotoma). 38
„ (Terebra). 4
spectrum (Acmaea). 498
„ (Conus). 25
„ (Turritella). 242
Spekia. 308
spelta (Ovula). 189
spengleri (Triton). 167
„ (Trochus). 452
spengleriana (Cancellaria). 45
„ (Nerita). 408
spenglerianus (Turbo). 441
sphaerula (Delphinula). 475
sphaerulata (Mitra). 76
spinifera (Neritina squarrosa, var.). 428
spinigera (Acanthopleura). 526
spiniperda (Neritina). 427
spinosa (Acanthopleura). 526
„ (Cassis). 177
„ (Melania). 250
„ (Neritina). 425
„ (Neritina nucleolus, var.). 429
„ (Ranella). 174
„ (Turbo saxosus, var.). 444
spinosum (Pleurocera). 273
spinosus (Faunus). 267
„ (Turbo). 440
spinulosum (Astralium). 446
Spiraculum. 334
spirata (Clavatula). 86
„ (Nassa). 112
„ (Neritina fluviatilis, var.). 432
spiratus (Dipsaccus). 110
„ (Vermetus). 240
spirillus (Tudicla). 96
Spiroglyphus. 241
splendida (Rissoa). 292
splendidula (Columbella). 131
„ (Oliva). 50
spongiarum (Columbella rustica, var.). 127
spongicola (Rissoa). 294
sponsalis (Conus). 16
spurca (Cypraea). 205
squama (Crepidula lessoni, var.). 367
squamata (Haliotis). 488
squamipicta (Neritina). 417
Squamopleura. 527
squamosa (Melongena galeodes, var.). 99
„ (Purpura). 152
squamosissima (Coralliophila). 162
squamulata (Nerita chamaeleon, var.). 405
squamulosa (Coralliophila neritoidea, var.). 161
squarrosa (Neritina). 427
squarrosus (Trochus). 451
stamineus (Turbo). 444
stanleyi (Helicina). 398
staphylaea (Cypraea). 207
Stella. 447
stellaeformis (Patella). 506
stellaris (Acmaea saccharina, var.). 501
stelleri (Cryptochiton). 523
stelliferus (Helcioniscus). 511
stelmaphora (Paludina). 312
stenostomus (Theobaldius). 328
Stenothyra. 311
stephanus (Paludomus). 271
stercoraria (Cypraea). 199
stercus-muscarum (Conus). 14
Stereopoma. 349
stigmataria (Turricula). 81
Stigmaulax. 376
stillata (Conus conspersus, var.). 25

Digitized by Google

Stoastoma. 402
stokesii (Chiton). 524
stolata (Nassa). 119
stoliczkana (Gibbula). 467
stolida (Cypraea). 194
Stomatella. 480
Stomatia. 481
stragulata (Neritina danubialis, var.). 431
straminea (Natica aurantia, var.). 378
„ (Terebra). 5
„ (Torinia). 289
stramineus (Conus). 26
„ (Ischnochiton). 517
Stramonita. 150
striata (Acmaea). 500
„ (Clanculus jussieui, var.). 454
„ (Crucibulum scutellatum, var. tubifera, mut.). 366
„ (Harpa). 59
„ (Morio). 183
„ (Nerita). 408
„ (Rissoa). 297
„ (Rissoa similis, var.). 293
Striatella. 257
striatula (Emarginula). 494
„ (Turbonilla). 393
striatum (Calliostoma). 472
striatus (Conus). 31
strictecostata (Choanopoma). 355
strigata (Cassis). 180
„ (Terebra). 1
Strigatella. 84
strigilata (Neritina turrita, var.). 421
„ (Terebra). 4
strigilis (Helcioniscus). 511
strigosa (Gena). 481
striolata (Crepidula lessoni, var.). 367
„ (Mangelia). 42
„ (Rissoina). 305
Strombidae. 211
strombiformis (Columbella). 129
Strombina. 130
Strombus. 211
Strongylocera. 109
Struthiolaria. 223
Struthiolariidae. 223
stygia (Pleurocera). 274
Stylifer. 389
suavis (Monodonta). 459
subalatum (Leptopoma). 325
subangulata (Oliva araneosa, var.). 51
subaurita (Claviger auritus, var.). 266
subcarinata (Lioplax). 316
subcarinatus (Adeorbis). 384
subconcolor (Solarium cingulum, var.). 268
subcrenulata (Rissoa). 300
subdisjunctum (Cyclostrema). 479
Subemarginula 495
subexusta (Melania). 257
subfusca (Helicina). 396
subfuscus (Chiton). 524
subglabrata (Georissa). 402
subglobosa (Nerita semirugosa, var.). 407
subgraellsiana (Melanopsis dufourii, var.). 269
subgranosa (Ranella). 172
submarginata (Helicina). 399
submarmorea (Tonicella). 515
subnodosus (Tectarius). 285
subocellata (Neritina). 427
suborbicularis (Septaria). 435
subplicata (Melania). 251
subpunctata (Melania). 255
„ (Neritina). 429
subpurpurea (Paludina). 312
subreticulatum (Chondropoma). 360
subrostrata (Monodonta). 457
„ (Septaria tessellata, var.). 436
„ (Trivia). 210
subrufus (Hipponyx). 363
subspinosa (Nassa). 122
substriata (Helicina). 395
„ (Platyraphe). 334
subsulcata (Neritina). 425
subtilis (Melanopsis esperi, var.). 270
Subula. 1
subularo (Pleurocera). 273
Subularia. 389
subulata (Eulima). 389
„ (Melania). 253
„ (Olivancillaria). 54
„ (Terebra). 7
„ (Turricula). 82
subulatus (Conus). 29
subviridis (Cypraea). 201
succincta (Purpura). 152
succinctus (Cyclotus). 335
„ (Strombus). 215
succinea (Alcadia). 400
„ (Neritina). 433
suffusa (Columbella). 130
„ (Trivia). 209
sugillatus (Conus). 21
sulcata (Littorina rudis, var.). 379
„ (Natica). 376
„ (Pyramidella). 390
„ (Volutolyria musica, var.). 70
sulcatum (Astralium). 445
„ (Cyclostoma). 354
sulcatus (Chiton). 525
„ (Conus). 29
„ (Cyclotus). 336
„ (Paludomus). 271
„ (Planaxis). 237
„ (Potamides). 234
„ (Vermetus). 240
sulcosa (Cassis). 179
Sulcospira. 248
sulcospira (Melania). 248
sulculosa (Neritina). 418

Digitized by Google

sulculosum (Choanopoma). 356
sumatrana (Neritina pulligera, var.). 416
sumatrensis (Conus). 19
„ (Melania). 250
„ (Paludina). 313
superstructa (Cyclophorus picturatus, var.). 329
suratensis (Conus betulinus, var.). 12
Surcula. 36
suteri (Gibbula). 467
„ (Plaxiphora). 521
suturale (Cerithium). 227
„ (Crocidopoma). 339
suturalis (Coralliophila). 161
„ (Drillia). 40
„ (Helicina). 398
„ (Nassa). 112
suturatus (Conus). 11
swainsoni (Paludina). 313
„ (Tonicia). 526
Swainsonia. 78
sybaritica (Acmaea). 499
Sycotypus. 97
syracusanus (Fusus). 89
Syrnola. 391
Syrnolopsis. 507

T.

tabanula (Mitra). 76
tabescens (Cypraea). 192
tabularis (Monodonta). 459
taenia (Nassa). 119
taeniata (Mangelia). 42
„ (Photinula). 468
„ (Strombus isabella, var.). 218
„ (Turricula). 79
„ (Vexilla). 155
taeniatus (Conus). 15
Taenioglossa. 163
taeniolata (Helicina citrinella, var.). 399
tahitense (Dorsanum). 124
tahitensis (Neritina). 415
taitensis (Conus rattus, var.). 20
talpa (Cypraea). 191
tamsi (Monodonta). 457
Tanalia. 271
Tanganyicia. 308
tanjoriensis (Paludomus). 271
tankervillei (Eutrochatella). 401
tantilla (Risella). 286
Tarebia. 263
tarentina (Ocinebra erinaceus, var.). 144
taxus (Clavatula). 36
taylori (Solarium). 288
Tectarius. 284
tectum (Modulus). 237
tectum-persicum (Tectarius). 285
tectum-sinense (Mitrularia). 364
Tectus. 449
Tegula. 464
tegula (Nassa). 121
Teinostoma. 480
Teinotis. 486
Telasco. 116
Telescopium. 234
telescopium (Potamides). 234
Tenagodes. 241
Tenare. 410
tendineus (Conus). 30
tenebrosa (Littorina rudis, var.). 279
„ (Buccinum groenlandicum, var.). 103
tenebrosus (Cantharidus). 459
tenerrimus (Potamides). 234
tenkatei (Melania). 258
tennantii (Paludomus neritoides, var.). 272
tentaculata (Bithinia). 309
tentorium (Choanopoma). 356
„ (Trochus maculatus, var.). 450
tenue (Buccinanops). 125
„ (Buccinum). 104
tenuicosta (Scalaria). 388
tenuilabiatus (Pterocyclus). 333
tenuiliratum (Chondropoma). 359
tenuis (Cassis). 182
„ (Crucibulum scutellatum, var. quiriquina, mut.). 366
„ (Olivella). 56
„ (Phasianella). 437
tenuisculpta (Pyramidella). 391
tenuisculptum (Cerithium). 232
tenuispina (Murex). 133
tenuistriatus (Conus). 30
terebellatus (Strombus). 220
Terebellum. 223
Terebra. 1, 5
terebra (Conus). 30
„ (Turritella). 242
terebralis (Mitra). 74
Terebri. 30
Terebridae. 1
terebriformis (Melania). 253
tergina (Olivella). 55
terminalis (Plaxiphora). 521
ternatanus (Semifusus). 99
ternispina (Murex). 134
terpsichore (Columbella). 129
terebellum (Pyramidella). 390
Terebralia. 233
teres (Goniobasis). 275
tessellata (Liolophura japonica, var.). 528
„ (Cancellaria). 44
„ (Nerita). 406
„ (Oliva). 53
„ (Phasianella). 438
„ (Septaria). 435
„ (Truncatella). 322
tessellatum (Dolium). 185
tessellatus (Conus). 10
„ (Pomatias). 349

Digitized by Google

tessellatus (Yetus). 66
testacea (Agaronia). 54
testaceus (Triton). 164
testae (Rissoa). 302
testiculus (Cassis). 182
testudinalis (Acmaea). 497
testudinaria (Cypraea). 191
„ (Melania). 248
testudinarius (Conus). 28
„ (Helcioniscus). 510
tetrapterus (Typhis). 133
Texti. 32
textile (Conus). 33
textilina (Oliva). 50
textiliosa (Purpura). 152
texturata (Cantharidus purpuratus, var.). 460
texturata (Mitra). 73
textus (Phos). 109
Thala. 78
thalassiarchus (Conus). 18
Thalessa. 148
Thalotia. 461
Thapsa. 302
Tharsis. 479
Theliostyla. 403
theminckiana (Canidia). 124
Theobaldius. 328
Theodoxus. 431
thermalis (Neritina fluviatilis, var.). 432
thermophila (Neritina). 428
thersites (Diplommatina). 348
„ (Nassa). 118
Thiara. 261
thiarella (Melania). 262
„ (Tectarius). 285
„ (Volutolyria musica, var.). 70
Thiaropsis. 263
thomae (Ranella). 175
thwaitesi (Paludomus). 272
tiaratus (Conus). 15
tiarella (Purpura). 154
tiarula (Nassa). 121
ticaonica (Glyphis). 493
ticaonicus (Turbo). 441
tigrina (Cominella). 104
„ (Melania). 259
„ (Monodonta). 458
„ (Oliva). 47
„ (Pleurotoma). 38
„ (Terebra). 2
tigrinus (Cyclophorus). 330
tigris (Calliostoma). 470
„ (Cypraea). 200
timorensis (Conus). 26
„ (Turricula). 84
timoria (Oliva). 51
tingitana (Melanopsis). 268
titanica (Helicina). 399
Titanopoma. 350
togata (Chrysodomus). 101
Tomichia. 322
Tomocyclus. 339
Tonicella. 525
Tonicia. 525
Torcula. 245
toreuma (Fusus). 88
„ (Helcioniscus). 510
Torinia. 289
tornata (Chrysodomus despecta, var.). 100
„ (Surcula). 37
tornatella (Melania). 265
tornatus (Conus). 29
torquata (Cassis). 181
„ (Melania). 251
torrefactus (Murex). 138
tortilis (Mitrularia equestris, var.). 364
„ (Ovula). 188
tortum (Megalomastoma). 339
tortuosus (Triton). 165
totteni (Buccinum). 104
Toxoglossa. 1
trachea (Caecum). 246
trachelostropha (Palaina). 344
Trachydermon. 515
Tregula. 393
trailli (Cerithium). 228
tramosericus (Helcioniscus). 511
tranquebarica (Tritonidea). 107
tranquebaricum (Calliostoma). 470
tranquebaricus (Triton). 168
translucidus (Neocyclotus). 338
transversa (Doryssa). 265
transversalis (Neritina). 432
trapezinus (Megatebennus). 490
trapezium (Fasciolaria). 90
tremeza (Trivia). 211
tremulina (Oliva). 50
treubi (Pupina). 341
triangularis (Neritina ziczac, var.). 421
tribulus (Murex). 133
tricarinata (Subemarginula). 495
„ (Valvata). 316
Trichotropidae. 239
Trichotropis. 239
Tricolia. 437
tricolor (Calliostoma). 471
„ (Neritina subpunctata, var.). 429
„ (Oliva). 49
„ (Turricula). 84
tricornis (Cypraea cicercula, var.). 208
„ (Strombus). 216
tricostalis (Haliotis). 485
tricostata (Amathina). 365
„ (Turbo smaragdus, var.). 443
trifasciata (Engina). 108
„ (Melanopsis). 268
triformis (Murex). 136
Trigonostoma. 44
trigonostoma (Cancellaria). 44

Digitized by Google

trilineatus (Murex). 135
» (Triton). 169
Triphoris. 224
triplicata (Turritella). 243
tripterus (Murex). 136
tripus (Triton). 169
triqueter (Murex). 140
» (Vermetus). 241
» (Ocinebra erinaceus, var.). 144
triserialis (Trochus). 449
tristis (Neritina pupa, var.). 424
» (Strigatella). 85
» (Theobaldius). 328
triticea (Ovula). 188
Triton. 163
tritonensis (Neritina). 429
Tritonidae. 163
Tritonidea. 105
tritonis (Triton). 168
tritonum (Amnicola). 309
triumphans (Astralium). 445
Triumphis. 105
Trivia. 208
trivittata (Nassa). 115
Trochatella. 369
Trochia. 151
Trochidae. 448
trochiformis (Helicina). 397
trochoides (Cyclostrema). 479
trochoideum (Craspedopoma). 348
Trocholeptopoma. 324
trochulum (Lagochilus). 326
trochulus (Siphonalia). 102
Trochus. 448
trojana (Neritina anatolica, var.). 419
troosti (Pleurocera). 273
troostiana (Goniobasis). 276
Trophon. 132
tropica (Helicina orbiculata, var.). 396
Tropidina. 316
Tropidophora. 352
troscheli (Bithinia leachi, var.). 310
troscheli (Murex). 134
truncata (Bithinia). 310
» (Truncatella). 322
Truncatella. 322
Truncatellidae. 322
truncatus (Trophon). 133
trunculus (Murex). 141
tuba (Cyclophorus). 331
» (Semifusus). 99
tuber (Astralium). 446
tuberculata (Cynodonta). 96
» (Haliotis). 482
» (Melania). 258
» (Ranella). 176
tuberculatum (Cerithium). 229
tuberculatus (Chiton). 524
» (Fusus). 88
» (Pentadactylus). 159
tuberculosa (Oniscia). 183
tuberosa (Cassis). 177
» (Turricula patriarchalis, var.). 83
tuberosissima (Ranella). 174
tuberosus (Fusus). 89
» (Triton). 169
tubifera (Crucibulum scutellatum, var.). 366
Tubiola. 479
Tudicla. 96
Tudora. 360
Tudorella. 354
Tugalia. 496
Tugurium. 170
tulipa (Chiton). 524
» (Conus). 32
» (Fasciolaria). 90
Tulipae. 31
tumida (Gibbula). 446
tumidulus (Turbo). 441
tunicata (Katharina). 522
turbinata (Monodonta). 456
turbinatus (Murex). 141
Turbinella. 95
Turbinellidae. 95
Turbinidae. 436
turbinoides (Gibbula adansoni, var.). 466
» (Pentadactylus muricinus, var.). 160
Turbo. 438
turbo (Cyclophorus). 332
Turbonilla. 392
Turcica. 478
turdus (Cypraea). 205
turgida (Cassis). 181
» (Melanopsis esperi, var.). 270
turgidulum (Calliostoma). 473
Turricula. 78
turricula (Bela). 41
» (Fusus). 88
turriculata (Realia). 350
turriculus (Melania). 258
turrita (Columbella). 181
» (Melanopsis cariosa, var.). 269
» (Neritina). 421
» (Odostomia). 391
» (Strombus vittatus, var.). 215
Turritella. 242
turritella (Bittium). 232
Turritellidae. 242
turritum (Dorsanum). 125
turritus (Latirus). 98
turtoni (Chrysodomus). 101
» (Neritina). 422
turturina (Columbella). 128
Tylotoechus. 341
Tylotoma. 315
Tympanotomus. 233
Typhis. 133
Typhobia. 270
tyria (Delphinula). 476
tyrrhena (Morio). 182

Digitized by Google

U.

ualanensis (Neritina). 431
uber (Natica). 379
uberta (Helicina). 400
ulvae (Hydrobia). 307
umbilicalis (Margarita). 469
umbilicaris (Gibbula). 465
umbonatum (Cerithium). 227
Umbonium. 477
umbricola (Tudora). 361
umlaasiana (Nerita). 412
unciale (Pleurocera). 273
uncinarius (Murex). 136
undata (Columbella). 128
„ (Cypraea). 203
„ (Nerita). 408
„ (Oliva inflata, var.). 46
„ (Solarium hybridum, var.). 289
undatella (Olivella). 55
undatum (Baccinum). 102
undatus (Fusus). 87
„ (Pentadactylus). 158
undosa (Pleurotoma). 38
„ (Tritonidea). 105
undosum (Astralium). 447
undulata (Chrysodomus). 101
„ (Littorina). 282
„ (Lucidella). 401
„ (Margarita). 469
„ (Planaxis sulcatus, var.). 238
„ (Terebra). 7
„ (Tritonidea). 106
„ (Voluta). 69
undulatum (Pleurocera). 272
undulatus (Onithochiton). 528
„ (Turbo). 443
undulosa (Cylindromitra). 86
unedo (Clanculus). 454
„ (Pleurotoma). 38
unguiformis (Crepidula). 369
unguis (Astralium). 448
unicarinata (Acanthina). 155
„ (Trichotropis). 239
„ (Tropidophora). 352
unicolor (Melania). 257
„ (Paludina). 312
unicum (Calliostoma). 470
unidentata (Odostomia). 391
unidentatum (Calliostoma). 473
unifasciata (Natica marochiensis, var.). 374
„ (Tropidophora). 353
uniformis (Melania). 252
urceolata (Cancellaria). 43
urceus (Ampullaria). 317
„ (Strombus). 217, 218
Urosalpinx. 146
ursellus (Cypraea felina, var.). 193
Uvanilla. 447
Uzita. 122

V.

valentina (Neritina guadianensis, var.). 433
Valvata. 316
valvatus (Leptopomatioides). 327
vanikorensis (Imbricaria). 87
„ (Strombus canarium, var.). 213
Vanikoro. 370
varia (Columbella). 130
„ (Gibbula). 465
„ (Haliotis). 483
„ (Littorina). 277
„ (Neritina). 432
variabilis (Acmaea). 499
„ (Adamsiella). 357
„ (Helicina). 394
„ (Rissoa). 392
„ (Septaria). 435
„ (Strombus). 214
varians (Columbella). 127
„ (Leptopoma). 325
„ (Nassa). 123
varicosa (Drillia). 40
„ (Melania variabilis, var.). 250
„ (Nassa). 120
„ (Scalaria). 388
„ (Siphonalia). 102
„ (Solariella). 470
varicosus (Latirus). 93
„ (Potamides). 235
variegata (Ancilla fulva, var.). 57
„ (Cerithium tuberculatum, var.). 229
„ (Emarginula). 495
„ (Mitra). 72
„ (Neritina). 420
„ (Phasianella). 437
„ (Pleurotoma). 38
„ (Rissoa inconspicua, var.). 296
„ (Terebra). 7
„ (Tritonidea). 106
„ (Turritella). 243
variegatum (Dolium). 184
variegatus (Fusus). 88
Varii. 16
variolaria (Cypraea). 195
varius (Conus). 16
„ (Murex). 141
vauquelini (Mangelia). 42
vautieri (Conus). 13
velascoi (Neritina guadianensis, var.). 433
Velutella. 371
Velutina. 371
venosa (Nacella aenea, var.). 509
„ (Niso). 390
Venosae. 423
ventricosa (Ancilla). 57
„ (Bithinia tentaculata, var.). 309
„ (Harpa). 58

Digitized by Google

ventricosa (Pyramidella). 390
„ (Ranella). 175
„ (Rissoa). 291
„ (Stenothyra). 311
„ (Tomichia). 322
ventriculus (Cypraea). 194
ventrosa (Hydrobia). 306
venulata (Oliva). 51
venusta (Nassa). 114
„ (Nerita albicilla, var.). 404
„ (Rissoa). 292
„ (Phasianella). 436
venustula (Turricula). 83
Verena. 267
Vermetidae. 240
Vermetus. 240, 241
Vermicularia. 240
vermiculata (Conus hebraeus, var.). 14
verna (Trochus maculatus, var.). 450
verreauxi (Marginella). 62
„ (Terebra strigilata, var.). 4
verriculum (Conus textile, var.). 33
verruca (Leptothyra). 444
verrucosa (Melania). 264
„ (Ovula). 190
verrucosum (Pleurocera). 274
verrucosus (Conus). 29
„ (Fusus). 88
versicolor (Columbella). 126
„ (Nerita variegata, var.). 410
Vertagus. 230
vertagus (Cerithium). 230
vertebralis (Pleurotoma violacea, var.). 39
verulosus (Conus). 31
vesicans (Diplommatina). 348
vesicularis (Trivia). 208
vespaceus (Triton). 170
Vespertilio. 66
vespertilio (Voluta). 66
vespertina (Neritina). 415
vestiarium (Umbonium). 477
vestita (Littorina rudis, var.). 278
vestitum (Pleurocera). 273
Vexilla. 155
vexillum (Conus). 20
„ (Mitra). 75
„ (Vexilla). 155
„ (Voluta). 69
Viana. 401
vibex (Cassis). 180
„ (Murex). 143
„ (Nassa). 121
vicaria (Conus textile, var.). 33
victoriae (Conus). 34
vilis (Tectarius). 285
villanus (Clanculus). 454
villosa (Melania). 262
violacea (Bela). 41
„ (Calliostoma zizyphinum, var.). 472
„ (Natica). 378
violacea (Rissoa). 293
violaceus (Acanthochites). 521
virescens (Fissurella). 488
„ (Volutolyria). 70
virgata (Strigatella). 85
virgatus (Conus). 18
„ (Trochus). 449
virginea (Acmaea). 497
„ (Haliotis). 484
„ (Neritina). 428
Virgines. 21
virginica (Goniobasis). 275
virgo (Conus). 21
„ (Pleurotoma). 89
viridescens (Hydrobia). 306
viridis (Neritina). 433
viridula (Acmaea). 499
„ (Conus imperialis, var.). 9
„ (Glyphis). 493
viridulus (Neomphalius). 463
vitellus (Cypraea). 195
„ (Natica). 375
vitrea (Ampullaria). 320
„ (Rissoa). 298
vitreum (Leptopoma). 328
vittata (Goniobasis). 274
„ (Ocinebra). 144
„ (Tropidophora). 358
„ (Turricula). 79
vittatum (Dorsanum). 124
vittatus (Conus). 20
„ (Strombus). 214
vittulata (Turritella). 244
Vitularia. 145
vitulinus (Conus). 28
vivipara (Paludina). 311
Voluta. 66
Volutella. 62
volutella (Olivella). 55
Volutidae. 65
Volutolyria. 70
Volutomitra. 71
volva (Ovula). 189
Volvarina. 62
volvox (Lorica). 557
vulgata (Patella). 503
vulgatum (Cerithium). 224
Vulpecula. 78
vulpecula (Turricula). 78

W.

wagneri (Latirus). 94
wahlbergi (Cyclophorus). 332
walchii (Crepidula). 369
wallacei (Neritina). 429
„ (Opisthostoma). 345
wallisiarum (Neritina). 420
warderiana (Goniobasis). 275
watsoni (Rissoa). 299

Digitized by Google

weinkauffi (Rissoa). 301
wernei (Ampullaria). 320
wiegmanni (Triton). 168
wilkiae (Cantharidus). 461
winteri (Melania). 263
woldemarii (Turricula). 84
woodianus (Cyclophorus). 329
wosnessenskii (Mopalia ciliata, var.). 520
wynadense (Cyathopoma). 337

X.

xanthochila (Tropidophora). 353
xanthostigma (Neritina ziczac, var.). 421
xanthostoma (Acanthina). 156
Xenophora. 370
Xenophoridae. 370
xiphidium (Palaina). 345

Y.

Yetus. 65
yoldii (Nerita). 418

Z.

Zaria. 245
zebra (Conus). 25
„ (Monodonta). 456
„ (Natica). 372
„ (Neritina). 422
„ (Oliva sanguinolenta, var.). 49
„ (Patella). 506
„ (Voluta). 69
zebrina (Scurria). 502
zebroides (Cantharidus). 461
zebuensis (Diplommatina). 346
zelandica (Ethalia). 478
zelandicus (Acanthochites). 521
zenopira (Olivella). 55
zetlandica (Rissoa). 296
„ (Buccinum undatum, var.). 103
Zeuxis. 118
zeylanica (Cassis pyrum, var.). 181
„ (Oliva). 49
zeylanicus (Dipsaccus). 110
ziczac (Cypraea). 203
„ (Littorina). 281
„ (Neritina). 420
Zidona. 65
Ziervogelia. 84
ziervogeliana (Turricula). 84
Ziphora. 294
zizyphinum (Calliostoma). 471
zollingeri (Cyclophorus perdix, var.). 331
„ (Melania). 251
zonalis (Olivella). 55
„ (Potamides). 236
zonamestum (Calliostoma). 473
zonata (Cypraea). 202
„ (Engina). 108
„ (Marginella). 62
„ (Monodonta). 459
„ (Rissoa cimex, var.). 299
„ (Spekia). 308
„ (Velutina). 371
zonatum (Dolium). 184
zonatus (Conus). 9

Digitized by Google

Digitized by Google

MUSÉUM
D'HISTOIRE NATURELLE
DES
PAYS-BAS
PAR

H. SCHLEGEL et F. A. JENTINK.

CATALOGUE DES COLLECTIONS
DÉPOSÉES DANS CET
ÉTABLISSEMENT.

Tome	I.	Contenant: BUCEROS. — BUCCONES. — CUCULI. — CORACES.
»	II.	» OTI. — STRIGES. — FALCONES. — CIRCI. — ASTURES. — ASTURINAE. — BUTEONES. — AQUILAE. — MILVI. — PERNES. — POLYBORI. — VULTURES. — OISEAUX DE PROIE (Revue).
»	III.	» PSITTACI. — PSITTACI (Revue). — MEROPS. — MOMOTUS. — ALCEDINES. — ALCEDINES. (Revue). — PITTA. — PITTA (Revue).
»	IV.	» COLUMBAE. — STRUTHIONES. — CURSORES.
»	V.	» SCOLOPACES. — RALLI. — CICONIAE. — ARDEAE. — IBIS.
	VI.	» ANSERES. — PROCELLARIAE. — LARI. — STERNAE. — PELECANI. — URINATORES.
»	VII.	» SIMIAE.
»	VIII.	» TINAMI. — TABLE ALPHABÉTIQUE.
»	IX.	» CATALOGUE OSTÉOLOGIQUE DES MAMMIFÈRES.
»	X.	» CATALOGUE OSTÉOLOGIQUE DES OISEAUX, DES POISSONS, REPTILES ET AMPHIBIES.
»	XI.	» CATALOGUE SYSTÉMATIQUE DES MAMMIFÈRES (SINGES, CARNIVORES, RUMINANTS, PACHYDERMES, SIRÈNES ET CÉTACÉS).
»	XII.	» CATALOGUE SYSTÉMATIQUE DES MAMMIFÈRES (RONGEURS, INSECTIVORES, CHEIROPTÈRES, ÉDENTÉS ET MARSUPIAUX).
»	XIII.	» CATALOGUE SYSTÉMATIQUE DES MOLLUSQUES (GASTROPODES PROSOBRANCHES ET POLYPLACOPHORES).
»	XIV	» CATALOGUE SYSTÉMATIQUE DE LA COLLECTIOIN DE FEU Mr. J. P. VAN WICKEVOORT CROMMELIN.

Prix des tomes I—IX, X, XI—XIV flor. 73.—

Digitized by Google

Digitized by Google

Digitized by Google

3 2044 106 278 435

Digitized by Google

Digitized by Google